


**SECTION A-A**  
\* SEE NOTE 1

- \* **NOTE 1:** 4.0m IS CONSIDERED APPROPRIATE FOR A FIELD ACCESS. 7.0m IS CONSIDERED "STANDARD" FOR A RESIDENTIAL FARM ACCESS HOWEVER A LONGER DIMENSION MAY BE USED IF SPECIFICALLY DIRECTED BY THE ENGINEER.
- NOTE 2:** RADIUS IS 10.0m FOR RESIDENTIAL ACCESS AND 15.0m FOR AGRICULTURAL ACCESS.
- NOTE 3:** THE TAPERING OF THE ASPHALT CONCRETE PAVEMENT AND GRANULAR BASE COURSE LAYERS IS NORMALLY ACHIEVED USING A 5% SLOPE.

△			
△			
No.	REVISIONS	BY	DATE

Approved:  
ORIGINAL SIGNED  
BY PETER TAJCNER  
.....  
Director,  
Design Engineering Branch

Date: JANUARY 199



**ASPHALT CONCRETE PAVEMENT/  
ASPHALT STABILIZED BASE COURSE  
AND GRANULAR BASE COURSE  
FOR FARM ENTRANCE**

Prepared By: R.T.	Checked By: BK	Scale: N.T.S.	Dwg No.: CB6-3.4M3
-------------------	----------------	---------------	--------------------

**SUPERSEDED**