

Page numbers in **bold** indicate a section heading.

Page numbers in *italics* refer to a figure or table.

~ A ~

- AADT *See Average Annual Daily Traffic*
 See also warrants
abutments 3-11, 5-14, 7-4, 7-8, **7-11**, 7-12
access approach 4-7, **4-9**
Alberta Weak Post W-Beam 1-5, 1-9, 2-2, 3-12, 3-14,
 3-16, 3-18, 3-21, 3-44, 3-50, 3-71, 5-3, 5-6, 5-9, **5-18**,
 5-27, 5-29, 6-4, 6-6, 6-7, 6-9
 drawings *See Appendix B1*
 end treatments 5-19
 maintenance 5-20
 restrictions 5-18
 transitions 5-19
approach length 3-19
approach rail 5-29, 7-1, 7-2, 7-4, **7-7**, 7-8, 7-9, 7-10
 See also upgrading, Appendix D
approach slopes
 severity index tables A-25, A-37, A-38
arrestors 6-1, 6-3
attachments to barrier systems 5-8, **5-17**, 6-6, 6-7, 6-9
Average Annual Daily Traffic (AADT) 3-1, C1-3

~ B ~

- backslopes 1-7, 3-7, **4-2**
 severity index table A-15
 See also slopes
barrier extension length 3-21, 3-44
barrier warrants *See warrants*
barriers on new structures 5-8
BEAT *See end treatments*
benefit-cost analysis 3-7, 3-31, 4-3, 4-7
 See also Appendices C1 and D1
benefit-cost worksheet 3-7, **3-54**, 3-78, 3-80
bi-directional device 6-10
box beam 3-13, 3-16, 6-5, 7-9
breakaway supports 1-8, 8-5, 8-7, 8-9, 8-10
bridge barrier 1-10
bridge barrier rehabilitation 2-1, 4-2, 4-10, 5-10, 5-20,
 7-11
bridge pier 1-8, 3-6, 3-11, 5-14, 5-17, 6-4, 6-15, **7-11**
bridge railing
 rigid 7-1, 7-9, 7-12
 transition 5-24
Bridge railing
 drawings *See Appendix C2*

- bridges 1-1, 2-2, 3-12, 4-1, 5-8, **7-1**, **9-1**, D1-2
 bridge height *C1-6*
Bullnose 1-8, 1-10, 8-6
 placement drawings *See Appendix B5*

~ C ~

- Canadian Highway Bridge Design Code (CHBDC) 2-2
cast-in-place 7-10
cast-in-place concrete barrier 3-12, 3-16, 3-21, 3-44, 5-3,
 5-5, 5-26, **5-30**, 5-32
 drawings *See Appendix B6*
 end treatments 5-31
 maintenance 5-31
 restrictions 5-31
 transitions 5-31
CAT-350 *See end treatments*
CHBDC *See Canadian Highway Bridge Design Code*
Clear Zone **1-8**, **3-2**, 3-4, 3-20
Clear Zone documentation **3-81**
collisions *See crashes*
conventional lighting **8-7**, 8-8
crash cushions 1-4, 1-6, 1-8, 1-9, **1-10**, 3-12, 3-20, **6-1**,
 6-10
crash frequency 3-52, D1-5
crash severity 1-1, 1-2, 1-3, 1-4, 1-8, 1-9, **1-10**, 3-11, 3-16,
 3-31, 3-50, 3-52, 3-53, 3-55, 3-58, 4-1, 8-6
 approach rail 7-9
 barrier systems 5-2, 5-4, 5-9, 5-22, 5-33
 ditches 4-6
 end treatments 6-1, 6-11, 6-13
 slopes 4-1, 4-2
 See also severity index (SI)
crash tests **1-8**, 5-2, 5-13, 5-27, 7-2, 7-4, 7-6, 7-7, 7-11
 not tested 2-1, 3-17
crashworthy **1-8**, 5-27
critical slopes 4-2
 See also slopes
crossover median collisions 1-9, 3-15, 3-16, 4-3, 5-6, 5-32
culvert inlets 4-1, 4-3
culverts 1-1, 1-9, 3-11, 3-77, 78, **4-6**
 severity index table A-52
curbs .. 1-9, 3-4, 4-1, **4-3**, 4-4, 4-5, 4-6, 5-1, 5-12, 7-2, 7-4,
 7-6, 7-7, 7-8, 7-9, 8-10, 9-2, 11-2, C1-1, D1-2
cut slopes 3-4
 See also slopes
cyclists 5-1, 5-9, 7-3, **9-1**, 11-1, **11-2**

~ D ~

DCZ	<i>See</i> Desirable Clear Zone
delineation.....	1-1
design deflection .	3-12, 3-15, 3-17, 4-9, 5-2, 5-3, 5-6, 8-5, 8-6, 8-9, 8-10, 10-1
design process.....	3-1
Desirable Clear Zone (DCZ) ..	<i>3-1, 3-3, 3-5, 3-6, 3-7, 3-15,</i> <i>3-19, 3-20, 3-29, 3-31, 3-33, 3-35, 5-19</i>
bridge piers	7-11
culverts.....	4-7
formula.....	3-28, 3-31
high mast lighting	8-9
median.....	5-6, 5-18
Modified Thrie Beam.....	5-28
Strong Post W-Beam.....	5-25
trees.....	9-2
utility poles	8-10
<i>See also</i> slopes	
Desirable Tangent Clear Zone (DTCZ)	<i>3-3, 3-29, 3-31,</i> <i>3-33</i>
ditches.....	1-9, 4-1, 4-6
downstream length.....	3-19, 3-81
drainage.....	1-9, 4-1, 4-3, 4-6, 4-7, 4-9
DTCZ.....	<i>See</i> Desirable Tangent Clear Zone

~ E ~

economic analysis	3-7, 3-50 , 3-54, 4-2
economic factor selection	3-50
embankments	1-3, 3-7, 4-2, 4-3 , 4-9, 5-6, 6-2, 7-9
encroachment	1-2, <i>1-3, 3-50, 3-81, 5-7</i>
arc .	3-24, 3-26, 3-34, 3-38, 3-42, 3-43, 3-47, 3-48, 3-45
frequency curves	3-52
probabilities	<i>C1-5</i>
rate	3-50, <i>C-3</i>
end treatments	<i>1-6, 1-9, 3-17, 3-28, 5-19, 5-21, 5-23, 5-26,</i> <i>5-28, 5-31, 5-32, 6-1, 6-4</i>
Bursting-Beam Energy Absorbing Terminal (BEAT)	<i>3-18, 6-4, 6-5</i>
application.....	6-5
restrictions.....	6-5
Crash Cushion Attenuating Terminal (CAT-350)....	6-6
application.....	6-6
restrictions.....	6-6
ET-Plus	6-7
application.....	6-7
restrictions.....	6-7
FLEAT (Flared Energy Absorbing Terminal) for	
roadside application	6-8

application.....	6-8
restrictions.....	6-9
FLEAT-MT for median application.....	6-8
application.....	6-8
restrictions.....	6-9
Gravel Bed Attenuation Systems	6-16
application.....	6-16
restrictions.....	6-16
QuadGuard.....	6-10
application.....	6-11
maintenance	6-11
restrictions.....	6-11
Sand Barrel Systems	6-14
application.....	6-15
restrictions.....	6-15
Trinity Attenuating Crash Cushion (TRACC)	6-12
application.....	6-12
maintenance	6-13
restrictions.....	6-12
Turn Down.....	<i>3-18, 3-19, 3-50, 3-71, 5-19, 5-23,</i> <i>5-26, 5-31, 5-33, 6-4</i>

Wing End	<i>3-18, 5-19, 5-26, 5-28, 6-4</i>
ET-Plus	<i>3-18, 3-28, 6-4, 6-7</i>
examples	

Desirable Clear Zone	3-29, 3-31
guardrail	3-36, 3-65
Length of Need	3-36, 3-39, 3-45
Modified Thrie Beam.....	3-66, 3-66
non-recoverable slopes	3-31, 3-33
Roadside Safety Analysis Program (RSAP)	3-55, 3-65, 3-69
roadside safety treatments.....	3-32
runout length.....	<i>3-36 3-39 3-45</i>
Strong Post W-Beam	3-39 3-45
upgrading bridgerails	<i>C1-8, C1-11, C1-14, D1-7,</i> <i>D1-19</i>

Extruded Concrete Barrier.....	<i>3-16, 3-21, 3-44 ,5-3, 5-30,</i> <i>5-32, 7-12</i>
--------------------------------	---

drawings.....	<i>See</i> Appendix B6
end treatments	5-31
maintenance	5-31
restrictions	5-31
transitions.....	5-30

~ F ~

Federal Highway Administration (FHWA)	2-2, 7-1
fill slopes.....	<i>3-4</i>
<i>See also</i> slopes	

fire hydrants.....	9-2
fixed objects....	1-1, 1-2, 3-4, 3-11, 4-1, 5-2, 5-4, 5-9, 6-1,
6-2, 6-6, 6-8, 6-11, 6-12, 6-15	
severity index table.....	A-49
flare rate.....	5-9, 6-7
Flared Energy-Absorbing Terminal (FLEAT).....	3-28,
5-19, 5-29, 6-4, 6-8	
application	6-8
restrictions	6-9
flexible systems	5-2, 5-3, 5-5, 5-18
flood plains	3-16, 4-9 , 5-6, 5-28
forgiving roadside.....	1-1, 3-2
fracture type breakaway supports	8-9
F-Shaped Barrier.....	3-21, 3-44, 5-3, 5-5, 5-30, 5-32, 10-1,
10-2	
drawings	<i>See Appendices B4, B6</i>
future paving requirements	5-10

~ G ~

gating	<i>I-6, 1-9, 6-2</i>
gating systems	6-6, 6-7, 6-8, 6-14
end treatments.....	6-1
grading	1-3, 3-11, 4-1 , 5-1, 6-2, 6-3, 9-3
flared end treatments	3-48, 6-2
gating end treatments	6-2, 6-7
<i>See also</i> slopes	
grates	4-7
Gravel Bed Attenuation Systems.....	6-4, 6-16
guardrail....	1-9, 1-10, 3-31, 5-8, 5-27, 6-8, 7-9, 7-11, 11-2
guide post delineation drawing	<i>See Appendix B5</i>
placement drawings	<i>See Appendix B7</i>
<i>See also</i> examples	

~ H ~

hazards. 1-9, 3-7 , 3-11, 3-19, 3-23, 3-26, 3-39, 3-46, 3-81,	
4-1, 4-6, 4-7, 4-9, 4-12, 5-8, 7-11, 8-6, 8-7, 8-9, 9-2,	
11-2	
barrier systems.....	3-12, 3-15, 5-1, 5-4, 5-18, 5-21, 6-1,
6-4, 6-6, 6-10	
bridgerails	7-6, 7-9
Clear Zone	1-2, 3-3, 3-6, 3-33
design process.....	3-1, 3-17
end treatments.....	3-37, 6-12, 6-15
Zone of Intrusion	5-12, 5-15
high mast lighting	5-14, 8-9
High Tension Cable System ..	3-14, 3-16, 3-17, 3-18, 5-21
barrier systems.....	5-2, 5-3, 5-5
drawings	<i>See Appendix B2</i>

end treatments.....	6-4
flood plains	4-9
maintenance.....	5-22
restrictions	5-21
transitions	5-21
highway curvature	C1-4

~ I ~

illumination	8-7
Impact Attenuator.....	1-8, 6-14
Inertia Barrier	6-14
intersection	
approaches....	4-7, 4-9 , 4-10, 4-11, 4-12, 5-17, 8-9, 11-1
hazards.....	3-24, 3-26, 3-37, 3-40, 3-46

~ K ~

kinetic energy	6-10, 6-16
----------------------	------------

~ L ~

Length of Need.....	1-9, 3-19 , 3-24, 7-3
divided highways.....	3-26
documentation	3-81
end treatments.....	6-1, 6-3
mitigating strategies.....	3-12
signs.....	8-6
testing criteria	1-4
undivided highways.....	3-23
life cycle costs	3-50, 8-6
<i>See also</i> Appendix C1	
longitudinal.....	1-1
aesthetics	11-1
barrier systems... 1-4, 1-5, 1-9, 2-1, 2-2 , 3-7, 3-12 , 3-14,	
3-15, 4-4, 5-12	
bridge barriers.....	2-2
Clear Zone	3-2
design deflection.....	3-17
ditches.....	4-6
hazards.....	3-11, 3-12, 4-7, 5-8
Length of Need.....	1-4
obstacles	3-11
performance.....	2-1
sideslopes.....	4-2
signs.....	8-5
T-intersections	11-1
work zones.....	10-1

~ M ~

- mailboxes 3-11, **9-3**
- median barrier **1-8**, 1-10, 3-16, **5-1**, **5-4**, 5-5, 5-18
- median barrier warrants *See warrants*
- mitigation strategies **3-11**
 - culverts 4-6
 - design process 3-1
 - hazards 3-7
- Modified Thrie Beam 1-9, 1-10, 3-12, **3-14**, 3-16, 3-17, 3-18, 3-21, 3-28, 3-44, 5-2, 5-3, 5-4, 5-5, 5-6, 5-19, 5-26, **5-28**, 6-4, 7-3, 7-4
 - drawings *See Appendix B5*
 - end treatments 3-18, 5-28
 - flare rate 5-9
 - flood plains 4-9
 - maintenance 5-29
 - restrictions 5-28
 - transitions 5-29
 - Zone of Intrusion 5-14
 - See also examples*
 - mounting height 6-3

~ N ~

- NCHRP Report 350* 1-4, **2-1**, 2-2, 3-12
 - Alberta 6-3, 6-4
 - barriers 3-12, 5-2
 - bridges 7-1
 - end treatments 5-19, 5-23, 5-26, 5-28, 5-31, 5-32, 6-5, 6-6, 6-7, 6-8, 6-10, 6-12
 - not tested 3-14, 3-17
 - pedestrians and cyclists 9-2
 - testing levels 5-3, 5-5
 - work zones 10-1
- non-gating systems 1-6, 6-10, 6-12
 - end treatments 6-1
 - See also gating systems*
 - non-recoverable slopes 1-8, 1-10, 3-3, 3-5, 3-6, 4-2
 - See also examples, slopes*

~ O ~

- overhead signs 5-14, **8-6**, 8-10
- support placement drawings *See Appendix B7*
- supports 1-1, 8-6

~ P ~

- pedestrians 1-4, 5-1, 8-7, 8-9, 8-10, **9-1**, 11-1, **11-2**

- performance levels 1-10, 2-2, **7-1**, 7-2, 7-3, 7-9, 7-12
 - Bridgerail 1-5
 - upgrading 7-4
- permanent bodies of water 3-7, **3-11**, **4-7**
- poles **8-1**
 - lighting 1-8, 5-15, 5-17, 8-7, 8-9
 - signal **8-9**
 - utility 1-1, 3-11, 8-10
 - wood 3-11
- Zone of Intrusion 5-12
- precast concrete barrier 3-12, 3-16, 3-17, 3-21, 3-44, 5-1, 5-2, 5-3, 5-5, 5-6, 5-20, 5-26, 5-27, 5-30, **5-32**, 7-12, 10-1
 - drawings *See Appendix B4*
 - end treatments 5-32
 - maintenance 5-33
 - restrictions 5-32
 - transitions 5-33
- precast concrete drawings *See Appendix B4*
- Present Worth Collision Costs (PWCC) D1-5
- PWCC *See Present Worth Collision Costs*

~ Q ~

- QuadGuard 3-19, 5-31, 5-33, 6-4, **6-10**
 - application 6-11
 - maintenance 6-11
 - restrictions 6-11

~ R ~

- recoverable slopes 1-8, 1-10, 4-2, 4-7
 - See also slopes*
- resources **4-4**, **12-1**, **12-2**
- restricted areas **11-1**
- retaining walls 1-1, 3-11, 3-12, **7-11**, 7-12
- rigid systems 1-4, 3-12, 3-16, 5-2, 5-3, 5-5, 5-20, 5-26, 5-30, 8-5, 8-6
 - attachments 5-17
 - lighting 8-9
 - poles 8-10
 - transitions 5-19, 5-21, 5-29, 5-31, 5-33
- Zone of Intrusion 5-12, 5-14, 5-16, 11-2
 - See also bridge railing*
- roadside barriers **1-10**, **5-1**, **5-2**, 5-3, 7-10
 - as retaining wall 7-11
 - performance levels 7-1
 - shy line offset 5-8
 - transitions 5-19
- roadside design process *See design process*

roadside obstacle.....	3-7, 3-11	warrants	<i>See warrants</i>
<i>See also</i> hazards		<i>See also</i> examples, slopes	
Roadside Safety Analysis Program (RSAP).....	3-1, 3-50, 3-71	sidewalks	9-1, 11-2
<i>See also</i> examples		<i>See also</i> pedestrians	
RSAP	<i>See</i> Roadside Safety Analysis Program	sign post selection	8-1 , 8-2
rumble strips	5-17	sign supports.....	<i>See</i> overhead signs
applications.....	4-11	signal poles.....	<i>See</i> poles
centreline	4-12, 4-14	signs.....	8-1
milled.....	4-11 , 4-13, 4-14	placement.....	5-12
shoulder	3-1, 4-11	placement drawings	<i>See</i> Appendix B7
runout length.....	3-20, 3-21, 3-22, 3-23, 3-24, 3-26	sign supports.....	8-5
<i>See also</i> examples		Zone of Intrusion	5-15
<i>See also</i> overhead signs		<i>See also</i> overhead signs	
~ S ~		Single Slope.....	3-12, 3-16, 3-21, 3-44, 5-2, 5-4, 5-5, 5-26, 5-29, 5-30, 5-31, 5-32, 7-2, 7-11
safety curbs	<i>See</i> curbs	drawings	<i>See</i> Appendices B6, B7
Sand Barrel Systems.....	6-4, 6-14	site conditions	1-5
applications.....	6-15	slip base	<i>See</i> breakaway supports
drawing	<i>See</i> Appendix B5	slope break point	5-6
restrictions	6-15	slopes.....	4-1
selection guidelines		backslopes	1-7
barrier systems	2-2, 3-12 , 5-1	cut slopes	3-4
bridgerails	7-1	Desirable Clear Zone	3-5
economic factors.....	3-50	fill slopes	3-4
end treatments.....	3-17	grading.....	4-10
lighting.....	8-7, 8-8, 8-9	non-recoverable	1-10
RSAP	3-54	recoverable	1-10
severity index.....	3-52	sideslopes.....	3-7 , 4-1
sign posts	8-1 , 8-2	<i>See also</i> sideslopes	
Zone of Intrusion	5-12	transverse	4-3
semi-rigid systems	1-9, 4-9, 5-2, 5-3, 5-5, 5-23, 5-25, 5-28, 7-12	<i>traversable</i>	1-11
transitions	5-19, 5-31, 5-33	stiffened transitions	5-26, 5-29
severity index (SI)	1-10 , 3-52, 3-53	stopping sight distance	9-2
cost per collision.....	<i>C1-7</i>	on ramps	5-8, 5-17
tables.....	<i>See</i> Appendix A	Strong Post W-Beam	1-9, 1-10, 3-12, 3-14, 3-16, 3-17, 3-18, 3-19, 3-21, 5-25 , 7-3, 7-4
upgrading guidelines.....	D1-4	drawings	<i>See</i> Appendix B1
<i>See also</i> Appendices A, C and D		end treatments.....	3-18, 5-26, 6-4, 6-6, 6-7, 6-9
shoulder rumble strips	<i>See</i> rumble strips	flare rate	5-9
shy line offset	5-8, 5-9, 5-17, 7-11, 7-12, 8-6	maintenance	5-27
sideslopes.....	1-2, 1-3, 1-10 , 3-7 , 4-1	median	5-4, 5-5
approach	4-10	restrictions	5-25
barrier placement	5-6, 5-7	roadside	5-2, 5-3
clearance	4-8	transitions	5-19, 5-26, 5-28, 5-28
ditches.....	4-6	<i>See also</i> examples	
drainage	4-1		
hazards.....	3-7		
improvement.....	3-10		
severity index tables	A-3, A-13		

See also breakaway supports

~ **T** ~

Temporary Longitudinal Traffic Barriers 1-11
 terminals 5-19, 5-27, 6-4, 9-2
 test level 1-5, 1-6, **1-8**, **1-11**, 2-1, 3-12, 3-14, 5-30

See also NCHRP Report 350

TRACC *See* Trinity Attenuating Crash Cushion traffic barriers

severity index table A-45
 traffic control devices 10-1
 traffic signal 1-8, 8-9
 trails 3-14, 9-1
 transitions... 1-4, **1-10**, 1-11, 3-19, 4-1, 4-9, 5-3, 5-9, 5-18, 5-19

bridge approach rails *See* Appendix D
 bridge 2-1
 design 5-21
 section 1-4, 5-20, 5-26, 5-29

See also barrier systems, end treatments, Appendix B

Transitions

drawings *See* Appendix B6
 transverse slopes 4-1, **4-3**
See also slopes
 traversable slopes 1-11, 3-3, 4-2
See also slopes

trees 3-7, 3-11, **9-2**
See also hazards

Trinity Attenuating Crash Cushion (TRACC) .. 3-19, 5-31, 5-33, 6-4, 6-12

Turn Down end treatments *See* end treatments

~ **U** ~

unanchored barrier 3-21, 3-44, 5-32
 underpasses **7-12**, 7-13, 7-14
 upgrading 2-1, 5-20, 7-5, 7-6, 7-7, 7-9, 7-10
 costs *D1-2*
 guidelines

bridgerail transitions *See* Appendix D1
 bridgerails *See* Appendix C1
 urban areas 1-5, 5-9, 7-2, 7-11, 8-10, 9-2, **11-1**, 11-2
 rumble strips 4-12
 utility poles *See* poles

~ **V** ~

vehicular oscillation on embankment 5-7
 vehicular pocketing 1-11
 vertical wall 5-30, 5-31

~ **W** ~

Warrant AADTD1-1, D1-6, *D1-7*, D1-8, *D1-9*, D1-19, D1-21, D1-22, D1-23

warrants 1-11
 barriers 3-7, 3-8, 3-9
 charts *See* Appendix D1
 median barrier 3-15
 sideslopes 3-8, 3-9

Water Filled Barrier 10-1

Water Filled System 10-2

Weak Post Box Beam .. 3-12, 3-13, 3-16, 3-17, 3-18, 3-50, 5-2, 5-3, 5-4, 5-5, **5-23**, 6-4

drawings *See* Appendix B3
 end treatments 5-23
 maintenance 5-24
 restrictions 5-23
 transitions 5-24

Wing End Treatments *See* end treatments

wing walls 7-9, **7-11**

work zone 1-4, 1-5, 1-11, 5-1, **10-1**

work zone barrier 10-1

~ **Z** ~

Zone of Intrusion5-8, **5-12**, 5-13, 5-14, 5-17, 7-12, 8-5, 8-6, 8-9, 8-10, **11-2**