

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	0 to 500 t	SAMPLE #	(12)FTS1
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	27-Jun-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	81.0	-4.0		
630µm	35	100	49.0			
315µm		50	20.0			
160µm		8	4.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	500 to 1000 t	SAMPLE #	(12)FTS2
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	11-Jul-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	77.0	-8.0		
630µm	35	100	40.0			
315µm		50	11.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	1000 to 1500 t	SAMPLE #	(12)FTS3
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	16-Jul-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	62.0	-23.0		
630µm	35	100	21.0	-14.0		
315µm		50	1.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	1500 to 2000 t	SAMPLE #	(12)FTS4
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	25-Jul-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.05			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	81.0	-4.0		
630µm	35	100	46.0			
315µm		50	16.0			
160µm		8	3.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	2000 to 2500 t	SAMPLE #	(12)FTS5
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	27-Jul-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.05			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	81.0	-4.0		
630µm	35	100	47.0			
315µm		50	18.0			
160µm		8	4.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	2500 to 3000 t	SAMPLE #	(12)FTS6
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	1-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	79.0	-6.0		
630µm	35	100	43.0			
315µm		50	14.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	3001-3500	Lab No	13-0007	Field No	7
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	05-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	76.6	-8.4		
630µm	35	100	41.9			
315µm		50	14.9			
160µm		8	2.8			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	3501-4000	Lab No	13-0008	Field No	8
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	11-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	77.0	-8.0		
630µm	35	100	42.7			
315µm		50	15.6			
160µm		8	3.1			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	4001-4500	Lab No	13-0009	Field No	9
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	11-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	76.4	-8.6		
630µm	35	100	41.6			
315µm		50	14.7			
160µm		8	2.8			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	4501-5000	Lab No	13-0010	Field No	10
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	12-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.3			
1250µm	85	100	63.0	-22.0		
630µm	35	100	21.8	-13.2		
315µm		50	0.7			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	5001 - 5500	Lab No	13-0011	Field No	11
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	12-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.34			
SODIUM CHLORIDE	95		97.22			
INSOLUBLE MATTER		1	0.66			
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.2			
1250µm	85	100	59.5	-25.5		
630µm	35	100	19.0	-16.0		
315µm		50	0.2			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	5501 - 6000	Lab No	13-0012	Field No	12
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	12-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.0			
1250µm	85	100	61.4	-23.6		
630µm	35	100	20.8	-14.2		
315µm		50	0.7			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	6001 - 6500	Lab No	13-0013	Field No	13
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	13-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm			100.0			
5000µm	100	100	98.4	-1.6		
2500µm	98	100	97.1	-0.9		
1250µm	85	100	84.9	-0.1		
630µm	35	100	64.7			
315µm		50	40.8			
160µm		8	20.0			
80µm		3	4.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	6501 - 7000	Lab No	13-0014	Field No	14
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	14-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm			100.0			
5000µm	100	100	98.4	-1.6		
2500µm	98	100	96.8	-1.2		
1250µm	85	100	85.1			
630µm	35	100	65.4			
315µm		50	41.3			
160µm		8	19.8			
80µm		3	4.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	7001 - 7500	Lab No	13-0015	Field No	15
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	15-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm			100.0			
5000µm	100	100	99.1	-0.9		
2500µm	98	100	97.9	-0.1		
1250µm	85	100	87.5			
630µm	35	100	68.8			
315µm		50	44.4			
160µm		8	21.7			
80µm		3	4.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	7501 - 8000	Lab No	13-0016	Field No	16
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	18-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.13			
GRADATION						
10000µm			100.0			
5000µm	100	100	98.3	-1.7		
2500µm	98	100	97.0	-1.0		
1250µm	85	100	86.6			
630µm	35	100	68.6			
315µm		50	45.3			
160µm		8	23.3			
80µm		3	5.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	8001 - 8500	Lab No	13-0017	Field No	17
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	20-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm			100.0			
5000µm	100	100	99.9	-0.1		
2500µm	98	100	98.2			
1250µm	85	100	66.0	-19.0		
630µm	35	100	30.1	-4.9		
315µm		50	8.6			
160µm		8	1.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	8501 - 9000	Lab No	13-0018	Field No	18
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	20-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.09			
GRADATION						
10000µm			100.0			
5000µm	100	100	99.8	-0.2		
2500µm	98	100	98.0			
1250µm	85	100	69.3	-15.7		
630µm	35	100	35.3			
315µm		50	12.5			
160µm		8	3.1			
80µm		3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	9001 - 9500	Lab No	13-0019	Field No	19
Manufacturer	NSC Minerals	Salt Type	Alta Trans Fine		
Date Sampled	21-Sep-13	Production Location	Ft. Saskatchewan		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.06			
GRADATION						
10000µm			100.0			
5000µm	100	100	99.8	-0.2		
2500µm	98	100	97.8	-0.2		
1250µm	85	100	63.0	-22.0		
630µm	35	100	27.3	-7.7		
315µm		50	7.4			
160µm		8	1.6			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	9500 to 10000 t	SAMPLE #	(12)FTS20
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	7-Sep-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.03			
SODIUM CHLORIDE	95		97.23			
INSOLUBLE MATTER		1	0.97			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	90.0			
630µm	35	100	62.0			
315µm		50	31.0			
160µm		8	10.0	2.0		5
80µm		3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	10000 to 10500 t	SAMPLE #	(12)FTS21
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	8-Sep-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	82.0	-3.0		
630µm	35	100	49.0			
315µm		50	20.0			
160µm		8	7.0			
80µm		3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	10500 to 11000 t	SAMPLE #	(12)FTS22
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	10-Sep-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	76.0	-9.0		
630µm	35	100	35.0			
315µm		50	6.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	11000 to 11500 t	SAMPLE #	(12)FTS23
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	12-Sep-12	LOCATION	ALBERTA
RECEIVED	4-Dec-12	TESTED	4-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	80.0			
315µm		50	46.0			
160µm		8	14.0	6.0		5
80µm		3	3.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	11500 to 12000 t	SAMPLE #	(12)FTS24
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	14-Sep-12	LOCATION	ALBERTA
RECEIVED	4-Dec-12	TESTED	4-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	100.0			
630µm	35	100	81.0			
315µm		50	48.0			
160µm		8	17.0	9.0		5
80µm		3	3.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	12000 to 12500 t	SAMPLE #	(12)FTS25
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	16-Sep-12	LOCATION	ALBERTA
RECEIVED	4-Dec-12	TESTED	4-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.0			
630µm	35	100	65.0			
315µm		50	26.0			
160µm		8	5.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	12500 to 13000 t	SAMPLE #	(12)FTS26
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	17-Sep-12	LOCATION	ALBERTA
RECEIVED	4-Dec-12	TESTED	4-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.0			
630µm	35	100	67.0			
315µm		50	29.0			
160µm		8	6.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	13000 to 13500 t	SAMPLE #	(12)FTS27
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	19-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	11-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	80.0	-5.0		
630µm	35	100	46.0			
315µm		50	18.0			
160µm		8	5.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	13500 to 14000 t	SAMPLE #	(12)FTS28
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	20-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	77.0			
315µm		50	41.0			
160µm		8	10.0	2.0		5
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	14000 to 14500 t	SAMPLE #	(12)FTS29
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	21-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	83.0			
315µm		50	51.0	1.0		
160µm		8	18.0	10.0		5
80µm		3	3.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	14500 to 15000 t	SAMPLE #	(12)FTS30
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	22-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		99.31			
SODIUM CHLORIDE	95		97.33			
INSOLUBLE MATTER		1	0.69			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	81.0			
315µm		50	47.0			
160µm		8	13.0	5.0		5
80µm		3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	15000 to 15500 t	SAMPLE #	(12)FTS31
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	23-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	83.0			
315µm		50	52.0	2.0		
160µm		8	17.0	9.0		5
80µm		3	3.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	15500 to 16000 t	SAMPLE #	(12)FTS32
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	24-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	97.0			
630µm	35	100	67.0			
315µm		50	27.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	16000 to 16500 t	SAMPLE #	(12)FTS33
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	26-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	11-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	81.0	-4.0		
630µm	35	100	49.0			
315µm		50	20.0			
160µm		8	4.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	16500 to 17000 t	SAMPLE #	(12)FTS34
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	30-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	11-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.0			
1250µm	85	100	80.0	-5.0		
630µm	35	100	47.0			
315µm		50	18.0			
160µm		8	3.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	17000 to 17500 t	SAMPLE #	(12)FTS35
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	2-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	11-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	79.0	-6.0		
630µm	35	100	44.0			
315µm		50	15.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	17500 to 18000 t	SAMPLE #	(12)FTS36
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	3-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	94.0			
630µm	35	100	52.0			
315µm		50	12.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	18000 to 18500 t	SAMPLE #	(12)FTS37
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	3-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	11-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	79.0	-6.0		
630µm	35	100	43.0			
315µm		50	14.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	18500 to 19000 t	SAMPLE #	(12)FTS38
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	4-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	91.0			
630µm	35	100	64.0			
315µm		50	31.0			
160µm		8	5.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	19000 to 19500 t	SAMPLE #	(12)FTS39
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	5-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.05			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	90.0			
630µm	35	100	62.0			
315µm		50	28.0			
160µm		8	5.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	19500 to 20000 t	SAMPLE #	(12)FTS40
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	11-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.49			
SODIUM CHLORIDE	95		97.62			
INSOLUBLE MATTER		1	0.51			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	78.0	-7.0		
630µm	35	100	42.0			
315µm		50	14.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	20000 to 20500 t	SAMPLE #	(12)FTS41
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	12-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	78.0	-7.0		
630µm	35	100	42.0			
315µm		50	14.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	20500 to 21000 t	SAMPLE #	(12)FTS42
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	14-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	79.0	-6.0		
630µm	35	100	45.0			
315µm		50	16.0			
160µm		8	3.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	21000 to 21500 t	SAMPLE #	(12)FTS43
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	18-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	78.0	-7.0		
630µm	35	100	42.0			
315µm		50	14.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	21500 to 22000 t	SAMPLE #	(12)FTS44
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	29-Oct-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	83.0	-2.0		
630µm	35	100	50.0			
315µm		50	20.0			
160µm		8	4.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	22000 to 22500 t	SAMPLE #	(12)FTS45
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	3-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	90.0			
630µm	35	100	60.0			
315µm		50	25.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	22500 to 23000 t	SAMPLE #	(12)FTS46
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	4-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	88.0			
630µm	35	100	57.0			
315µm		50	24.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	23000 to 23500 t	SAMPLE #	(12)FTS47
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	5-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	87.0			
630µm	35	100	63.0			
315µm		50	35.0			
160µm		8	12.0	4.0		5
80µm		3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	23500 to 24000 t	SAMPLE #	(12)FTS48
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	6-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	100.0			
630µm	35	100	74.0			
315µm		50	35.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	24000 to 24500 t	SAMPLE #	(12)FTS49
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	7-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	100.0			
630µm	35	100	76.0			
315µm		50	37.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	24500 to 25000 t	SAMPLE #	(12)FTS50
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	9-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.28			
SODIUM CHLORIDE	95		96.01			
INSOLUBLE MATTER		1	0.72			
MOISTURE CONTENT		1	0.06			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.0			
1250µm	85	100	96.0			
630µm	35	100	55.0			
315µm		50	13.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	25000 to 25500 t	SAMPLE #	(12)FTS51
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	10-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	96.0			
630µm	35	100	66.0			
315µm		50	27.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	25500 to 26000 t	SAMPLE #	(12)FTS52
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	11-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	93.0			
630µm	35	100	52.0			
315µm		50	13.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	26000 to 26500 t	SAMPLE #	(12)FTS53
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	11-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	93.0			
630µm	35	100	51.0			
315µm		50	12.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	26500 to 27000 t	SAMPLE #	(12)FTS54
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	13-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	89.0			
630µm	35	100	45.0			
315µm		50	7.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	27000 to 27500 t	SAMPLE #	(12)FTS55
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	14-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	100.0			
630µm	35	100	69.0			
315µm		50	28.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	27500 to 28000 t	SAMPLE #	(12)FTS56
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	14-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	100.0			
630µm	35	100	70.0			
315µm		50	29.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	28000 to 28500 t	SAMPLE #	(12)FTS57
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	15-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	70.0			
315µm		50	29.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	28500 to 29000 t	SAMPLE #	(12)FTS58
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	16-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	80.0	-5.0		
630µm	35	100	46.0			
315µm		50	18.0			
160µm		8	4.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	29000 to 29500 t	SAMPLE #	(12)FTS59
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	16-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	79.0	-6.0		
630µm	35	100	43.0			
315µm		50	15.0			
160µm		8	3.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	29500 to 30000 t	SAMPLE #	(12)FTS60
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	19-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		99.46			
SODIUM CHLORIDE	95		97.29			
INSOLUBLE MATTER		1	0.54			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.0	1.0		5
2500µm	98	100	99.0			
1250µm	85	100	80.0	-5.0		
630µm	35	100	47.0			
315µm		50	18.0			
160µm		8	4.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	30000 to 30500 t	SAMPLE #	(12)FTS61
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	20-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	12-Mar-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	80.0	-5.0		
630µm	35	100	45.0			
315µm		50	16.0			
160µm		8	3.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	30500 to 31000 t	SAMPLE #	(12)FTS62
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	21-Nov-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	6-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	100.0			
630µm	35	100	72.0			
315µm		50	32.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	35500 to 36000 t	SAMPLE #	(12)FTS72
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	3-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	82.0	-3.0		
630µm	35	100	46.0			
315µm		50	15.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	36000 to 36500 t	SAMPLE #	(12)FTS73
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	5-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	83.0	-2.0		
630µm	35	100	48.0			
315µm		50	16.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	36500 to 37000 t	SAMPLE #	(12)FTS74
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	6-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	80.0	-5.0		
630µm	35	100	46.0			
315µm		50	17.0			
160µm		8	3.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	37000 to 37500 t	SAMPLE #	(12)FTS75
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	7-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	75.0	-10.0		
630µm	35	100	39.0			
315µm		50	11.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	37500 to 38000 t	SAMPLE #	(12)FTS76
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	8-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	-0.31			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	68.0	-17.0		
630µm	35	100	26.0	-9.0		
315µm		50	2.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	38000 to 38500 t	SAMPLE #	(12)FTS77
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	8-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.08			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	71.0	-14.0		
630µm	35	100	29.0	-6.0		
315µm		50	3.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	38500 to 39000 t	SAMPLE #	(12)FTS78
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	9-Dec-13	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.07			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	68.0	-17.0		
630µm	35	100	26.0	-9.0		
315µm		50	2.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	39000 to 39500 t	SAMPLE #	(12)FTS79
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	10-Dec-10	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	70.0	-15.0		
630µm	35	100	29.0	-6.0		
315µm		50	3.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	39500 to 40000 t	SAMPLE #	(12)FTS80
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	11-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		99.47			
SODIUM CHLORIDE	95		98.69			
INSOLUBLE MATTER		1	0.53			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	74.0	-11.0		
630µm	35	100	38.0			
315µm		50	11.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	40000 to 40500 t	SAMPLE #	(12)FTS81
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	11-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	75.0	-10.0		
630µm	35	100	39.0			
315µm		50	13.0			
160µm		8	3.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	40500 to 41000 t	SAMPLE #	(12)FTS82
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	12-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	74.0	-11.0		
630µm	35	100	38.0			
315µm		50	12.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	41000 to 41500 t	SAMPLE #	(12)FTS83
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	12-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	72.0	-13.0		
630µm	35	100	36.0			
315µm		50	11.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	41500 to 42000 t	SAMPLE #	(12)FTS84
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	13-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	69.0	-16.0		
630µm	35	100	31.0	-4.0		
315µm		50	7.0			
160µm		8	1.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	42000 to 42500 t	SAMPLE #	(12)FTS85
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	13-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	70.0	-15.0		
630µm	35	100	34.0	-1.0		
315µm		50	10.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	42500 to 43000 t	SAMPLE #	(12)FTS86
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	14-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	62.0	-23.0		
630µm	35	100	23.0	-12.0		
315µm		50	3.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	43000 to 43500 t	SAMPLE #	(12)FTS87
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	14-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	62.0	-23.0		
630µm	35	100	24.0	-11.0		
315µm		50	4.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	43500 to 44000 t	SAMPLE #	(12)FTS88
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	15-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.0			
1250µm	85	100	56.0	-29.0		
630µm	35	100	17.0	-18.0		
315µm		50	1.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	44000 to 44500 t	SAMPLE #	(12)FTS89
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	15-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	67.0	-18.0		
630µm	35	100	27.0	-8.0		
315µm		50	4.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	44500 to 45000 t	SAMPLE #	(12)FTS90
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	16-Dec-12	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.46			
SODIUM CHLORIDE	95		98.19			
INSOLUBLE MATTER		1	0.54			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	65.0	-20.0		
630µm	35	100	24.0	-11.0		
315µm		50	2.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	45000 to 45500 t	SAMPLE #	(12)FTS91
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	64.0	-21.0		
630µm	35	100	24.0	-11.0		
315µm		50	3.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	45500 to 46000 t	SAMPLE #	(12)FTS92
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	64.0	-21.0		
630µm	35	100	23.0	-12.0		
315µm		50	2.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	46000 to 46500 t	SAMPLE #	(12)FTS93
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	64.0	-21.0		
630µm	35	100	24.0	-11.0		
315µm		50	3.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	46500 to 47000 t	SAMPLE #	(12)FTS94
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	65.0	-20.0		
630µm	35	100	25.0	-10.0		
315µm		50	3.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	47000 to 47500 t	SAMPLE #	(12)FTS95
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	63.0	-22.0		
630µm	35	100	23.0	-12.0		
315µm		50	2.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	47500 to 48000 t	SAMPLE #	(12)FTS96
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.0			
1250µm	85	100	44.0	-41.0		
630µm	35	100	9.0	-26.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	48000 to 48500 t	SAMPLE #	(12)FTS97
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	48.0	-37.0		
630µm	35	100	11.0	-24.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	48500 to 49000 t	SAMPLE #	(12)FTS98
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	96.0	-2.0		5
1250µm	85	100	40.0	-45.0		
630µm	35	100	7.0	-28.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	49000 to 49500 t	SAMPLE #	(12)FTS99
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	97.0	-1.0		5
1250µm	85	100	41.0	-44.0		
630µm	35	100	7.0	-28.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	49500 to 50000 t	SAMPLE #	(12)FTS100
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.5			
SODIUM CHLORIDE	95		98.71			
INSOLUBLE MATTER		1	0.5			
MOISTURE CONTENT		1	0.04			

GRADATION

10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	58.0	-27.0		
630µm	35	100	18.0	-17.0		
315µm		50	1.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	50000 to 50500 t	SAMPLE #	(12)FTS101
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	57.0	-28.0		
630µm	35	100	18.0	-17.0		
315µm		50	1.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	50500 to 51000 t	SAMPLE #	(12)FTS102
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.07			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	95.0	-3.0		5
1250µm	85	100	38.0	-47.0		
630µm	35	100	6.0	-29.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	51000 to 51500 t	SAMPLE #	(12)FTS103
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	96.0	-2.0		5
1250µm	85	100	38.0	-47.0		
630µm	35	100	5.0	-30.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	51500 to 52000 t	SAMPLE #	(12)FTS104
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	97.0	-1.0		5
1250µm	85	100	45.0	-40.0		
630µm	35	100	9.0	-26.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	52000 to 52500 t	SAMPLE #	(12)FTS105
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	97.0	-1.0		5
1250µm	85	100	45.0	-40.0		
630µm	35	100	9.0	-26.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	52500 to 53000 t	SAMPLE #	(12)FTS106
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	95.0	-3.0		5
1250µm	85	100	40.0	-45.0		
630µm	35	100	7.0	-28.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	53000 to 53500 t	SAMPLE #	(12)FTS107
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	97.0	-1.0		5
1250µm	85	100	46.0	-39.0		
630µm	35	100	10.0	-25.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	53500 to 54000 t	SAMPLE #	(12)FTS108
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.0			
1250µm	85	100	49.0	-36.0		
630µm	35	100	12.0	-23.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	54000 to 54500 t	SAMPLE #	(12)FTS109
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	49.0	-36.0		
630µm	35	100	12.0	-23.0		
315µm		50	0.0			
160µm		8	0.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	54500 to 55000 t	SAMPLE #	(12)FTS110
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.45			
SODIUM CHLORIDE	95		96.02			
INSOLUBLE MATTER		1	0.55			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	72.0	-13.0		
630µm	35	100	36.0			
315µm		50	12.0			
160µm		8	2.0			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	55000 to 55500 t	SAMPLE #	(12)FTS111
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			
GRADATION						
10000mm						
5000mm	100		100.0			
2500mm	98	100	100.0			
1250mm	85	100	67.0	-18.0		
630mm	35	100	30.0	-5.0		
315mm		50	7.0			
160mm		8	1.0			
80mm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	55500 to 56000 t	SAMPLE #	(12)FTS112
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			
GRADATION						
10000mm						
5000mm	100		100.0			
2500mm	98	100	99.0			
1250mm	85	100	61.0	-24.0		
630mm	35	100	22.0	-13.0		
315mm		50	3.0			
160mm		8	0.0			
80mm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	56000 to 56500 t	SAMPLE #	(12)FTS113
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000mm						
5000mm	100		100.0			
2500mm	98	100	100.0			
1250mm	85	100	70.0	-15.0		
630mm	35	100	32.0	-3.0		
315mm		50	9.0			
160mm		8	1.0			
80mm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	56500 to 57000 t	SAMPLE #	(12)FTS114
MANUFACTURER	NSC Ft Saskatchewan	TYPE	FINE
DATE SAMPLED	0-Jan-00	LOCATION	ALBERTA
RECEIVED	1-Feb-13	TESTED	1-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000mm						
5000mm	100		100.0			
2500mm	98	100	100.0			
1250mm	85	100	63.0	-22.0		
630mm	35	100	24.0	-11.0		
315mm		50	3.0			
160mm		8	0.0			
80mm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	67000 - 67500	Lab No	13-294	Field No	135
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	04-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	29-Mar-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.1			
630µm	35	100	62.7			
315µm		50	15.2			
160µm		8	0.7			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC•LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	67500 - 68000	Lab No	13-295	Field No	136
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	05-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	30-Mar-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.2			
630µm	35	100	64.4			
315µm		50	18.5			
160µm		8	1.7			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	68000 - 68500	Lab No	13-296	Field No	137
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	05-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	31-Mar-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.8			
630µm	35	100	59.8			
315µm		50	13.7			
160µm		8	0.7			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	68500 - 69000	Lab No	13-297	Field No	138
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	06-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	01-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.9			
630µm	35	100	62.4			
315µm		50	16.4			
160µm		8	1.7			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	69000 - 69500	Lab No	13-298	Field No	139
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	06-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	02-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.9			
630µm	35	100	56.6			
315µm		50	11.4			
160µm		8	0.5			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	69500 - 70000	Lab No	13-299	Field No	140
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	07-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	03-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.7			
630µm	35	100	61.3			
315µm		50	15.0			
160µm		8	0.8			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	70000 - 70500	Lab No	13-300	Field No	141
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	07-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	04-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.24			
SODIUM CHLORIDE	95		98.36			
INSOLUBLE MATTER		1	0.76			
MOISTURE CONTENT		1	0.03			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.0			
630µm	35	100	65.0			
315µm		50	19.7			
160µm		8	1.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	70500 - 71000	Lab No	13-301	Field No	142
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	08-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	05-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.5			
630µm	35	100	66.9			
315µm		50	26.9			
160µm		8	3.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	71000 - 71500	Lab No	13-302	Field No	143
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	11-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	06-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.5			
630µm	35	100	63.0			
315µm		50	21.2			
160µm		8	2.6			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	71500 - 72000	Lab No	13-303	Field No	144
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	12-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	07-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.4			
630µm	35	100	45.8			
315µm		50	7.1			
160µm		8	0.5			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	72000 - 72500	Lab No	13-304	Field No	145
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	13-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	26-Mar-13	Date Tested	29-Mar-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.3			
630µm	35	100	42.5			
315µm		50	3.7			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	72500 - 73000	Lab No	13-359	Field No	146
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	13-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.8			
630µm	35	100	58.1			
315µm		50	13.5			
160µm		8	0.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC-LAVALIN
Environment

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	73000 - 73500	Lab No	13-360	Field No	147
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	14-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	61.8			
315µm		50	17.5			
160µm		8	2.2			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	73500 - 74000	Lab No	13-361	Field No	148
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	15-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.8			
630µm	35	100	34.2	-0.8		
315µm		50	5.1			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC•LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	74000 - 74500	Lab No	13-362	Field No	149
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	20-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	99.3			
630µm	35	100	40.2			
315µm		50	7.2			
160µm		8	0.7			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	74500 - 75000	Lab No	13-363	Field No	150
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	21-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.06			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	81.1	-3.9		
630µm	35	100	36.1			
315µm		50	9.5			
160µm		8	0.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	75000 - 75500	Lab No	13-364	Field No	151
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	22-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		99.85			
SODIUM CHLORIDE	95		98.33			
INSOLUBLE MATTER		1	0.15			
MOISTURE CONTENT		1	0.07			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	79.0	-6.0		
630µm	35	100	34.3	-0.7		
315µm		50	6.6			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	75500 - 76000	Lab No	13-365	Field No	152
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	22-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.7			
630µm	35	100	58.1			
315µm		50	16.7			
160µm		8	2.1			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	76000 - 76500	Lab No	13-366	Field No	153
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	23-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	51.7			
315µm		50	10.5			
160µm		8	0.8			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	76500 - 77000	Lab No	13-367	Field No	154
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	24-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	70.6	-14.4		
630µm	35	100	26.2	-8.8		
315µm		50	5.8			
160µm		8	0.6			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	77000 - 77500	Lab No	13-368	Field No	155
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	26-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	67.5	-17.5		
630µm	35	100	22.3	-12.7		
315µm		50	3.3			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	77500 - 78000	Lab No	13-369	Field No	156
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	28-Feb-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.0			
630µm	35	100	40.3			
315µm		50	3.9			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	78000 - 78500	Lab No	13-370	Field No	157
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	02-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	98.6			
630µm	35	100	45.9			
315µm		50	7.2			
160µm		8	0.5			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	78500 - 79000	Lab No	13-371	Field No	158
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	06-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	98.6			
630µm	35	100	57.4			
315µm		50	15.8			
160µm		8	1.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	79000 - 79500	Lab No	13-372	Field No	159
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	08-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	98.9			
630µm	35	100	60.2			
315µm		50	18.1			
160µm		8	2.8			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	79500 - 80000	Lab No	13-373	Field No	160
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	09-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.8			
630µm	35	100	56.0			
315µm		50	10.7			
160µm		8	0.2			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	80000 - 80500	Lab No	13-374	Field No	161
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	10-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.4			
SODIUM CHLORIDE	95		98.79			
INSOLUBLE MATTER		1	0.6			
MOISTURE CONTENT		1	0.03			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.1			
630µm	35	100	58.0			
315µm		50	12.3			
160µm		8	0.6			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	80500 - 81000	Lab No	13-375	Field No	162
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	11-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.2			
1250µm	85	100	91.3			
630µm	35	100	32.0	-3.0		
315µm		50	15.0			
160µm		8	4.3			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

 NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	81000 - 81500	Lab No	13-376	Field No	163
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	12-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	90.4			
630µm	35	100	21.9	-13.1		
315µm		50	7.3			
160µm		8	1.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	81500 - 8200	Lab No	13-377	Field No	164
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	14-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	97.4			
630µm	35	100	34.8	-0.2		
315µm		50	1.3			
160µm		8				
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	82000 - 82500	Lab No	13-378	Field No	165
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	17-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	97.5			
630µm	35	100	33.7	-1.3		
315µm		50	1.2			
160µm		8				
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	82500 - 83000	Lab No	13-379	Field No	166
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	18-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	97.3			
630µm	35	100	28.4	-6.6		
315µm		50	0.4			
160µm		8				
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	83000 - 83500	Lab No	13-380	Field No	167
Manufacturer	NSC Minerals	Salt Type	AB Fine		
Date Sampled	20-Mar-13	Production Location	Ft. Saskatchewan		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	97.0			
630µm	35	100	29.1	-5.9		
315µm		50	0.8			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	0 to 500 t	SAMPLE #	(12)ROC1
MANUFACTURER	NSC Rocanville	TYPE	MEDIUM
DATE SAMPLED	25-Sep-12	LOCATION	ALBERTA
RECEIVED	6-Dec-12	TESTED	27-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm	100		100			
5000µm	67	100	99.9			
2500µm	40	85	62.2			
1250µm	25	67	23.2	-1.8		
630µm	15	45	4.9	-10.1		
315µm		17	1.3			
160µm			0.4			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	500 to 1000 t	SAMPLE #	(12)ROC2
MANUFACTURER	NSC Rocanville	TYPE	MEDIUM
DATE SAMPLED	14-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	27-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm	100		100			
5000µm	67	100	99.9			
2500µm	40	85	58.6			
1250µm	25	67	18.7	-6.3		
630µm	15	45	2.0	-13.0		
315µm		17	0.2			
160µm			0.1			
80µm		3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	0 - 500	Lab No	13-0039	Field No	1
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	28-May-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.46			
SODIUM CHLORIDE	95		97.77			
INSOLUBLE MATTER		1	0.54			
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.1			
1250µm	85	100	58.1	-26.9		
630µm	35	100	19.6	-15.4		
315µm		50	2.1			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :** If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .If payment adjustment is 100% or more
no payment will be made for the lot .COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	501 - 1000	Lab No	13-0040	Field No	2
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	30-May-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.0			
1250µm	85	100	57.3	-27.7		
630µm	35	100	19.2	-15.8		
315µm		50	2.1			
160µm		8	0.3			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	1001 - 1500	Lab No	13-0041	Field No	3
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	03-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.7			
1250µm	85	100	56.7	-28.3		
630µm	35	100	18.6	-16.4		
315µm		50	1.7			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :** If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .If payment adjustment is 100% or more
no payment will be made for the lot .COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	1501 - 2000	Lab No	13-0042	Field No	4
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	12-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.7			
1250µm	85	100	56.5	-28.5		
630µm	35	100	18.3	-16.7		
315µm		50	1.6			
160µm		8	0.2			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	2001 - 2500	Lab No	13-0043	Field No	5
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	17-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.0			
1250µm	85	100	57.3	-27.7		
630µm	35	100	18.9	-16.1		
315µm		50	1.8			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	2501 - 3000	Lab No	13-0044	Field No	6
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	19-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.11			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.8			
1250µm	85	100	55.4	-29.6		
630µm	35	100	17.3	-17.7		
315µm		50	1.3			
160µm		8	0.1			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	3001 - 3500	Lab No	13-0045	Field No	7
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	24-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.11			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.5			
1250µm	85	100	55.3	-29.7		
630µm	35	100	17.4	-17.6		
315µm		50	1.4			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	3501 - 4000	Lab No	13-0046	Field No	8
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	25-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.0			
1250µm	85	100	57.2	-27.8		
630µm	35	100	18.8	-16.2		
315µm		50	1.7			
160µm		8	0.2			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	4001 - 4500	Lab No	13-0047	Field No	9
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	27-Jun-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.8			
1250µm	85	100	56.6	-28.4		
630µm	35	100	18.4	-16.6		
315µm		50	1.7			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	4501 - 5000	Lab No	13-0048	Field No	10
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	10-Jul-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.4			
1250µm	85	100	55.6	-29.4		
630µm	35	100	17.7	-17.3		
315µm		50	1.6			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	5001 - 5500	Lab No	13-0049	Field No	11
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	15-Jul-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.24			
SODIUM CHLORIDE	95		97.09			
INSOLUBLE MATTER		1	0.76			
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.9			
1250µm	85	100	56.4	-28.6		
630µm	35	100	18.1	-16.9		
315µm		50	1.5			
160µm		8	0.1			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	5501 - 6000	Lab No	13-0050	Field No	12
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	17-Jul-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.1			
1250µm	85	100	56.9	-28.1		
630µm	35	100	18.5	-16.5		
315µm		50	1.7			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	6001 - 6500	Lab No	13-0051	Field No	13
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	17-Jul-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.2			
1250µm	85	100	57.5	-27.5		
630µm	35	100	18.9	-16.1		
315µm		50	1.7			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	6501 - 7000	Lab No	13-0052	Field No	14
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	31-Jul-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.06			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.8			
1250µm	85	100	57.9	-27.1		
630µm	35	100	19.7	-15.3		
315µm		50	2.1			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	7001 - 7500	Lab No	13-0053	Field No	15
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	06-Aug-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.9			
1250µm	85	100	57.2	-27.8		
630µm	35	100	18.9	-16.1		
315µm		50	1.9			
160µm		8	0.2			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	7501 - 8000	Lab No	13-0054	Field No	16
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	08-Aug-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.8			
1250µm	85	100	56.4	-28.6		
630µm	35	100	18.4	-16.6		
315µm		50	1.8			
160µm		8	0.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	8001 - 8500	Lab No	13-0055	Field No	17
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	15-Aug-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.0			
1250µm	85	100	57.4	-27.6		
630µm	35	100	19.4	-15.6		
315µm		50	2.3			
160µm		8	0.3			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	8501 - 9000	Lab No	13-0056	Field No	18
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	26-Aug-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	71.4	-13.6		
630µm	35	100	31.6	-3.4		
315µm		50	5.9			
160µm		8	0.5			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	9001 - 9500	Lab No	13-0057	Field No	19
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	27-Aug-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	70.5	-14.5		
630µm	35	100	30.2	-4.8		
315µm		50	5.0			
160µm		8	0.4			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	9501 - 10000	Lab No	13-0058	Field No	20
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	02-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	68.1	-16.9		
630µm	35	100	28.1	-6.9		
315µm		50	4.4			
160µm		8	0.3			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	10,001 - 10,500	Lab No	13-0059	Field No	21
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	03-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.25			
SODIUM CHLORIDE	95		97.80			
INSOLUBLE MATTER		1	0.75			
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.6			
1250µm	85	100	69.7	-15.3		
630µm	35	100	29.3	-5.7		
315µm		50	4.5			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	10,501 - 11,000	Lab No	13-0060	Field No	22
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	04-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	71.3	-13.7		
630µm	35	100	30.7	-4.3		
315µm		50	4.9			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	11,001 - 11,500	Lab No	13-0061	Field No	23
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	05-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	69.5	-15.5		
630µm	35	100	28.9	-6.1		
315µm		50	4.2			
160µm		8	0.2			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .If payment adjustment is 100% or more
no payment will be made for the lot .COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	11,501 - 12,000	Lab No	13-0062	Field No	24
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	09-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	68.6	-16.4		
630µm	35	100	30.7	-4.3		
315µm		50	7.2			
160µm		8	0.9			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	12,001 - 12,500	Lab No	13-0063	Field No	25
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	10-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	73.5	-11.5		
630µm	35	100	37.2			
315µm		50	11.5			
160µm		8	2.4			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	12,501 - 13,000	Lab No	13-0064	Field No	26
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	10-Sep-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.4			
1250µm	85	100	71.9	-13.1		
630µm	35	100	34.7	-0.3		
315µm		50	9.7			
160µm		8	1.8			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	13001 to 13500 t	SAMPLE #	(12)VANS27
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	20-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	77.7	-7.3		
630µm	35	100	41.6			
315µm		50	13.5			
160µm		8	2.4			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	13501 to 14000 t	SAMPLE #	(12)VANS28
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	21-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	76.3	-8.7		
630µm	35	100	39.9			
315µm		50	12.2			
160µm		8	1.8			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	14001 to 14500 t	SAMPLE #	(12)VANS29
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	21-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.2			
1250µm	85	100	77.2	-7.8		
630µm	35	100	41.1			
315µm		50	13.1			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	14501 to 15000 t	SAMPLE #	(12)VANS30
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	21-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		98.77			
SODIUM CHLORIDE	95		96.56			
INSOLUBLE MATTER		1	1.23			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	76.1	-8.9		
630µm	35	100	39.2			
315µm		50	11.6			
160µm		8	1.7			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	15001 to 15500 t	SAMPLE #	(12)VANS31
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	22-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	77.4	-7.6		
630µm	35	100	41.1			
315µm		50	12.8			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	15501 to 16000 t	SAMPLE #	(12)VANS32
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	22-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	76.6	-8.4		
630µm	35	100	39.6			
315µm		50	11.7			
160µm		8	1.8			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	16001 to 16500 t	SAMPLE #	(12)VANS33
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	23-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.4			
1250µm	85	100	76.9	-8.1		
630µm	35	100	40.1			
315µm		50	12.0			
160µm		8	1.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	16501 to 17000 t	SAMPLE #	(12)VANS34
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	24-Aug-12	LOCATION	ALBERTA
RECEIVED	9-Oct-12	TESTED	9-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		98.97			
SODIUM CHLORIDE	95		96.32			
INSOLUBLE MATTER		1	1.03			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.7	0.3		5
2500µm	98	100	99.3			
1250µm	85	100	77.7	-7.3		
630µm	35	100	41.7			
315µm		50	13.5			
160µm		8	2.5			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	17001 to 17500 t	SAMPLE #	(12)VANS35
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	27-Aug-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	16-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.5	-9.5		
630µm	35	100	38.5			
315µm		50	11.1			
160µm		8	1.7			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	17501 to 18000 t	SAMPLE #	(12)VANS36
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Aug-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	16-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.2			
1250µm	85	100	78.4	-6.6		
630µm	35	100	42.3			
315µm		50	13.7			
160µm		8	2.4			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	18001 to 18500 t	SAMPLE #	(12)VANS37
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Aug-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	16-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.3			
1250µm	85	100	76.4	-8.6		
630µm	35	100	40.1			
315µm		50	12.6			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	18501 to 19000 t	SAMPLE #	(12)VANS38
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Aug-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	16-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		99.7	0.3		5
2500µm	98	100	99.1			
1250µm	85	100	76.0	-9.0		
630µm	35	100	39.8			
315µm		50	12.5			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	19001 to 19500 t	SAMPLE #	(12)VANS39
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Aug-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	16-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.2			
1250µm	85	100	77.0	-8.0		
630µm	35	100	40.7			
315µm		50	12.7			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	19501 to 20000 t	SAMPLE #	(12)VANS40
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	76.5	-8.5		
630µm	35	100	39.4			
315µm		50	11.6			
160µm		8	1.7			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	20001 to 20500 t	SAMPLE #	(12)VANS41
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	76.3	-8.7		
630µm	35	100	39.5			
315µm		50	11.8			
160µm		8	1.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	20501 to 21000 t	SAMPLE #	(12)VANS42
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.3			
1250µm	85	100	78.7	-6.3		
630µm	35	100	43.6			
315µm		50	15.1			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	21001 to 21500 t	SAMPLE #	(12)VANS43
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	29-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	75.1	-9.9		
630µm	35	100	37.8			
315µm		50	10.7			
160µm		8	1.6			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	21501 to 22000 t	SAMPLE #	(12)VANS44
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	29-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	76.6	-8.4		
630µm	35	100	40.1			
315µm		50	12.4			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	22001 to 22500 t	SAMPLE #	(12)VANS45
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	29-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	77.7	-7.3		
630µm	35	100	41.6			
315µm		50	13.4			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	22501 to 23000 t	SAMPLE #	(12)VANS46
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	30-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	77.4	-7.6		
630µm	35	100	41.6			
315µm		50	13.6			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	23001 to 23500 t	SAMPLE #	(12)VANS47
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	30-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.2			
1250µm	85	100	76.3	-8.7		
630µm	35	100	39.8			
315µm		50	12.2			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	23501 to 24000 t	SAMPLE #	(12)VANS48
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	30-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	78.4	-6.6		
630µm	35	100	43.1			
315µm		50	14.8			
160µm		8	2.8			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	24001 to 24500 t	SAMPLE #	(12)VANS49
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	30-Aug-12	LOCATION	ALBERTA
RECEIVED	17-Oct-12	TESTED	17-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.3			
1250µm	85	100	76.7	-8.3		
630µm	35	100	40.9			
315µm		50	13.4			
160µm		8	2.4			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	24501 to 25000 t	SAMPLE #	(12)VANS50
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	31-Aug-12	LOCATION	ALBERTA
RECEIVED	16-Oct-12	TESTED	16-Oct-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		98.98			
SODIUM CHLORIDE	95		97.51			
INSOLUBLE MATTER		1	1.02			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.3			
630µm	35	100	78.5			
315µm		50	40.4			
160µm		8	2.4			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	25001 to 25500 t	SAMPLE #	(12)VANS51
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	4-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		99.7	0.3		5
2500µm	98	100	98.7			
1250µm	85	100	70.6	-14.4		
630µm	35	100	35.0			
315µm		50	11.1			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	25501 to 26000 t	SAMPLE #	(12)VANS52
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	4-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	98.8			
1250µm	85	100	71.9	-13.1		
630µm	35	100	36.1			
315µm		50	11.1			
160µm		8	1.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	26001 to 26500 t	SAMPLE #	(12)VANS53
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	5-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.08			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.6			
1250µm	85	100	77.8	-7.2		
630µm	35	100	38.5			
315µm		50	9.0			
160µm		8	0.5			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	26501 to 27000 t	SAMPLE #	(12)VANS54
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	6-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.09			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.7			
1250µm	85	100	81.7	-3.3		
630µm	35	100	45.5			
315µm		50	14.7			
160µm		8	1.7			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	27001 to 27500 t	SAMPLE #	(12)VANS55
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	6-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.6			
1250µm	85	100	81.0	-4.0		
630µm	35	100	47.8			
315µm		50	18.7			
160µm		8	4.0			
80µm		3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	27501 to 28000 t	SAMPLE #	(12)VANS56
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	10-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.1			
1250µm	85	100	78.2	-6.8		
630µm	35	100	42.5			
315µm		50	13.9			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	28001 to 28500 t	SAMPLE #	(12)VANS57
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	10-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.6	0.4		5
2500µm	98	100	98.9			
1250µm	85	100	78.6	-6.4		
630µm	35	100	43.0			
315µm		50	14.1			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	28501 to 29000 t	SAMPLE #	(12)VANS58
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	10-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.07			

GRADATION						
10000µm						
5000µm	100		99.5	0.5		5
2500µm	98	100	99.0			
1250µm	85	100	78.1	-6.9		
630µm	35	100	42.8			
315µm		50	14.5			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	29001 to 29500 t	SAMPLE #	(12)VANS59
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	11-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100		99.5	0.5		5
2500µm	98	100	99.3			
1250µm	85	100	81.0	-4.0		
630µm	35	100	45.8			
315µm		50	16.1			
160µm		8	3.2			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	29501 to 30000 t	SAMPLE #	(12)VANS60
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	12-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		98.93			
SODIUM CHLORIDE	95		97.23			
INSOLUBLE MATTER		1	1.07			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.0	1.0		5
2500µm	98	100	96.6	-1.4		5
1250µm	85	100	71.1	-13.9		
630µm	35	100	35.2			
315µm		50	9.8			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	10.0
---	------

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	30001 to 30500 t	SAMPLE #	(12)VANS61
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	13-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.07			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.0			
1250µm	85	100	76.4	-8.6		
630µm	35	100	39.4			
315µm		50	11.3			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	30501 to 31000 t	SAMPLE #	(12)VANS62
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	13-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	98.6			
1250µm	85	100	73.4	-11.6		
630µm	35	100	37.1			
315µm		50	11.0			
160µm		8	1.6			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	31001 to 31500 t	SAMPLE #	(12)VANS63
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	14-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.06			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	76.5	-8.5		
630µm	35	100	38.8			
315µm		50	10.9			
160µm		8	1.8			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	31501 to 32000 t	SAMPLE #	(12)VANS64
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	16-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.05			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	76.0	-9.0		
630µm	35	100	38.5			
315µm		50	10.4			
160µm		8	1.2			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	32001 to 32500 t	SAMPLE #	(12)VANS65
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	17-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.3			
1250µm	85	100	74.1	-10.9		
630µm	35	100	36.6			
315µm		50	9.6			
160µm		8	1.2			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	32501 to 33000 t	SAMPLE #	(12)VANS66
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	17-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.06			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	75.7	-9.3		
630µm	35	100	38.6			
315µm		50	10.9			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	33001 to 33500 t	SAMPLE #	(12)VANS67
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	18-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.5			
1250µm	85	100	75.6	-9.4		
630µm	35	100	39.0			
315µm		50	11.3			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	33501 to 34000 t	SAMPLE #	(12)VANS68
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	18-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	97.9	-0.1		5
1250µm	85	100	68.7	-16.3		
630µm	35	100	31.7	-3.3		
315µm		50	7.9			
160µm		8	0.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	34001 to 34500 t	SAMPLE #	(12)VANS69
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	18-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	98.9			
1250µm	85	100	72.3	-12.7		
630µm	35	100	34.9	-0.1		
315µm		50	9.2			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	34501 to 35000 t	SAMPLE #	(12)VANS70
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	19-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.18			
SODIUM CHLORIDE	95		97.58			
INSOLUBLE MATTER		1	0.82			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.9			
1250µm	85	100	88.7			
630µm	35	100	60.8			
315µm		50	28.9			
160µm		8	6.1			
80µm		3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	35001 to 35500 t	SAMPLE #	(12)VANS71
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	20-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	74.9	-10.1		
630µm	35	100	36.5			
315µm		50	9.2			
160µm		8	1.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	35501 to 36000 t	SAMPLE #	(12)VANS72
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	21-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	75.1	-9.9		
630µm	35	100	36.4			
315µm		50	8.8			
160µm		8	0.9			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	36001 to 36500 t	SAMPLE #	(12)VANS73
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	24-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.5			
1250µm	85	100	72.4	-12.6		
630µm	35	100	33.0	-2.0		
315µm		50	6.8			
160µm		8	0.7			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	36501 to 37000 t	SAMPLE #	(12)VANS74
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	24-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.09			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	79.1	-5.9		
630µm	35	100	42.5			
315µm		50	13.1			
160µm		8	1.5			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	37001 to 37500 t	SAMPLE #	(12)VANS75
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	25-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.6			
1250µm	85	100	81.0	-4.0		
630µm	35	100	46.1			
315µm		50	16.4			
160µm		8	3.1			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	37501 to 38000 t	SAMPLE #	(12)VANS76
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	27-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	80.1	-4.9		
630µm	35	100	43.4			
315µm		50	13.5			
160µm		8	1.7			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	38001 to 38500 t	SAMPLE #	(12)VANS77
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.7			
1250µm	85	100	75.6	-9.4		
630µm	35	100	38.5			
315µm		50	11.2			
160µm		8	1.7			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	38501 to 39000 t	SAMPLE #	(12)VANS78
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.2			
1250µm	85	100	77.7	-7.3		
630µm	35	100	42.2			
315µm		50	14.1			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	39001 to 39500 t	SAMPLE #	(12)VANS79
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	29-Sep-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.1			
1250µm	85	100	76.9	-8.1		
630µm	35	100	40.7			
315µm		50	12.7			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	39501 to 40000 t	SAMPLE #	(12)VANS80
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	1-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.17			
SODIUM CHLORIDE	95		95.39			
INSOLUBLE MATTER		1	0.83			
MOISTURE CONTENT		1	0.07			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.2			
1250µm	85	100	78.2	-6.8		
630µm	35	100	42.0			
315µm		50	13.5			
160µm		8	2.3			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	40001 to 40500 t	SAMPLE #	(12)VANS81
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	1-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.7	0.3		5
2500µm	98	100	98.8			
1250µm	85	100	74.7	-10.3		
630µm	35	100	40.0			
315µm		50	13.8			
160µm		8	2.7			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	40501 to 41000 t	SAMPLE #	(12)VANS82
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	2-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.6	0.4		5
2500µm	98	100	98.8			
1250µm	85	100	75.9	-9.1		
630µm	35	100	39.6			
315µm		50	12.1			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	41001 to 41500 t	SAMPLE #	(12)VANS83
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	2-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.0			
1250µm	85	100	76.4	-8.6		
630µm	35	100	40.0			
315µm		50	12.2			
160µm		8	1.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	41501 to 42000 t	SAMPLE #	(12)VANS84
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	3-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.5			
1250µm	85	100	77.8	-7.2		
630µm	35	100	41.7			
315µm		50	13.5			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	42001 to 42500 t	SAMPLE #	(12)VANS85
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	3-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.6			
1250µm	85	100	78.9	-6.1		
630µm	35	100	42.7			
315µm		50	13.8			
160µm		8	2.4			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	42501 to 43000 t	SAMPLE #	(12)VANS86
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	5-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Dec-12

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.5			
1250µm	85	100	79.9	-5.1		
630µm	35	100	43.7			
315µm		50	14.0			
160µm		8	2.1			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	43001 to 43500 t	SAMPLE #	(12)VANS87
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	8-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.3			
1250µm	85	100	76.8	-8.2		
630µm	35	100	39.9			
315µm		50	11.9			
160µm		8	1.8			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	43501 to 44000 t	SAMPLE #	(12)VANS88
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	9-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	76.5	-8.5		
630µm	35	100	39.8			
315µm		50	12.1			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	44001 to 44500 t	SAMPLE #	(12)VANS89
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	10-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	79.5	-5.5		
630µm	35	100	44.4			
315µm		50	15.5			
160µm		8	3.0			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	44501 to 45000 t	SAMPLE #	(12)VANS90
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	10-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.51			
SODIUM CHLORIDE	95		97.05			
INSOLUBLE MATTER		1	0.49			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.5			
1250µm	85	100	80.7	-4.3		
630µm	35	100	45.2			
315µm		50	15.3			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	45001 to 45500 t	SAMPLE #	(12)VANS91
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	12-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.5			
1250µm	85	100	80.0	-5.0		
630µm	35	100	44.7			
315µm		50	15.4			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	45501 to 46000 t	SAMPLE #	(12)VANS92
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	15-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.7	0.3		5
2500µm	98	100	99.0			
1250µm	85	100	77.4	-7.6		
630µm	35	100	41.5			
315µm		50	13.3			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	46001 to 46500 t	SAMPLE #	(12)VANS93
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	19-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	78.2	-6.8		
630µm	35	100	42.4			
315µm		50	14.0			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	46501 to 47000 t	SAMPLE #	(12)VANS94
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	22-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	79.4	-5.6		
630µm	35	100	44.1			
315µm		50	15.2			
160µm		8	2.5			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	47001 to 47500 t	SAMPLE #	(12)VANS95
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	24-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	76.6	-8.4		
630µm	35	100	40.8			
315µm		50	13.4			
160µm		8	2.4			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	47501 to 48000 t	SAMPLE #	(12)VANS96
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	24-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	74.5	-10.5		
630µm	35	100	37.7			
315µm		50	11.2			
160µm		8	1.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	48001 to 48500 t	SAMPLE #	(12)VANS97
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	26-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.06			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	76.1	-8.9		
630µm	35	100	41.1			
315µm		50	14.2			
160µm		8	2.8			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	48501 to 49000 t	SAMPLE #	(12)VANS98
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	77.0	-8.0		
630µm	35	100	41.6			
315µm		50	13.9			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	49001 to 49500 t	SAMPLE #	(12)VANS99
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	76.9	-8.1		
630µm	35	100	41.1			
315µm		50	13.2			
160µm		8	1.8			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	49501 to 50000 t	SAMPLE #	(12)VANS100
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	27-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.35			
SODIUM CHLORIDE	95		97.88			
INSOLUBLE MATTER		1	0.65			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.6	-9.4		
630µm	35	100	39.4			
315µm		50	12.2			
160µm		8	1.5			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	50001 to 50500 t	SAMPLE #	(12)VANS101
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	74.8	-10.2		
630µm	35	100	38.3			
315µm		50	11.4			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	50501 to 51000 t	SAMPLE #	(12)VANS102
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	28-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.9			
1250µm	85	100	72.6	-12.4		
630µm	35	100	35.6			
315µm		50	9.7			
160µm		8	1.0			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	51001 to 51500 t	SAMPLE #	(12)VANS103
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	29-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.1			
1250µm	85	100	76.0	-9.0		
630µm	35	100	39.8			
315µm		50	12.3			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	51501 to 52000 t	SAMPLE #	(12)VANS104
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	30-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	78.2	-6.8		
630µm	35	100	42.3			
315µm		50	13.9			
160µm		8	2.5			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	52001 to 52500 t	SAMPLE #	(12)VANS105
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	31-Oct-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	97.5	-0.5		5
1250µm	85	100	73.2	-11.8		
630µm	35	100	36.9			
315µm		50	10.5			
160µm		8	1.5			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	10.0
---	------

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	52501 to 53000 t	SAMPLE #	(12)VANS106
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	1-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	78.3	-6.7		
630µm	35	100	42.2			
315µm		50	13.7			
160µm		8	2.3			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	53001 to 53500 t	SAMPLE #	(12)VANS107
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	2-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	76.5	-8.5		
630µm	35	100	40.2			
315µm		50	12.6			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	53501 to 54000 t	SAMPLE #	(12)VANS108
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	5-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	77.3	-7.7		
630µm	35	100	41.1			
315µm		50	13.1			
160µm		8	2.3			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	54001 to 54500 t	SAMPLE #	(12)VANS109
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	5-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.8	0.2		5
2500µm	98	100	99.3			
1250µm	85	100	77.5	-7.5		
630µm	35	100	41.2			
315µm		50	12.8			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	54501 to 55000 t	SAMPLE #	(12)VANS110
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	5-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.34			
SODIUM CHLORIDE	95		96.55			
INSOLUBLE MATTER		1	0.66			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.5			
1250µm	85	100	79.1	-5.9		
630µm	35	100	43.4			
315µm		50	14.4			
160µm		8	2.3			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	55001 to 55500 t	SAMPLE #	(12)VANS111
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	4-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	79.9	-5.1		
630µm	35	100	45.1			
315µm		50	16.1			
160µm		8	3.2			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	55501 to 56000 t	SAMPLE #	(12)VANS112
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	6-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	79.8	-5.2		
630µm	35	100	42.5			
315µm		50	12.5			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	56001 to 56500 t	SAMPLE #	(12)VANS113
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	6-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.3			
1250µm	85	100	70.2	-14.8		
630µm	35	100	33.8	-1.2		
315µm		50	9.4			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	56501 to 57000 t	SAMPLE #	(12)VANS114
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	6-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	77.6	-7.4		
630µm	35	100	39.8			
315µm		50	10.9			
160µm		8	1.0			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	57001 to 57500 t	SAMPLE #	(12)VANS115
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	7-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	75.6	-9.4		
630µm	35	100	41.6			
315µm		50	15.2			
160µm		8	3.4			
80µm		3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	57501 to 58000 t	SAMPLE #	(12)VANS116
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	7-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.2			
1250µm	85	100	72.5	-12.5		
630µm	35	100	36.7			
315µm		50	11.6			
160µm		8	2.4			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	58001 to 58500 t	SAMPLE #	(12)VANS117
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	8-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	98.7			
1250µm	85	100	73.4	-11.6		
630µm	35	100	37.1			
315µm		50	11.0			
160µm		8	1.6			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	58501 to 59000 t	SAMPLE #	(12)VANS118
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	9-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.1			
1250µm	85	100	70.6	-14.4		
630µm	35	100	34.1	-0.9		
315µm		50	9.4			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	59001 to 59500 t	SAMPLE #	(12)VANS119
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	9-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.9			
1250µm	85	100	75.4	-9.6		
630µm	35	100	39.4			
315µm		50	12.3			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	59501 to 60000 t	SAMPLE #	(12)VANS120
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	10-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.22			
SODIUM CHLORIDE	95		96.2			
INSOLUBLE MATTER		1	0.78			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	79.5	-5.5		
630µm	35	100	44.4			
315µm		50	15.5			
160µm		8	2.9			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	60001 to 60500 t	SAMPLE #	(12)VANS121
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	11-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.6			
1250µm	85	100	55.1	-29.9		
630µm	35	100	24.2	-10.8		
315µm		50	10.1			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	60501 to 61000 t	SAMPLE #	(12)VANS122
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	12-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.5			
1250µm	85	100	71.2	-13.8		
630µm	35	100	34.7	-0.3		
315µm		50	9.7			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	61001 to 61500 t	SAMPLE #	(12)VANS123
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	12-Nov-12	LOCATION	ALBERTA
RECEIVED	11-Dec-12	TESTED	11-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	75.8	-9.2		
630µm	35	100	40.2			
315µm		50	13.2			
160µm		8	2.2			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	61501 to 62000 t	SAMPLE #	(12)VANS124
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	13-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		99.7	0.3		5
2500µm	98	100	98.2			
1250µm	85	100	72.7	-12.3		
630µm	35	100	36.3			
315µm		50	10.3			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	62001 to 62500 t	SAMPLE #	(12)VANS125
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	13-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.3			
1250µm	85	100	71.1	-13.9		
630µm	35	100	34.5	-0.5		
315µm		50	9.5			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	62501 to 63000 t	SAMPLE #	(12)VANS126
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	13-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	98.3			
1250µm	85	100	71.9	-13.1		
630µm	35	100	35.6			
315µm		50	10.2			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	63001 to 63500 t	SAMPLE #	(12)VANS127
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	13-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	77.4	-7.6		
630µm	35	100	42.6			
315µm		50	15.1			
160µm		8	2.7			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	63501 to 64000 t	SAMPLE #	(12)VANS128
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	14-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	79.0	-6.0		
630µm	35	100	45.3			
315µm		50	17.3			
160µm		8	3.5			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	64001 to 64500 t	SAMPLE #	(12)VANS129
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	14-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	77.5	-7.5		
630µm	35	100	42.5			
315µm		50	14.9			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	64501 to 65000 t	SAMPLE #	(12)VANS130
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	14-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.16			
SODIUM CHLORIDE	95		96.51			
INSOLUBLE MATTER		1	0.84			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	77.0	-8.0		
630µm	35	100	42.2			
315µm		50	14.9			
160µm		8	2.7			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	65001 to 65500 t	SAMPLE #	(12)VANS131
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	15-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	77.6	-7.4		
630µm	35	100	42.8			
315µm		50	15.3			
160µm		8	3.2			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	65501 to 66000 t	SAMPLE #	(12)VANS132
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	15-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	76.7	-8.3		
630µm	35	100	41.2			
315µm		50	14.0			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	66001 to 66500 t	SAMPLE #	(12)VANS133
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	15-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	75.5	-9.5		
630µm	35	100	39.9			
315µm		50	13.1			
160µm		8	2.3			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	66501 to 67000 t	SAMPLE #	(12)VANS134
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	15-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	76.2	-8.8		
630µm	35	100	41.2			
315µm		50	14.3			
160µm		8	2.8			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	67001 to 67500 t	SAMPLE #	(12)VANS135
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	16-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.5			
1250µm	85	100	65.7	-19.3		
630µm	35	100	31.1	-3.9		
315µm		50	10.6			
160µm		8	3.5			
80µm		3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	67501 to 68000 t	SAMPLE #	(12)VANS136
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	16-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.6			
1250µm	85	100	65.8	-19.2		
630µm	35	100	29.9	-5.1		
315µm		50	8.8			
160µm		8	2.6			
80µm		3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	68001 to 68500 t	SAMPLE #	(12)VANS137
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	16-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-12	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.1			
1250µm	85	100	70.1	-14.9		
630µm	35	100	35.0			
315µm		50	12.0			
160µm		8	3.6			
80µm		3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	68501 to 69000 t	SAMPLE #	(12)VANS138
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	17-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		102.9	-2.9		
2500µm	98	100	99.2			
1250µm	85	100	67.1	-17.9		
630µm	35	100	31.7	-3.3		
315µm		50	10.1			
160µm		8	3.0			
80µm		3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	69001 to 69500 t	SAMPLE #	(12)VANS139
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	18-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	65.7	-19.3		
630µm	35	100	29.4	-5.6		
315µm		50	8.2			
160µm		8	2.1			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	69501 to 70000 t	SAMPLE #	(12)VANS140
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	18-Nov-12	LOCATION	ALBERTA
RECEIVED	28-Jan-13	TESTED	30-Jan-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		99.37			
SODIUM CHLORIDE	95		97.31			
INSOLUBLE MATTER		1	0.63			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.6			
1250µm	85	100	66.2	-18.8		
630µm	35	100	30.2	-4.8		
315µm		50	8.8			
160µm		8	2.3			
80µm		3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	70001 to 70500 t	SAMPLE #	(12)VANS141
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	19-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	69.7	-15.3		
630µm	35	100	34.3	-0.7		
315µm		50	11.2			
160µm		8	3.3			
80µm		3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	70501to 71000 t	SAMPLE #	(12)VANS142
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	19-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	68.4	-16.6		
630µm	35	100	32.6	-2.4		
315µm		50	10.2			
160µm		8	2.9			
80µm		3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	71001 to 71500 t	SAMPLE #	(12)VANS143
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	20-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	68.7	-16.3		
630µm	35	100	33.3	-1.7		
315µm		50	10.8			
160µm		8	3.2			
80µm		3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	71501 to 72000 t	SAMPLE #	(12)VANS144
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	20-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	66.5	-18.5		
630µm	35	100	31.1	-3.9		
315µm		50	9.7			
160µm		8	2.7			
80µm		3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	72001 to 72500 t	SAMPLE #	(12)VANS145
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	21-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.9			
1250µm	85	100	69.6	-15.4		
630µm	35	100	34.9	-0.1		
315µm		50	12.4			
160µm		8	4.1			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	72501 to 73000 t	SAMPLE #	(12)VANS146
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	21-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	69.8	-15.2		
630µm	35	100	35.0			
315µm		50	12.2			
160µm		8	3.7			
80µm		3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	73001 to 73500 t	SAMPLE #	(12)VANS147
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	22-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	70.6	-14.4		
630µm	35	100	31.7	-3.3		
315µm		50	6.8			
160µm		8	1.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	73501 to 74000 t	SAMPLE #	(12)VANS148
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	22-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	71.0	-14.0		
630µm	35	100	31.9	-3.1		
315µm		50	6.8			
160µm		8	1.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	74001 to 74500 t	SAMPLE #	(12)VANS149
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	23-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	71.2	-13.8		
630µm	35	100	32.1	-2.9		
315µm		50	6.9			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	74501 to 75000 t	SAMPLE #	(12)VANS150
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	24-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.5			
1250µm	85	100	70.4	-14.6		
630µm	35	100	31.3	-3.7		
315µm		50	6.5			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	75001 to 75500 t	SAMPLE #	(12)VANS151
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	26-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	71.9	-13.1		
630µm	35	100	35.5			
315µm		50	10.3			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	75501 to 76000 t	SAMPLE #	(12)VANS152
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	26-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	72.4	-12.6		
630µm	35	100	35.8			
315µm		50	10.2			
160µm		8	1.2			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	76001 to 76500 t	SAMPLE #	(12)VANS153
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		99.9	0.1		5
2500µm	98	100	99.0			
1250µm	85	100	72.4	-12.6		
630µm	35	100	36.7			
315µm		50	11.5			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS	5.0
---	-----

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	76501 to 77000 t	SAMPLE #	(12)VANS154
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	28-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.1			
1250µm	85	100	70.9	-14.1		
630µm	35	100	33.1	-1.9		
315µm		50	8.1			
160µm		8	1.0			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	77001 to 77500 t	SAMPLE #	(12)VANS155
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	28-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	70.7	-14.3		
630µm	35	100	32.9	-2.1		
315µm		50	8.1			
160µm		8	0.9			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	77501 to 78000 t	SAMPLE #	(12)VANS156
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	29-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	69.1	-15.9		
630µm	35	100	30.9	-4.1		
315µm		50	6.8			
160µm		8	0.7			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	78001 to 78500 t	SAMPLE #	(12)VANS157
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	30-Nov-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	70.7	-14.3		
630µm	35	100	32.8	-2.2		
315µm		50	7.9			
160µm		8	0.8			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	78501 to 79000 t	SAMPLE #	(12)VANS158
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	3-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.9			
1250µm	85	100	68.6	-16.4		
630µm	35	100	30.4	-4.6		
315µm		50	6.6			
160µm		8	0.7			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	79001 to 79500 t	SAMPLE #	(12)VANS159
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	3-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	67.0	-18.0		
630µm	35	100	28.5	-6.5		
315µm		50	5.6			
160µm		8	0.5			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	79501 to 80000 t	SAMPLE #	(12)VANS160
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	4-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.2	-9.8		
630µm	35	100	39.4			
315µm		50	13.0			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	80001 to 80500 t	SAMPLE #	(12)VANS161
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	4-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.2	-9.8		
630µm	35	100	39.9			
315µm		50	13.5			
160µm		8	3.0			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	80501 to 81000 t	SAMPLE #	(12)VANS162
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	4-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.7	-9.3		
630µm	35	100	40.1			
315µm		50	13.4			
160µm		8	3.0			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	81001 to 81500 t	SAMPLE #	(12)VANS163
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	5-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.6			
1250µm	85	100	64.6	-20.4		
630µm	35	100	27.8	-7.2		
315µm		50	6.8			
160µm		8	0.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	81501 to 82000 t	SAMPLE #	(12)VANS164
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	6-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.9			
1250µm	85	100	79.0	-6.0		
630µm	35	100	39.6			
315µm		50	9.4			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	82001 to 82500 t	SAMPLE #	(12)VANS165
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	7-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	79.4	-5.6		
630µm	35	100	44.7			
315µm		50	16.3			
160µm		8	3.6			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	82501 to 83000 t	SAMPLE #	(12)VANS166
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	9-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	80.0	-5.0		
630µm	35	100	45.5			
315µm		50	16.8			
160µm		8	3.6			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	83001 to 83500 t	SAMPLE #	(12)VANS167
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	10-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.7			
1250µm	85	100	79.3	-5.7		
630µm	35	100	44.3			
315µm		50	15.8			
160µm		8	3.3			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	83501 to 84000 t	SAMPLE #	(12)VANS168
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	10-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	79.6	-5.4		
630µm	35	100	44.3			
315µm		50	15.5			
160µm		8	3.2			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	84001 to 84500 t	SAMPLE #	(12)VANS169
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	11-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.8			
1250µm	85	100	79.2	-5.8		
630µm	35	100	44.2			
315µm		50	15.6			
160µm		8	3.3			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	84501 to 85000 t	SAMPLE #	(12)VANS170
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	11-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	78.6	-6.4		
630µm	35	100	43.1			
315µm		50	14.7			
160µm		8	3.1			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	85001 to 85500 t	SAMPLE #	(12)VANS171
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	12-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	69.7	-15.3		
630µm	35	100	27.8	-7.2		
315µm		50	2.8			
160µm		8	1.2			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	85501 to 86000 t	SAMPLE #	(12)VANS172
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	12-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	69.4	-15.6		
630µm	35	100	30.7	-4.3		
315µm		50	6.5			
160µm		8	0.7			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	86001 to 86500 t	SAMPLE #	(12)VANS173
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	13-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	71.8	-13.2		
630µm	35	100	36.9			
315µm		50	12.7			
160µm		8	2.6			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	86501 to 87000 t	SAMPLE #	(12)VANS174
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	14-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	74.0	-11.0		
630µm	35	100	39.6			
315µm		50	14.2			
160µm		8	2.8			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	87001 to 87500 t	SAMPLE #	(12)VANS175
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	14-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	73.0	-12.0		
630µm	35	100	38.0			
315µm		50	13.0			
160µm		8	2.5			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	87501 to 88000 t	SAMPLE #	(12)VANS176
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	14-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	71.4	-13.6		
630µm	35	100	36.3			
315µm		50	12.0			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	88001 to 88500 t	SAMPLE #	(12)VANS177
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	17-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	69.3	-15.7		
630µm	35	100	33.7	-1.3		
315µm		50	10.6			
160µm		8	2.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

LOT NUMBER	88501 to 89000 t	SAMPLE #	(12)VANS178
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	17-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	72.9	-12.1		
630µm	35	100	30.1	-4.9		
315µm		50	3.7			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	89001 to 89500 t	SAMPLE #	(12)VANS179
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	18-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.5			
1250µm	85	100	66.1	-18.9		
630µm	35	100	28.7	-6.3		
315µm		50	6.6			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	89501 to 90000 t	SAMPLE #	(12)VANS180
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	18-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.33			
SODIUM CHLORIDE	95		97.38			
INSOLUBLE MATTER		1	0.67			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.6			
1250µm	85	100	66.1	-18.9		
630µm	35	100	28.9	-6.1		
315µm		50	6.8			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	90001 to 90500 t	SAMPLE #	(12)VANS181
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	19-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.7			
1250µm	85	100	67.2	-17.8		
630µm	35	100	29.7	-5.3		
315µm		50	6.9			
160µm		8	1.0			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	90501 to 91000 t	SAMPLE #	(12)VANS182
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	19-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	67.2	-17.8		
630µm	35	100	29.4	-5.6		
315µm		50	6.6			
160µm		8	1.0			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	91001 to 91500 t	SAMPLE #	(12)VANS183
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	20-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	68.1	-16.9		
630µm	35	100	30.7	-4.3		
315µm		50	7.6			
160µm		8	1.3			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	91501 to 92000 t	SAMPLE #	(12)VANS184
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	21-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.8			
1250µm	85	100	66.9	-18.1		
630µm	35	100	29.5	-5.5		
315µm		50	6.9			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	92001 to 92500 t	SAMPLE #	(12)VANS185
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	21-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.7			
1250µm	85	100	67.0	-18.0		
630µm	35	100	29.8	-5.2		
315µm		50	7.2			
160µm		8	1.2			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	92501 to 93000 t	SAMPLE #	(12)VANS186
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	22-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	4-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.0			
1250µm	85	100	67.7	-17.3		
630µm	35	100	30.1	-4.9		
315µm		50	7.1			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	93001 to 93500 t	SAMPLE #	(12)VANS187
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	26-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	98.6			
1250µm	85	100	67.0	-18.0		
630µm	35	100	29.7	-5.3		
315µm		50	7.1			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	93501 to 94000 t	SAMPLE #	(12)VANS188
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.3	-9.7		
630µm	35	100	40.7			
315µm		50	14.9			
160µm		8	4.2			
80µm		3	1.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	94001 to 94500 t	SAMPLE #	(12)VANS189
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	27-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.3	-9.7		
630µm	35	100	40.7			
315µm		50	14.7			
160µm		8	3.9			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	94501 to 95000 t	SAMPLE #	(12)VANS190
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	30-Dec-12	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.32			
SODIUM CHLORIDE	95		98.32			
INSOLUBLE MATTER		1	0.68			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	75.6	-9.4		
630µm	35	100	40.4			
315µm		50	14.2			
160µm		8	3.7			
80µm		3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	95001 to 95500 t	SAMPLE #	(12)VANS191
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	2-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	77.1	-7.9		
630µm	35	100	42.5			
315µm		50	15.5			
160µm		8	3.8			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	95501 to 96000 t	SAMPLE #	(12)VANS192
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	3-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	67.3	-17.7		
630µm	35	100	30.7	-4.3		
315µm		50	8.7			
160µm		8	2.2			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	96001 to 96500 t	SAMPLE #	(12)VANS193
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	3-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	73.1	-11.9		
630µm	35	100	36.9			
315µm		50	11.3			
160µm		8	1.7			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	96501 to 97000 t	SAMPLE #	(12)VANS194
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	4-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.3			
1250µm	85	100	72.1	-12.9		
630µm	35	100	35.5			
315µm		50	10.3			
160µm		8	1.6			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	97001 to 97500 t	SAMPLE #	(12)VANS195
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	4-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.4			
1250µm	85	100	72.9	-12.1		
630µm	35	100	36.1			
315µm		50	10.4			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	97501 to 98000 t	SAMPLE #	(12)VANS196
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	7-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			
GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	75.0	-10.0		
630µm	35	100	38.9			
315µm		50	12.6			
160µm		8	2.7			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE
NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	98001 to 98500 t	SAMPLE #	(12)VANS197
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	7-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	75.3	-9.7		
630µm	35	100	39.5			
315µm		50	13.1			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	98501 to 99000 t	SAMPLE #	(12)VANS198
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	7-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	76.7	-8.3		
630µm	35	100	42.2			
315µm		50	15.5			
160µm		8	3.8			
80µm		3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS					
NOTE :					
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .					
If payment adjustment is 100% or more no payment will be made for the lot .					

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	99001 to 99500 t	SAMPLE #	(12)VANS199
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	8-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	75.2	-9.8		
630µm	35	100	39.6			
315µm		50	13.3			
160µm		8	3.0			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	99501 to 100000 t	SAMPLE #	(12)VANS200
MANUFACTURER	NSC VANSCOY	TYPE	FINE
DATE SAMPLED	9-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.36			
SODIUM CHLORIDE	95		97.49			
INSOLUBLE MATTER		1	0.64			
MOISTURE CONTENT		1	0.02			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	99.6			
1250µm	85	100	75.0	-10.0		
630µm	35	100	39.6			
315µm		50	13.4			
160µm		8	2.9			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	100000 to 100500 t	SAMPLE #	(12)VANS201
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	10-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.01			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	77.0	-8.0		
630µm	35	100	43.0			
315µm		50	15.0			
160µm		8	4.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS						
NOTE :						
If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .						
If payment adjustment is 100% or more no payment will be made for the lot .						

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

LOT NUMBER	100500 to 101000 t	SAMPLE #	(12)VANS202
MANUFACTURER	NSC VANS COY	TYPE	FINE
DATE SAMPLED	10-Jan-13	LOCATION	ALBERTA
RECEIVED	4-Feb-13	TESTED	26-Feb-13

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		NT			
SODIUM CHLORIDE	95		NT			
INSOLUBLE MATTER		1	NT			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100		100.0			
2500µm	98	100	100.0			
1250µm	85	100	75.0	-10.0		
630µm	35	100	39.0			
315µm		50	13.0			
160µm		8	3.0			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot . If payment adjustment is 100% or more no payment will be made for the lot .					
---	--	--	--	--	--

COPIES TO :	JOE FILICE
	NSC

APPROVED FOR PAYMENT	/AREA MANAGER
----------------------	---------------

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	137001-137500	Lab No	13-333	Field No	275
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	28-Feb-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.4			
630µm	35	100	67.8			
315µm		50	22.3			
160µm		8	4.3			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	137501-138000	Lab No	13-334	Field No	276
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	28-Feb-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.06			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.5			
630µm	35	100	66.8			
315µm		50	22.5			
160µm		8	4.3			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC-LAVALIN
Environment

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	138001-138500	Lab No	13-335	Field No	277
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	02-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.5			
630µm	35	100	58.6			
315µm		50	19.2			
160µm		8	3.1			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	138501-139000	Lab No	13-336	Field No	278
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	04-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.5			
630µm	35	100	57.6			
315µm		50	17.7			
160µm		8	2.9			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC-LAVALIN
Environment

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	139001-139500	Lab No	13-337	Field No	279
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	5-Mar.13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.3			
630µm	35	100	68.1			
315µm		50	13.1			
160µm		8	0.4			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	139501-140000	Lab No	13-338	Field No	280
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	05-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.1			
630µm	35	100	65.5			
315µm		50	11.7			
160µm		8	0.3			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	140001-140500	Lab No	13-339	Field No	281
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	05-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98		99.39			
SODIUM CHLORIDE	95		97.28			
INSOLUBLE MATTER		1	0.61			
MOISTURE CONTENT		1	8.52			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.2			
630µm	35	100	67.6			
315µm		50	13.3			
160µm		8	0.5			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	140501-141000	Lab No	13-340	Field No	282
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	06-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.2			
630µm	35	100	66.8			
315µm		50	12.9			
160µm		8	0.4			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	141001-141500	Lab No	13-341	Field No	283
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	06-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.1			
630µm	35	100	66.0			
315µm		50	11.9			
160µm		8	0.4			
80µm		3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	141501-142000	Lab No	13-342	Field No	284
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	07-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	55.1			
315µm		50	12.1			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC•LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	142001-142500	Lab No	13-343	Field No	285
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	08-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	55.7			
315µm		50	12.7			
160µm		8	1.5			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	142501-143000	Lab No	13-344	Field No	286
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	09-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.7			
630µm	35	100	55.2			
315µm		50	11.3			
160µm		8	1.4			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC•LAVALIN
Environment

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	143001-143500	Lab No	13-345	Field No	287
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	09-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	54.6			
315µm		50	11.2			
160µm		8	1.1			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	143501-144000	Lab No	13-346	Field No	288
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	11-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	53.1			
315µm		50	10.2			
160µm		8	1.1			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	144001-144500	Lab No	13-347	Field No	289
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	12-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	57.1			
315µm		50	11.9			
160µm		8	1.4			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	144501-145000	Lab No	13-348	Field No	290
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	13-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	34.0	-51.0		
630µm	35	100	77.5			
315µm		50	17.1			
160µm		8	3.0			
80µm		3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	145001-145500	Lab No	13-349	Field No	291
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	14-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.34			
SODIUM CHLORIDE	95		97.24			
INSOLUBLE MATTER		1	0.66			
MOISTURE CONTENT		1	0.05			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.7			
630µm	35	100	61.5			
315µm		50	18.3			
160µm		8	2.4			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	145501-146000	Lab No	13-350	Field No	292
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	15-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.8			
630µm	35	100	60.5			
315µm		50	14.1			
160µm		8	1.7			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	146001-146500	Lab No	13-351	Field No	293
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	16-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.9			
630µm	35	100	59.8			
315µm		50	12.0			
160µm		8	0.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC-LAVALIN
Environment

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	146501-147000	Lab No	13-352	Field No	294
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	16-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.8			
630µm	35	100	57.9			
315µm		50	10.3			
160µm		8	0.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	147001-147500	Lab No	13-353	Field No	295
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	18-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	98.6			
630µm	35	100	54.5			
315µm		50	8.5			
160µm		8	0.8			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	147501-148000	Lab No	13-354	Field No	296
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	19-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	59.9			
315µm		50	14.3			
160µm		8	1.2			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC-LAVALIN
Environment

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	148001-148500	Lab No	13-355	Field No	297
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	22-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.5			
630µm	35	100	56.4			
315µm		50	14.1			
160µm		8	1.9			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	148501-149000	Lab No	13-356	Field No	298
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	23-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.6			
630µm	35	100	59.1			
315µm		50	16.0			
160µm		8	2.5			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	149001-149500	Lab No	13-357	Field No	299
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	25-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.7			
630µm	35	100	58.4			
315µm		50	14.6			
160µm		8	2.0			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC-LAVALIN
Environment****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	149501-150000	Lab No	13-358	Field No	300
Manufacturer	NSC	Salt Type	Alta. Trans. Fine		
Date Sampled	25-Mar-13	Production Location	Vanscoy		
Date Received	09-Apr-13	Date Tested	10-Apr-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	99.7			
630µm	35	100	56.7			
315µm		50	13.4			
160µm		8	1.8			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No	150,001 - 150,500	Lab No	13-0020	Field No	301
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	26-Mar-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.4			
SODIUM CHLORIDE	95		96.66			
INSOLUBLE MATTER		1	0.6			
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	72.3	-12.7		
630µm	35	100	36.3			
315µm		50	11.9			
160µm		8	3.1			
80µm		3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No	150,501 - 151,000	Lab No	13-0021	Field No	302
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	27-Mar-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	70.3	-14.7		
630µm	35	100	33.3	-1.7		
315µm		50	9.4			
160µm		8	1.9			
80µm		3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No	151,001 - 151,500	Lab No	13-0022	Field No	303
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	28-Mar-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.2			
1250µm	85	100	74.3	-10.7		
630µm	35	100	42.0			
315µm		50	17.5			
160µm		8	5.2			
80µm		3	1.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No	151,501 - 152,000	Lab No	13-0023	Field No	304
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	01-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.2	-9.8		
630µm	35	100	42.9			
315µm		50	18.1			
160µm		8	5.4			
80µm		3	1.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	152,001 - 152,500	Lab No	13-0024	Field No	305
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	08-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	100			
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.3			
1250µm	85	100	75.1	-9.9		
630µm	35	100	42.2			
315µm		50	17.2			
160µm		8	5.1			
80µm		3	1.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	152,501 - 153,000	Lab No	13-0025	Field No	306
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	08-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.3			
1250µm	85	100	73.2	-11.8		
630µm	35	100	39.4			
315µm		50	15.0			
160µm		8	4.2			
80µm		3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	153,001 - 153,500	Lab No	13-0026	Field No	307
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	09-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.3			
1250µm	85	100	73.2	-11.8		
630µm	35	100	39.7			
315µm		50	15.3			
160µm		8	4.2			
80µm		3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	153,501 - 154,000	Lab No	13-0027	Field No	308
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	11-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.1			
1250µm	85	100	73.7	-11.3		
630µm	35	100	40.1			
315µm		50	15.3			
160µm		8	3.9			
80µm		3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	154,001 - 154,500	Lab No	13-0028	Field No	309
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	14-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.02			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.4			
1250µm	85	100	76.1	-8.9		
630µm	35	100	44.2			
315µm		50	18.9			
160µm		8	5.6			
80µm		3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	154,501 - 155,000	Lab No	13-0029	Field No	310
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	15-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.3			
1250µm	85	100	78.1	-6.9		
630µm	35	100	46.8			
315µm		50	20.5			
160µm		8	5.9			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	155,001 - 155,500	Lab No	13-0030	Field No	311
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	15-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98		99.08			
SODIUM CHLORIDE	95		96.91			
INSOLUBLE MATTER		1	0.92			
MOISTURE CONTENT		1	0.03			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.6			
1250µm	85	100	76.8	-8.2		
630µm	35	100	44.2			
315µm		50	18.3			
160µm		8	5.4			
80µm		3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	155,501 - 156,000	Lab No	13-0031	Field No	312
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	16-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	65.9	-19.1		
630µm	35	100	27.4	-7.6		
315µm		50	5.3			
160µm		8	0.5			
80µm		3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	156,001 - 156,500	Lab No	13-0032	Field No	313
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	16-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.4			
1250µm	85	100	66.8	-18.2		
630µm	35	100	29.0	-6.0		
315µm		50	6.5			
160µm		8	0.6			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	156,501 - 157,000	Lab No	13-0033	Field No	314
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	17-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	67.6	-17.4		
630µm	35	100	29.5	-5.5		
315µm		50	6.5			
160µm		8	0.6			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more
no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	157,001 - 157,500	Lab No	13-0034	Field No	315
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	18-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	68.4	-16.6		
630µm	35	100	31.0	-4.0		
315µm		50	7.6			
160µm		8	0.7			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	157,501 - 158,000	Lab No	13-0035	Field No	316
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	21-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.6			
1250µm	85	100	67.9	-17.1		
630µm	35	100	29.9	-5.1		
315µm		50	6.8			
160µm		8	0.9			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE :

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	158,001 - 158,500	Lab No	13-0036	Field No	317
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	23-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.03			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.2			
1250µm	85	100	64.2	-20.8		
630µm	35	100	25.9	-9.1		
315µm		50	4.9			
160µm		8	0.6			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**If payment adjustment is 5% or less , no payment
adjustment will be assessed against the lot .If payment adjustment is 100% or more
no payment will be made for the lot .**COPIES TO :** JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**

**SNC • LAVALIN****TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	158,501 - 159,000	Lab No	13-0037	Field No	318
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	24-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
	MIN	MAX				
CHEM COMP						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.06			
GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.4			
1250µm	85	100	65.4	-19.6		
630µm	35	100	27.4	-7.6		
315µm		50	5.7			
160µm		8	0.7			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**NOTE :**

If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT**/AREA MANAGER**



SNC • LAVALIN

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No	159,001 - 159,500	Lab No	13-0038	Field No	319
Manufacturer	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled	30-Apr-13	Production Location	Vanscoy		
Date Received	15-Oct-13	Date Tested	16-Oct-13		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMT POINTS
CHEM COMP	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1				

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	98.3			
1250µm	85	100	65.0	-20.0		
630µm	35	100	28.5	-6.5		
315µm		50	7.2			
160µm		8	1.1			
80µm		3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE : If payment adjustment is 5% or less , no payment adjustment will be assessed against the lot .

If payment adjustment is 100% or more no payment will be made for the lot .

COPIES TO : JOE FILICE

NSC

APPROVED FOR PAYMENT

/AREA MANAGER