


JOINT TYPE 1


EDGES SHALL BE TROWELLED WITH A SIDEWALK TOOL

TOOL MARKS SHALL BE FLOATED OFF



JOINT TYPE 2

TOP SURFACES SHALL BE FLUSH



JOINT TYPE 3

SUPERSEDED

BY S-1411-87 ON SHEET ④

BY REVISION ② (94-11-30)

GENERAL NOTES

- DIMENSIONS ARE GIVEN IN mm. DETAILS ARE NOT TO SCALE.
- ASPHALT IMPREGNATED FIBREBOARD (AIFB) SHALL CONFORM TO THE CURRENT ASTM SPECIFICATION D1751 FOR PREFORMED EXPANSION JOINT FILLERS.

SUPERSEDED
BY S-1411-87 REV ②
(94-11-30) ON SHEET ④

DRAFTING STANDARDS PAGE: 6.2

④			
③			
②			
①	87-03-04	REDRAWN FROM S-1411	DHQ
NO	DATE	REVISIONS	BY

Alberta TRANSPORTATION AND UTILITIES
BRIDGE ENGINEERING BRANCH

**STANDARD
CONCRETE JOINTS**

DESIGNED DHQ	DRAWN MIK	DATE 87-03-04	APPROVED EXECUTIVE DIRECTOR	SIGNATURE <i>mm Boyd</i>	DATE May 8/87	PAGE 4.29	DRAWING S-1411-87
-----------------	--------------	------------------	--------------------------------	-----------------------------	------------------	--------------	----------------------