






BAR LIST For unskewed Girder							
MARK	SIZE	NO	FOI	"E"	"T"	LENGTH	WEIGHT
S 301	3	112	A			1'-6"	63
S 401	4	7	Str.			34'-8"	162
S 402	4	42	B			5'-4"	178
S 501	5	86	Str.			4'-9"	426
T 401	4	42	C			4'-9"	133
D 601	6	4	D	4'-2"		5'-10"	35
D 602	6	4	D	6'-0"		6'-8"	40
T 601	6	4	D	4'-2"		6'-2"	37
							Total lbs.: 1,074



GENERAL NOTES:
DESIGN
 A.A.S.H.O. 1961 Specification
 Loading: 0.90 of one wheel line of an H20-S16-44 truck plus full dead load plus 2" wearing surface



Note:
 On exterior girder, place camber hubs on top of curb, 1'-2" from outside edge of curb.



NOTE:
 16-1/2" 7 wire strand required per girder.

MATERIALS
 Concrete shall be of standard weight aggregate with a maximum size of 3/4". Minimum compressive strength shall be 5000 p.s.i. at 28 days. Entrained air shall be not less than 5%.
 Prestressing steel is 2 1/2" 7 wire strand.
FABRICATION
 Reinforcement: Diameters of all bends shall conform to the recommended sizes and all hooks, unless otherwise noted shall conform to the recommended sizes detailed in the A.C.I. Manual of Standard Practice for Detailing Reinforced Concrete Structures.
 Prestressing steel: Initial tensioning load = 25.2% strand Design Load = 20.2% strand
 Concrete must attain 4000 p.s.i. compressive strength before the prestressing force is transferred.
 Galvanizing shall be in accordance with A.S.T.M.-Spec. A153
 Units are to conform to the requirements of the Alberta Bridge Branch Specification B190-64 for the Manufacture of Prestressed Concrete Bridge Units.

ERECTION
 Lifting force at each hook must be vertical at all times.
 Girders must be level at all times.

SUPERSEDED
 BY 5-874-73

PRESTRESSED CONCRETE
 35'-0 TYPE FC GIRDER

GOVERNMENT OF THE PROVINCE OF ALBERTA
 DEPARTMENT OF HIGHWAYS
 BRIDGE BRANCH, EDMONTON

FILE NO.	HWY. NO.	DWS. NO.
LOCATION	SCALE	SHEET
STREAM	OF	5-874-69

NO.	DATE	DESCRIPTION	BY
1	Dec. 31/69	Camber Hubs & Shoe & Bars & Redrawn	R.W.K. G.D.A.

DESIGNED BY L. Kuhlmann
 DATE February 1969
 CHECKED BY
 DATE