

ALBERTA TRANSPORTATION AND
ECONOMIC CORRIDORS GRMP
PEACE REGION –
(GRANDE PRAIRIE DISTRICT - NORTH)
INSTRUMENTATION MONITORING - SPRING 2025



Site Number	Location	Name	Hwy	km
GP014	HWY 733:04 C1 7.530	Hamelin Creek	733:04	Km 7.5
Legal Description: 9-28-75-3 W6		UTM Co-ordinates		
		11U E 412014.36	N	6154422.40

Current Monitoring:	17-June-2025	Previous Monitoring	22-Oct.-2023
Instruments Read By:	Mr. Niraj Regmi, G.I.T and Mr. Godfred Etiendem, of Thurber		

Instruments Read During This Site Visit			
Slope Inclinometers (SIs): SI98-7	Pneumatic Piezometers (PN): PN-11	Vibrating Wire Piezometers (VW): N/A	Standpipe Piezometers (SP): N/A
Load Cell (LC): N/A	Strain Gauges: N/A	SAA's: N/A	Others:

Readout Equipment Used			
Slope Inclinometers: Two RST Digital Inclinator probes with 2 ft. wheelbases and RST Pocket PC readouts	Pneumatic Piezometers: RST C108 pneumatic piezometer readout	Vibrating Wire Piezometers:	Standpipe Piezometers:
Load Cell:	Strain Gauges:	SAA's:	Others:
Notes:			

Discussion	
Zones of New Movement:	None
Interpretation of Monitoring Results:	<p>Slope inclinometer SI98-7 located 5.6 m downslope of highway 733:04 showed negligible movement since the fall of 2023 readings.</p> <p>Pneumatic piezometer PN-11A showed a decrease in groundwater level of 0.04 m since the fall of 2023 readings. The current groundwater level indicated at PN-11A is consistent with the groundwater readings since the spring of 2016.</p> <p>Pneumatic piezometers PN-11B and PN-11C showed decreases in groundwater level of 0.22 m and 0.41 m, respectively since the fall of 2023 readings. The groundwater readings correspond with seasonal freeze/thaw fluctuations and have remained relatively consistent since the fall of 2017 readings.</p>
Future Work:	The instruments should be read again in 2027.
Instrumentation Repairs:	No instrument repairs are required at this time.
Additional Comments:	N/A

Attachments:	<ul style="list-style-type: none"> • Table GP014-1 Spring 2025 – HWY 733:04 Bad Heart River, Slope Inclinator Instrumentation Reading Summary • Table GP014-2 Spring 2025 – HWY 733:04 Bad Heart River, Pneumatic Piezometer Instrumentation Reading Summary • Statement of Use and Interpretation of Report • APPENDIX A – GP014-1 SPRING 2025 <ul style="list-style-type: none"> ○ Field Inspector's report ○ Site Plan Showing Approximate Instrument Locations (Drawing No. 32123-GP014) ○ SI Reading Plots ○ Figure GP014-1 (Piezometric Depths)
---------------------	--

We trust this report meets your requirements at present. If you have any questions, please contact the undersigned at your convenience.

Yours very truly,
Thurber Engineering Ltd.
Renato Clementino, Ph.D., P.Eng.
Principal | Senior Geotechnical Engineer

Yasir Khan, E.I.T.
Geotechnical Engineer-In-Training

Table GP014-1 Spring 2025 – Hwy 733:04 Bad Heart River Slope Inclinometer Instrumentation Reading Summary

Date Monitored: June 17, 2025

INSTRUMENT #	DATE INITIALIZED	TOTAL CUMULATIVE RESULTANT MOVEMENT AT NOTED DEPTH SINCE INITIAL READING (mm)	MAXIMUM RATE OF MOVEMENT (mm/yr)	CURRENT STATUS	DATE OF PREVIOUS READING	INCREMENTAL MOVEMENT SINCE PREVIOUS READING (mm)	RATE OF MOVEMENT (mm/yr)	CHANGE IN RATE OF MOVEMENT SINCE PREVIOUS READING (mm/yr)
SI98-7	October 4, 1998	No discernible movement	N/A	Operational	October 15, 2023	N/A	N/A	N/A

Drawing 32123-GP014 in Appendix A provides a sketch of the approximate location of the monitoring instrumentation for this site.

Table GP014-2 Spring 2025 – Hwy 733:04 Bad Heart River Pneumatic Piezometer Instrumentation Reading Summary

Date Monitored: June 17, 2025

INSTRUMENT #	DATE INITIALIZED	TIP ELEV. (m)	GROUND ELEV. (m)	CURRENT STATUS	HIGHEST MEASURED WATER ELEVATION (m)	MEASURED PORE PRESSURE (kPa)	CURRENT WATER ELEVATION (m)	PREVIOUS WATER ELEVATION (m)	CHANGE IN WATER LEVEL SINCE PREVIOUS READING (m)
PN-11A	December 6, 2003	622.19.	629.79	Operational	626.13 in May 2011	0.4	622.23	622.27	-0.04
PN-11B	December 6, 2003	614.59	629.79	Operational	623.23 in May 2011	29.7	617.62	617.84	-0.22
PN-11C	December 6, 2003	603.59	629.79	Operational	614.50 in August 2009	94.6	613.24	613.65	-0.41

Drawing 32123-GP014 in Appendix A provides a sketch of the approximate location of the monitoring instrumentation for this site.

STATEMENT FOR USE AND INTERPRETATION OF REPORT

1. STANDARD OF CARE

This Report has been prepared in a manner consistent with that degree of care and skill ordinarily exercised by members of the same profession currently practicing under similar circumstances at the same time and in the same or similar locality and in compliance with all applicable laws.

2. COMPLETE REPORT

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment, including this Statement For Use and Interpretation of Report, are a part of the Report, which is of a summary nature and is not intended to stand alone without reference to the instructions given to Thurber by the Client, communications between Thurber and the Client, and any other reports, proposals or documents prepared by Thurber for the Client relative to the specific site described herein, all of which together constitute the Report.

IN ORDER TO PROPERLY UNDERSTAND THE SUGGESTIONS, RECOMMENDATIONS AND OPINIONS EXPRESSED HEREIN, REFERENCE MUST BE MADE TO THE WHOLE OF THE REPORT, AS DESCRIBED ABOVE. THURBER IS NOT RESPONSIBLE FOR USE BY ANY PARTY OF PORTIONS OF THE REPORT WITHOUT REFERENCE TO THE WHOLE OF THE REPORT.

3. BASIS OF REPORT

The Report has been prepared for the specific site, development, design objectives, and purposes that were described to Thurber by the Client. The applicability and reliability of any of the findings, recommendations, suggestions, or opinions expressed in the Report, subject to the limitations provided herein, are only valid to the extent that the Report expressly addresses proposed development, design objectives and purposes, and then only to the extent that there has been no material alteration to or variation from any of the said descriptions provided to Thurber, unless Thurber is specifically requested by the Client to review and revise the Report in light of such alteration or variation.

4. USE OF THE REPORT

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client for the development, design objectives, and/or purposes described to Thurber by the Client. **NO OTHER PARTY MAY USE OR RELY ON THE REPORT OR ANY PORTION THEREOF FOR OTHER THAN THE CLIENT'S BENEFIT IN CONNECTION WITH THE PURPOSES DESCRIBED IN THE REPORT.** Any use which a third party makes of the Report is the sole responsibility of such third party and is always subject to this Statement for Use and Interpretation of Report. Thurber accepts no liability or responsibility for damages suffered by any third party resulting from use of the Report for purposes outside the reasonable contemplation of Thurber at the time it was prepared or in any manner unintended by Thurber.

5. INTERPRETATION OF THE REPORT

- a) **Nature and Exactness of Soil and Contaminant Description:** Classification and identification of soils, rocks, geological units, contaminant materials and quantities have been based on investigations performed in accordance with the standards set out in Paragraph 1. Classification and identification of these factors is inherently judgement-based. Comprehensive sampling and testing programs implemented with the appropriate equipment by experienced personnel may fail to locate some conditions. All investigations utilizing the standards of Paragraph 1 will involve an inherent risk that some conditions will not be detected and all documents or records summarizing such investigations will be based on assumptions of what exists between the actual points sampled. Actual conditions may vary significantly between the points investigated and the Client and all other parties making use of such documents or records with or without our express written consent need to be aware of this risk and the Report is delivered subject to the express condition that such risk is accepted by the Client and such other parties. Some conditions are subject to change over time and those making use of the Report need to be aware of this possibility and understand that the Report only presents the interpreted conditions at the sampled points at the time of sampling. If special concerns exist, or the Client has special considerations or requirements, the Client must disclose them so that additional or special investigations may be undertaken which would not otherwise be within the scope of investigations made for the purposes of the Report.
- b) **Reliance on Provided Information:** The evaluation and conclusions contained in the Report have been prepared based on conditions in evidence at the time of site inspections and based on information provided to Thurber. Thurber has relied in good faith upon representations, information and instructions provided by the Client and others concerning the site. Accordingly, Thurber does not accept responsibility for any deficiency, misstatement or inaccuracy contained in the Report resulting from misstatements, omissions, misrepresentations, or fraudulent acts of the Client or other parties providing information relied on by Thurber. Thurber is entitled to rely on such representations, information and instructions and is not required to carry out investigations to determine the truth or accuracy of such representations, information and instructions.
- c) **Design Services:** The Report may form part of design and construction documents for information purposes even though it may have been issued prior to final design being completed. Thurber is recommended to be retained to review final design, project plans and related documents prior to construction to confirm that they are consistent with the intent of the Report. Any differences that may exist between the Report's recommendations and the final design need to be reported to Thurber immediately so that Thurber can address potential conflicts.
- d) **Construction Services:** During construction Thurber should be retained to provide field reviews. Field reviews consist of performing sufficient and timely observations of encountered conditions to confirm and document that the site conditions do not materially differ from those conditions considered in the preparation of the report. Adequate field reviews are necessary for Thurber to provide letters of assurance, in accordance with the requirements of many regulatory authorities.

6. INDEPENDENT JUDGEMENTS OF CLIENT

The information, interpretations and conclusions in the Report are based on Thurber's interpretation of conditions revealed through limited investigation conducted within a defined scope of services. Thurber does not accept responsibility for independent conclusions, interpretations, interpolations and/or decisions of the Client, or other parties who may come into possession of the Report, or any part thereof, which may be based on information contained in the Report. This restriction of liability includes, but is not limited to, decisions made to develop, purchase, or sell land, unless such decisions expressly form part of the stated purpose of the Report as described in Paragraph 3.

**ALBERTA TRANSPORTATION AND ECONOMIC CORRIDORS GRMP (CON0022165)
PEACE REGION (GRANDE PRAIRIE DISTRICT – NORTH)
INSTRUMENTATION MONITORING RESULTS**

SPRING 2025

**APPENDIX A
DATA PRESENTATION**

SITE GP024: HWY 733:04, BAD HEART RIVER

**ALBERTA TRANSPORTATION AND ECONOMIC CORRIDORS
PEACE REGION (GRANDE PRAIRIE - NORTH DISTRICT)
INSTRUMENTATION MONITORING FIELD SUMMARY (GP014)
SPRING 2025**

Location: Bad Heart River (HWY 733:04 C1 7.530)	Readout: RST PN C108 Unit 4
File Number: 32123	Extension: 2.75"
Probe: RST SI Set 8R	Temp: 22/Sunny
Cable: RST SI Set 8R	Read by: NKR/GE

SLOPE INCLINOMETER (SI) READINGS

SI#	GPS Location (UTM 11)		Date	Stickup (m)	Depth from top of casing (ft)	Azimuth of A+ Groove	Current Bottom Depth Readings				Probe/ Reel #	Remarks
	Easting (m)	Northing (m)					A+	A-	B+	B-		
SI98-7	412075.66	6154418.07	17-Jun-25	0.72	68 to 2	10	-301	309	-604	602	8R/8R	



PNEUMATIC PIEZOMETER (PN) READINGS

PN#	GPS Location (UTM 11)		Date	Reading (kPa)	Identification Number
	Easting (m)	Northing (m)			
PN-11A	412014.36	6154422.40	17-Jun-25	0.4	28832
PN-11B	412014.36	6154422.40	17-Jun-25	29.7	28897
PN-11C	412014.36	6154422.40	17-Jun-25	94.6	28898


INSPECTOR REPORT

PN-11C Keeps bouncing when bypass open, bypass closed --> 95.7 kPa

G:\32000\32123 AT GRMP Grande Prairie District North 2021-2025\CAD\2021 INSTRUMENTS\32123-GP014.dwg - 1 - Jul. 10. 2025



- LEGEND**
- APPROXIMATE INSTRUMENT LOCATION
 - SI SLOPE INCLINOMETER
 - PN PNEUMATIC PIEZOMETER
 - GROUND SURFACE CONTOUR (2m INTERVAL)



BASE PLAN PROVIDED BY ALBERTA TRANSPORTATION


**PEACE REGION
(GRANDE PRAIRIE DISTRICT NORTH)**

**GP014: HWY 733:04 BAD HEART RIVER
INSTRUMENT LOCATIONS**

DWG No. 32123-GP014

DRAWN BY	ML
DESIGNED BY	BWN
APPROVED BY	RVC
SCALE	1:1500
DATE	JULY 2025
FILE No.	32123

Thurber Engineering Ltd.




GP014 Bad Heart River South Slide, Inclinometer SI98-7

Alberta Transportation

Sets marked * include zero shift and/or rotation corrections.

Thurber Engineering Ltd.



GP014 Bad Heart River South Slide, Inclinometer SI98-7

Alberta Transportation

Sets marked * include zero shift and/or rotation corrections.

FIGURE GP014-2
PIEZOMETRIC DEPTHS FOR HWY 733:04, BAD HEART RIVER

