

Quality Assurance Test Results for Traffic Paints, Glass Beads and Salt

Glass Beads: Field Sample Test Reports

2019	2020	2021	2022
----------------------	----------------------	----------------------	----------------------

Traffic Paint - Field Sample Test Reports

Paint Types	Formulations	Test Reports - Sampling Years ^{1, 2}			
White Alkyd	986061 – Ennis Flint	2019	2020	2021	2022
	70291 - Cloverdale		2020		
White Waterbourne	610035 – Ennis Flint	2019	2020	2021	2022
	985221 – Ennis Flint			2021	2022
	WB14251 – Ozark Materials	2019	2020		
	WB17251 – Ozark Materials			2021	2022
	KW1802 - International Striping Products		2020	2021	2022
	KW29 - International Striping Products				2022
	10-3040 PolyMight International			2021	
	TM2153 - Sherwin Williams				2022
Yellow Alkyd	986063 – Ennis Flint	2019	2020	2021	2022
	70292 - Cloverdale		2020		
Yellow Waterbourne	620035 – Ennis Flint	2019	2020	2021	2022
	985222 – Ennis Flint			2021	2022
	WB24251 – Ozark Materials	2019	2020		
	WB27251 – Ozark Materials			2021	2022
	KY1802 - International Striping Products		2020	2021	2022
	KY29 - International Striping Products				2022
	10-3040 PolyMight International			2021	
	TM1252 - Sherwin Williams				2022
White	Sherwin William			2021	

Note: 1) Please click the years in the table for the testing reports.

2) All the test reports of same formulation are combined together into one file to display in the links above.

Salt Testing Results

Season 2022-23

- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Vanscoy\) - 1](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Vanscoy\) - 2](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Ft Saskatchewan\)](#)

Season 2021-22

- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Vanscoy\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Ft Saskatchewan\)](#)

Season 2020-21

- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Vanscoy\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Ft Saskatchewan\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Coarse \(Rocanville\)](#)

Season 2019-20

- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Vanscoy\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride - Fine \(Ft Saskatchewan\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Medium \(Vanscoy\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Colonsay\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Coarse \(Rocanville\)](#)

Season 2018-19

- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Vanscoy\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride - Fine \(Ft Saskatchewan\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Medium \(Vanscoy\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride - Medium \(Ft Saskatchewan\)](#)
- [Test Report & Pay Adjustment For Granular Sodium Chloride – Fine \(Colonsay\)](#)