



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	7001 - 7500	Lab No.:	1	Field No.:	1 of 2
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Coarse		
Date Sampled:	20-Jan-20	Production Location:	Rocanville		
Date Received:	24-Feb-20	Date Tested:	25-Feb-20		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1				

GRADATION						
10000µm	100	100	100			
5000µm	55	90	99.7	9.7		
2500µm	5	60	61.3	1.3		
1250µm	0	25	6.1			
630µm	0	8	0.4			
315µm			0.0			
160µm			0.0			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	7501 - 8000	Lab No.:	2	Field No.:	1 of 2
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Coarse		
Date Sampled:	28-Jan-20	Production Location:	Rocanville		
Date Received:	24-Feb-20	Date Tested:	25-Feb-20		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.70			
INSOLUBLE MATTER		1	0.692			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm	100	100	100			
5000µm	55	90	99.7	9.7		
2500µm	5	60	60.6	0.6		
1250µm	0	25	6.6			
630µm	0	8	0.6			
315µm			0.3	0.3		
160µm			0.2	0.2		
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	8001 - 8500	Lab No.:	3	Field No.:	1 of 2
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Coarse		
Date Sampled:	30-Jan-20	Production Location:	Rocanville		
Date Received:	24-Feb-20	Date Tested:	25-Feb-20		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1				

GRADATION						
10000µm	100	100	100			
5000µm	55	90	99.5	9.5		
2500µm	5	60	58.1			
1250µm	0	25	5.4			
630µm	0	8	0.4			
315µm			0.2	0.2		
160µm			0.1	0.1		
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM