

Lot No.:	41500 - 420	000	Lab No.:	1 1 T	Field No.:	84
Manufacturer:	Married State Control of the Control		Salt Type		Alta. Trans.	Fine
Date Sampled:			Production Location:		Fort Saskatchewan	
Date Received:	1-May-18		Date Teste	d:	24-Apr-18	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE	00					
CHLORIDE	98					
SODIUM	O.F.					Ì
CHLORIDE	95					
INSOLUBLE		4				
MATTER		1				
MOISTURE						
CONTENT		1	0.00			
GRADATION	•	•			•	
10000μm	100	100	99.3	-0.7		
5000μm	100	100	98.5	-1.5		
2500μm	98	100	97.4	-0.6		
1250μm	85	100	79.1	-5.9		
630µm	35	100	24.1	-10.9	-	
315μm	0	50	1.2			<u> </u>
160µm	0	8	0.5	0		
80μm	0	3	0.5	0		
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:		•		, no paymen		
NOTE.		will be asse			•	
		adjustment t will be mad				
COPIES TO:	<u>.                                 </u>				kari@gov.ab.	 ca)
		-	•	•	ninerals.com)	•
	APPROVED	FOR PAYME	NT		,	AREA MANAGE
Comments:						
	<u> </u>					

Tested by:	LR	Reviewed by: GM



Lot No.:	42000 - 425	600	Lab No.:	2	Field No.:	85		
Manufacturer:	NSC Minera	The second secon	Salt Type		Alta. Trans. Fine			
Date Sampled:	12-Dec-17		Production Location:		Fort Saskatchewan			
Date Received:	24-Apr-18		Date Teste		15-May-18			
			<u> </u>					
TEST	SPECIFICAT	ION LIMITS	TEST	OF UNITS	MULTIPLY			
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS		
SOLUBLE	98							
CHLORIDE	38							
SODIUM	95							
CHLORIDE	95	-						
INSOLUBLE		1						
MATTER								
MOISTURE		1	0.04					
CONTENT		<u> </u>	0.04					
GRADATION								
10000μm	100	100	100					
5000μm	100	100	99.4	-0.6				
2500μm	98	100	98.6	0				
1250μm	85	100	81.4	-3.6				
630μm	35	100	26.6	-8.4				
315µm	0	50	2.6					
160μm	0	8 '	0.5	0.4				
80μm	0	3	0.5	0				
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	<b>ADJUSTMEN</b>	T POINTS			
NOTE:		-		, no payment	t			
	adjustment	will be asse	ssed against	the lot.				
	If payment a	adiustment i	is 100% or n	nore				
	no payment	•						
COPIES TO:					kari@gov.ab.o	ca)		
	Nelson Schu	ıtz, NSC Min	erals Ltd. (n	schutz@nscn	ninerals.com)			
····			·					
	APPROVED	FOR PAYME	NT					
				· · ·		/AREA MANAGER		
Comments:								
Tested by:	LR		_	Reviewed by:	: GM			
						/ 1		



Lot No.:	42500 - 43	000	Lab No.:	3	Field No.:	86		
Manufacturer:			Salt Type	1,00	Alta. Trans. Fi	Alta. Trans. Fine		
Date Sampled:			Production Location:		Fort Saskatchewan			
Date Received:	24-Apr-18		Date Tested	d:	15-May-18			
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.00					
GRADATION			_					
10000μm	100	100	100					
5000μm	100	100	99.9	-0.1				
2500μm	98	100	99.9	6				
1250μm	85	100	93.6					
630μm	35	100	61.6	5 2				
315µm	0	50	23.4					
160μm	0	8	6.1	0				
80μm	0	3	0.4	0				
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses	s 5% or less, ssed against	no payment the lot.				
		adjustment i						
<del>, , , , , , , , , , , , , , , , , , , </del>		t will be mad		<del></del> -		· · · · · · · · · · · · · · · · · · ·		
COPIES TO:			=	=	kari@gov.ab.ca ninerals.com)	)		
	APPROVED	FOR PAYME	NT			/AREA MANAGER		
Comments:		<u>w.</u>	· · · · · · · · · · · · · · · · · · ·	80		× × ×		

Tested by:	LR	Reviewed by: GM



Lot No.:	43000 - 435	500	Lab No.:	4	Field No.:	87	
Manufacturer:	NSC Minera	GENERAL CONTRACTOR OF THE PARTY	Salt Type		Alta. Trans. F		
Date Sampled:	Control of the State of the Control of the State of the S		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Tested:		15-May-18		
TEST	SPECIFICATION LIMITS		NUMBER NUMBER		MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100	100		22		
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.7				
1250μm	85	100	93.3	0.00			
630µm	35	100	60.2				
315μm	0	50	22.1	2			
160μm	0	8	5.8				
80μm	0	3	0.5	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS		
NOTE:	adjustment  If payment  no paymen	will be asses adjustment i t will be mad	ssed against s 100% or m e for the lot	nore			
COPIES TO:					kari@gov.ab.ca ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							
						0	
Tested by:	LR		F	Reviewed by:	GM		



Lot No.:	43500 - 44	000	Lab No.:	5	Field No.:	88			
Manufacturer:	NSC Minerals		Salt Type	RESIDENCE DE L'ARRESTE	Alta. Trans.	provide and production and an arrangement of the provider of t			
Date Sampled:	13-Dec-17			Production Location:		Fort Saskatchewan			
Date Received:			Date Teste		15-May-18				
TEST			TEST	NUMBER OF UNITS	MULTIPLY				
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS			
SOLUBLE CHLORIDE	98								
SODIUM CHLORIDE	95								
INSOLUBLE MATTER		1							
MOISTURE CONTENT		1	0.00						
GRADATION									
10000μm	100	100	100						
5000μm	100	100	99.9	-0.1	Control				
2500μm	98	100	99.7	. 0					
1250μm	85	100	92.8						
630µm	35	100	60.5						
315µm	0	50	22.4						
160μm	0	8	6.1		200				
80μm	0	3	0.8	0	D.S.				
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN	T POINTS				
NOTE:	adjustment	adjustment is will be assessed	ssed against		t				
		t will be mad							
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)								
					ninerals.com)				
	APPROVED	FOR PAYME	NT			/AREA MANAGER			
Comments:	ı								
		· ·		•					
	<u></u>		<del> </del>						
Tested by:	LR			Reviewed by:	: GM				



Lot No.:	44000 - 44	500	Lab No.:	6	Field No.:	89	
Manufacturer:	<b>NSC Miner</b>	als 📉 🎏	Salt Type		Alta. Trans.	Fine	
Date Sampled:	14-Dec-17		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Tester	d:	15-May-18		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98						
CHLORIDE	36						
SODIUM	95						
CHLORIDE							
INSOLUBLE		1					
MATTER		<u> </u>					
MOISTURE		1	0.04	14 75 40			
CONTENT		<u> </u>					
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.7	0			
1250μm	85	100	90				
630µm	35	100	37.5	2.			
315μm	0	50	17				
160μm	0	8	4.2	0			
80μm	0	3	0.4	0			
PAYMENT A	ADJUSTMEN'	T (PERCENT) :	TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	adjustmen	adjustment i t will be asses adjustment i at will be mad	ssed against is 100% or m	the lot.	t		
COPIES TO:			•	•	kari@gov.ab.o ninerals.com)	ca)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:			V-074 V-0-1				
Tested by:	LR		F	Reviewed by:	GM	2-	



Lot No.: 44500 - 45000		Lab No.:	7	Field No.:	90		
Manufacturer: NSC Minerals		Salt Type		Alta. Trans.	BATTLE STATE OF THE STATE OF TH		
Date Sampled:	14-Dec-17		Production Location:		Fort Saskatchewan		
Date Received:	d: <b>24-Apr-18</b>		Date Teste	d:	15-May-18		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98			A.			
CHLORIDE	90						
SODIUM CHLORIDE	95						
INSOLUBLE					•		
MATTER		1					
MOISTURE		1					
CONTENT		1	0.04				
GRADATION	-						
10000μm	100	100	100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.5				
1250μm	85	100	90.5				
630µm	35	100	53.1				
315µm	0	50	16.7				
160µm	0	8	4	0			
80μm	0	3	0.4	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	If payment adjustment	adjustment i t will be asses adjustment i	is 5% or less ssed against is 100% or n	, no payment the lot.			
CODIEC TO:		t will be mad					
COPIES TO:			•	•	kari@gov.ab.o ninerals.com)	ca)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:		÷					
	***	······································					
						^	
Tested by:	LR			Reviewed by:	: GM		




Lot No.:	45000 - 45	500	Lab No.:	8	Field No.:	91
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	15-Dec-17		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		97.00			
INSOLUBLE MATTER		1	1.04	0.04		
MOISTURE CONTENT		1	0.00			
GRADATION					••••••••••••••••••••••••••••••••••••••	
10000μm	100	100	99.4	-0.6		
5000μm	100	100	98.3	-1.7		
2500µm	98	100	97.7	-0.3		
1250μm	85	100	88.1			
630µm	35	100	51	11 14 16		
315μm	0	50	14.2	E C		
160μm	0	8	2.6	0		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMEN	T (PERCENT) :	= TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:	If payment adjustmen	adjustment i t will be asses adjustment i	is 5% or less ssed against	, no payment the lot.		L
	no paymer	it will be mad	le for the lo	t		
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:		134				
					***.	

Comments:		59.			
					-
				- l	-
Tested by:	LR	<del></del>	Reviewed by: GM	<b>X</b> .	_



Lot No.:	45500 - 46	000	Lab No.:	9	Field No.:	92
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	19-Dec-17	.7 Production Location:		Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
TEST	SPECIFICA	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION		·	and the second of the	11	<u> </u>	
10000μm	100	100	100			T
5000μm	100	100	99.5	-0.5		
2500μm	98	100	98.9	0		
1250μm	85	100	80.7	-4.3		
630µm	35	100	20.2	-14.8		
315μm	0	50	0.4			
160μm	0	8	0.2	0		
80μm	0	3	0.2	0		
PAYMENT A	ADJUSTMEN'	T (PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustmen	adjustment i t will be asses adjustment i nt will be mad	ssed against is 100% or n	the lot.	t	
COPIES TO:		-	•	•	kari@gov.ab.o ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						
			÷-			

Tested by: LR Reviewed by: GM





Lot No.:	46000 - 465	00	Lab No.:	10	Field No.:	93	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	20-Dec-17		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	00						
CHLORIDE	98						
SODIUM	0.5						
CHLORIDE	95						
INSOLUBLE		4					
MATTER		1					
MOISTURE		4		1			
CONTENT		1	0.00				
GRADATION					•	•	
10000μm	100	100	99.6	-0.4			
5000μm	100	100	98.8	-1.2			
2500μm	98	100	97.6	-0.4			
1250µm	85	100	78.6	-6.4		:	
630µm	35	100	19.5	-15.5			
315µm	0	50	1.1				
160µm	0	8	0.8	0			
80μm	0	3	0.7	O.			
PAYMENT A	ADJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	If payment	adiustment i	is 5% or less	, no paymen	ŀ		
	adjustment	will be asses adjustment is will be mad	ssed against is 100% or n	the lot.			
COPIES TO:					kari@gov.ab.o	ca)	
	Nelson Schu	ıtz, NSC Min	erals Ltd. (n	schutz@nscr	ninerals.com)		
	APPROVED	FOR PAYME	NT		//	AREA MANAGE	
Comments:					<b>/</b> .:		
	20101	***					
Tested by:	LR			Reviewed by:			



Lot No.:	46500 - 470	000	Lab No.:	11	Field No.:	94
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	21-Dec-17		Production	Location:	Fort Saskatc	hewan
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98	-				
SODIUM CHLORIDE	95					
INSOLUBLE MATTER	75	1				
MOISTURE CONTENT		1	0.00			
GRADATION	<del></del>	· · · · · · · · · · · · · · · · · · ·	ewastanini Star	No.	I	1
10000μm	100	100	100		<u> </u>	
5000μm	100	100	99.6	-0.4		
2500μm	98	100	98.1	0		
1250μm	85	100	75.5	-9.5		
630μm	35	100	20.2	-14.8		
315μm	0	50	1			
160µm	0	8	0.2	0		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or n	nore	i.	L
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation	on (rishi.adhi	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGE
Comments:			· · · · · · · · · · · · · · · · · · ·		•	
	<del>-</del>				····	
						1

Tested by: LR



Tested by:

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE


Lot No.:	47000 - 475	i00	Lab No.:	12	Field No.:	95	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	Fine	
Date Sampled:	22-Dec-17		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18	112.14.14.19.14	Date Teste	d:	15-May-18		
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000µm	100	100	100			10	
5000μm	100	100	98.8	-1.2			
2500μm	98	100	97.8	-0.2			
1250μm	85	100	78.2	-6.8			
630μm	35	100	18.5	-16.5			
315μm	0	50	0.4				
160μm	0	8	0.2	0			
80μm	0	3	0.2	0			
PAYMENT A NOTE:	If payment a		s 5% or less	ADJUSTMEN  , no payment the lot.		"	
		adjustment i will be mad					
COPIES TO:					kari@gov.ab.o ninerals.com)	ca)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGE	
Comments:		· .					
***							
		****					



Lot No.:	47500 - 48	000	Lab No.:	13	Field No.:	96	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Fine	
Date Sampled:	27-Dec-17		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER TEST OF UNITS		NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95	_					
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION	<u> </u>	L			<u> </u>	L	
10000μm	100	100	100	9	T	1	
5000μm	100	100	98.4	-1.6			
2500μm	98	100	97.1	-0.9			
1250μm	85	100	78.2	-6.8			
630μm	35	100	22.8	-12.2	1/07/		
315µm	0	50	1.7				
	0	8	1.2	(0)			
80μm	0	3	1.2	b			
· · · · · · · · · · · · · · · · · · ·	DJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	If payment adjustment  If payment		is 5% or less ssed against is 100% or n	, no payment the lot.		L	
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
2	APPROVED	FOR PAYME	NT		//	AREA MANAGE	
Comments:							
						<del>_</del>	

Tested by:

ΙH





Tested by:

LR

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

		11-11-2-7		at comment our are seen		
Lot No.:	48000 - 48	Carried Street S	Lab No.:	14	Field No.:	97
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	28-Dec-17	The second secon		Location:	Fort Saskatcl	hewan
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95	:				
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	<u> </u>	<u> </u>				
10000μm	100	100	99.1	-0.9		
5000μm	100	100	98.8	-1.2		
2500μm	98	100	97.6	-0.4		
1250μm	85	100	78.2	-6.8		
630µm	35	100	24.1	-10.9		
315µm	0	50	1	1		
160μm	0	8	0.04	U		
80µm	0	3	0.04	0		
PAYMENT A	DJUSTMEN	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment	adjustment i t will be asses adjustment i at will be mad	ssed agains s 100% or r	nore	t	2:
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportati	on (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
-	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						
	7					0
						P



		000	Lab No.:	15	Field No.:	98	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	29-Dec-17		Production	Location:	<b>Fort Saskatc</b>	hewan	
Date Received:	24-Apr-18		Date Tester	d:	15-May-18		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS	
CHEM COMP	MIN	MAX		OUT OF SPEC	IACION		
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95				e.		
INSOLUBLE MATTER	_	1					
MOISTURE CONTENT		1	0.00	1			
GRADATION						24	
10000μm	100	100	99.7	-0.3			
5000μm	100	100	98.8	-1.2			
2500μm	98	100	97.7	-0.3			
1250μm	85	100	78.6	-6.4			
630µm	35	100	21.8	-13.2			
315μm	0	50	1.0		~		
160µm	0	8	0.3	0			
80μm	0	3	0.3	0			
PAYMENT A NOTE:  COPIES TO:	If payment adjustment  If payment no payment	adjustment i will be asses adjustment i t will be mad	s 5% or less ssed against s 100% or m le for the lot	nore :.		23	
	Nelson Schu		erals Ltd. (n	•	ninerals.com)	AREA MANAGE	

Tested by: IH Reviewed by: GM



Lot No.:	49000 - 49		Lab No.: <b>16</b>		Field No.:	99	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	2-Jan-18		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98						
CHLORIDE	96	<u></u>					
SODIUM	٥٢						
CHLORIDE	95						
INSOLUBLE							
MATTER		1					
MOISTURE		4		5 X 17.			
CONTENT	1	1	0.00				
GRADATION		·			A		
10000μm	100	100	100		1		
5000μm	100	100	99	-1			
2500μm	98	100	98.1	0			
1250μm	85	100	76.7	-8.3			
630µm	35	100	18.8	-16.2			
315µm	0	50	0.5	G B			
160μm	0	8	0.04	0			
80µm	0	3	0.04	0	1		
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	If payment		is 5% or less	, no paymen			
		adjustment i t will be mad					
COPIES TO:			=	•	kari@gov.ab.o ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGE	
Comments:							
			****		·		
Tested by:	LR			Reviewed by:	GM \	1	



Lot No.:	49500 - 500	100	Lab No.:	17	Field No.:	100	
Manufacturer:	<b>NSC Minera</b>	ıls 🎎	Salt Type	Salt Type		Fine	
Date Sampled:	3-Jan-18		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST CHEM COMP	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
		1017-00		SPEC		POINTS	
SOLUBLE CHLORIDE	98		98.20				
SODIUM CHLORIDE	95		96.70				
INSOLUBLE MATTER	÷	1	1.71	0.71			
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100	100				
5000µm	100	100	98	-2			
2500μm	98	100	96.3	-1.7			
1250μm	85	100	76.6	-8.4			
630µm	35	100	20.4	-14.6			
315μm	0	50	0.6				
160μm	0	8	0.3	0			
80μm	0	3	0.3	0			
PAYMENT /	ADJUSTMENT  If payment a  adjustment  If payment a  no payment	adjustment i will be asses adjustment i	s 5% or less ssed against s 100% or n	, no payment the lot. nore			
COPIES TO:			-	-	kari@gov.ab.c ninerals.com)	ca)	
	APPROVED	FOR PAYMEI	NT	NZ.1	//	AREA MANAGE	
Comments:							

Comments:		
Tested by:	LR	Reviewed by: GM



Lot No.:	50000 - 509	500	Lab No.:	18	Field No.:	101	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	4-Jan-18		Production	Location:	Fort Saskatc	tchewan	
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98					POINTS	
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1		7			
MOISTURE CONTENT		1	0.00				
GRADATION	T			T)			
10000µm	100	100	100				
5000μm	100	100	99.6	-0.4			
2500μm	98	100	99	0			
1250μm	85	100	87.5				
630µm	35	100	45.9				
315μm	0	50	10.8				
160μm	0	8	1.7	0			
80μm	0	3	0.2	0	4		
NOTE:	adjustment  If payment a  no payment	adjustment i will be asses adjustment i will be mad	s 5% or less, ssed against s 100% or m e for the lot	no payment the lot. ore		5	
COPIES TO:	Nelson Schu	tz, NSC Mino	erals Ltd. (ns		(ari@gov.ab.com)	a)	
omments:	APPROVED I	FOR PAYME!	NT 		//	AREA MANAGE	

Tested by: LR Reviewed by: GM .



Lot No.:	50500 - 51	000	Lab No.:	19	Field No.:	102	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	5-Jan-18		Production	Location:	Fort Saskatcl	hewan	
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	N. C. C. C. C. C. C.	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	2	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	100	0		-	
2500μm	98	100	99.8	0			
1250μm	85	100	92.8				
630µm	35	100	59.7	31			
315µm	0	50	22.2				
160μm	0	8	5.9	0			
80μm	0	3	0.6	. 0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	Γ POINTS		
NOTE:	adjustment	will be asses adjustment i	ssed against s 100% or n	nore	:		
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:							
				<del>"</del>			
						-	

Tested by:

LR



Manufacturer:   NSC Minerals   Salt Type   Alta. Trans. Fine   Date Sampled:   5-Jan-18   Production Location:   Fort Saskatchewan   Date Received:   24-Apr-18   Date Tested:   15-May-18      TEST   SPECIFICATION LIMITS   TEST   OUT OF SPEC   MULTIPLY FACTOR   ADJUSTMEN POINTS	Lot No.:	51000 - 51	500	Lab No.:	20	Field No.:	103
Date Received:   24-Apr-18	Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
TEST   SPECIFICATION LIMITS   TEST   OUT OF SPEC   SOLUBLE CHLORIDE   98	Date Sampled:	5-Jan-18		Production	Location:	Fort Saskatc	hewan
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OUT OF SPEC   OF UNITS OUT OF SPEC   OF UNITS OUT OF SPEC   OF UNITS	Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
SOLUBLE				TEST	OF UNITS	l	NUMBER OF
SOLUBLE CHLORIDE	CHEW COMP	IVIIIV	IVIAX				•
SODIUM		98					
CHLORIDE					3		
MATTER	CHLORIDE	95					
MATTER			1				
CONTENT   1   0.00	MATTER		T				
GRADATION   100   100   98.9   -1.1			1	0.00			
10000μm   100   100   98.9   -1.1	<del></del>		±	0.00			
S000μm   100   100   98.9   -1.1		<del>,</del>					
2500μm 98 100 98.6 0  1250μm 85 100 91  630μm 35 100 55.6  315μm 0 50 17.8  160μm 0 8 3.9 0  80μm 0 3 0.4 0  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	<del></del>	<del> </del>	100	98.9	-1.1		
1250μm 85 100 91 630μm 35 100 55.6 315μm 0 50 17.8 160μm 0 8 3.9 80μm 0 3 0.4  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)		100	100	98.9	-1.1		
35   100   55.6	<del></del>		100	98.6	0		
315μm 0 50 17.8  160μm 0 8 3.9  80μm 0 3 0.4  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	· · · · · · · · · · · · · · · · · · ·		100	91	8		
160μm 0 8 3.9 0  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGI			100	55.6			
80μm 0 3 0.4  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGI			50	17.8			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGI		0		3.9	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGI				ALCOHOLD TO THE RESERVE OF THE PERSON OF THE	0		
adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT /AREA MANAGI	PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	POINTS	
COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT /AREA MANAGI	NOTE:	adjustment	will be asses adjustment i	ssed against s 100% or m	the lot.	:	
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGI	COPIES TO:						
/AREA MANAGI				-	•		.a)
comments:		APPROVED	FOR PAYMEI	NT		//	AREA MANAGEI
	omments:						
			· · · · · · · · · · · · · · · · · · ·		···		

Tested by:

LR



Lot No.:	51500 - 52	000	Lab No.:	21	Field No.:	104
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine Fort Saskatchewan	
Date Sampled:	6-Jan-18		Production	Location:		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
TEST CHEM COMP		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
SOLUBLE			AND THE WAS PROPERTY.	SPEC		POINTS
SOLUBLE CHLORIDE	98	i				
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION					L	
10000μm	100	100	99.4	-0.6		
5000μm	100	100	99.4	-0.6		
2500μm	98	100	99.2	0		
1250μm	85	100	94.2			
630μm	35	100	64.4			
315μm	0	50	23.8			
160μm	0	8	5.7			
80μm	0	3	0.5	0		
PAYMENT A	adjustment		s 5% or less sed against s 100% or m	no payment the lot. ore		
COPIES TO:					ari@gov.ab.c	a)
					ninerals.com)	<del>-,</del>
	APPROVED	FOR PAYMEN	NT		//	IREA MANAGE
omments:						

comments:			
	· · · · · · · · · · · · · · · · · · ·		
···			
Tested by:	LR	Reviewed by: GM	



Lot No.:	52000 - 52	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	Lab No.:	22	Field No.:	105	
Manufacturer:	<b>NSC Miner</b>	als 🦞	Salt Type		Alta. Trans. Fine		
Date Sampled:	7-Jan-18		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST	SPECIFICA	CIFICATION LIMITS TEST		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS	
SOLUBLE	000			5, 50	-	100113	
CHLORIDE	98	1					
SODIUM				72	<del>                                     </del>		
CHLORIDE	95						
INSOLUBLE							
MATTER		1					
MOISTURE							
CONTENT		1	0.00	<del>1</del>			
GRADATION	·				<u> </u>		
10000μm	100	100	100	Vi I	<u> </u>		
5000μm	100	100	99.6	-0.4	.57		
2500μm	98	100	99.2	0		91	
1250μm	85	100	92.4	9	-		
630µm	35	100	57.4				
315µm	0	50	18.3				
160μm	0	8	3.8	0			
80μm	0	3	0.5	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	r points		
NOTE:				, no payment			
		will be asses			•		
	adjustificit	Will be asses	seu against	the lot.			
	If payment	adjustment i	s 100% or m	nore			
		t will be mad					
COPIES TO:					kari@gov.ab.c	2)	
					വ്യൂഗ്രം.ab.c ninerals.com)	a j	
	ADDROVED	COD DAVAGE					
	APPROVED	FOR PAYME!	N I		14	AREA MANAGEI	
Comments:							
						· · · · · · · · · · · · · · · · · · ·	
	***************************************		· ·	·		0	

Tested by:

LR

Reviewed by: <u>GM</u>



Lot No.:	52500 - 530	000	Lab No.:	23	Field No.:	106	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	8-Jan-18		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF	
SOLUBLE CHLORIDE SODIUM	98	3		SILC		POINTS	
CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1 ,	0.09				
GRADATION					15.1	·	
10000μm	100	100	100				
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250μm	85	100	94.4				
630µm	35	100	64.4				
315µm	0	50	25.4				
160µm	0	8	7	(0)			
80μm	0	3	0.8	0			
PAYMENT A NOTE:	If payment a adjustment		s 5% or less, sed against s 100% or m	ore			
COPIES TO:	Rishi Adhika	ri, Alberta Tı	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)	
	APPROVED I	FOR PAYMEN	NT		/A	AREA MANAGEF	
omments:							
<u> </u>							

Tested by:

LR



Lot No.:	53000 - 53	THE RESERVOIR ASSESSMENT OF THE PARTY OF THE	Lab No.:	24	Field No.:	107	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Jan-18		Production	Location:	Fort Saskato	Charles and the second	
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST CHEM COMP	SPECIFICA MIN	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98					10.113	
SODIUM CHLORIDE	95	T					
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION	T 400	465	1-20m2 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<del></del>		
10000μm	100	100	100	The C Dayward and A			
5000μm	100	100	100	. 0			
2500μm	98	100	99.7	0			
1250μm	85	100	90.9				
630μm	35	100	53.3				
315μm	0	50	15				
160μm	0	8	3	0			
80μm	0	3	0.4	0			
PAYMENT A	If payment adjustment		s 5% or less, sed against s 100% or m	ore			
COPIES TO:					ari@gov.ab.c iinerals.com)	a)	
	APPROVED	FOR PAYMEN	JT		/A	REA MANAGE	
omments:							

Tested by: LR



Lot No.:	53500 - 540	000	Lab No.:	25	Field No.:	108	
Manufacturer:	<b>NSC Minera</b>	als 🖟	Salt Type		Alta. Trans.	THE STREET, STORY STREET, STRE	
Date Sampled:	9-Jan-18		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	Date Tested:		16-May-18	
TEST	SPECIFICAT	ION LIMITS	LIMITS TEST NUM		MULTIPLY	NUMBER OI	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	00					**-	
CHLORIDE	98					j	
SODIUM	05						
CHLORIDE	95						
INSOLUBLE							
MATTER	<u> </u>	1					
MOISTURE		1					
CONTENT		1	0.00				
GRADATION						· · · · · · · · · · · · · · · · · · ·	
10000μm	100	100	100				
5000μm	100	100	99.6	-0.4			
2500μm	98	100	99.4	i i			
1250μm	85	100	93.7				
630µm	35	100	63.1		-		
315μm	0	50	24.5				
160μm	0	8	6.7	0		<del></del>	
80μm	0	3	0.8	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:		ndjustment i will be asses ndjustment i	s 5% or less sed against s 100% or m	, no payment the lot. nore			
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab.c ninerals.com)	a)	
	APPROVED (	OR PAYMEN	NT		/#	REA MANAGE	
Comments:							
			**			0	
ested by:	LR			Reviewed by:		8	



Tested by:

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

ot No.:	54000 - 545	500	Lab No.:	26	Field No.:	109
Manufacturer:	ufacturer: NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Jan-18		Production	Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tested	d:	16-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					:
SODIUM CHLORIDE	95					
INSOLUBLE MATTER	"	1				
MOISTURE CONTENT		1	0.00			
GRADATION			13 <u>-</u>			
10000μm	100	100	100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.4	0		
1250μm	85	100	94.1		ā	
630µm	35	100	62.9			
315µm	0	50	23.9			
160μm	0	8	6.3	0		
80μm	0	3	0.7	0		
PAYMENT A	DJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:  COPIES TO:	If payment no payment Rishi Adhika	will be asses adjustment i t will be mad ari, Alberta T	ssed against is 100% or m le for the lot ransportation	nore :. on (rishi.adhil	kari@gov.ab.oninerals.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGE
Comments:			·			
					······································	



Manufacturer: Date Sampled: Date Received:  TEST  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm	NSC Minerals 10-Jan-18 24-Apr-18 SPECIFICATION		Salt Type Production Date Tester		LEADING STREET, STREET			
TEST  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm	24-Apr-18 SPECIFICATION	ON LIMITS			LEADING STREET, STREET	newan		
TEST  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm	SPECIFICATIO	ON LIMITS	Date Teste	d:	ers and the second	Fort Saskatchewan		
CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm		N LIMITS			16-May-18			
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm		····	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF		
CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm	MIN	MAX		SPEC		POINTS		
CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm	98	<u>.</u>	98.90					
MATTER MOISTURE CONTENT GRADATION 10000µm	95		97.50					
CONTENT GRADATION 10000µm		1	1.10	0.10				
10000μm		1	0.00					
<del> </del>					•			
5000μm	100	100	100					
	100	100	99.8	-0.2				
2500μm	98	100	99.6	0				
1250μm	85	100	92.5					
630µm	35	100	60					
315μm	0	50	23.3					
160µm	0	8	6.7	0				
80μm	0	3	0.8	0				
PAYMENT A	DJUSTMENT (F	PERCENT)	= TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS			
NOTE:	If payment ad adjustment w	ill be asse	ssed against	the lot.	:			
	no payment w	ill be mad	de for the lo	t.				
COPIES TO:	Rishi Adhikari Nelson Schutz		=		_	:a)		
	APPROVED FO	OR PAYME	NT		//	AREA MANAG		
Comments:								

Tested by:

IH



Tested by:

LR

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	55000 - 55	500	Lab No.:	28	Field No.:	111
Manufacturer:	NSC Miner	London Street Control of Con-	Salt Type		Alta. Trans. I	DO TO THE RESERVE OF THE PARTY
Date Sampled:	11-Jan-18		Production	Location:	Fort Saskatcl	Marie a
Date Received:	24-Apr-18		Date Teste	d:	16-May 18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	36			5		
SODIUM	95					
CHLORIDE	33					
INSOLUBLE		1				
MATTER		<u> </u>				
MOISTURE CONTENT		1	0.00			
GRADATION	•	W****				<u> </u>
10000μm	100	100	100		1	
5000μm	100	100	99.4	-0.6		
2500μm	98	100	98.9	0		
1250μm	85	100	91.8			
630µm	35	100	58.2			
315µm	0	50	19.7			
160μm	0	8	4.8			
80μm	0	3	0.5	0		
PAYMENT A	ADJUSTMEN'	T (PERCENT)	= TOTAL OF	ADJUSTMEN	T POINTS	-
NOTE:	If payment	adjustment	is 5% or less	s, no paymen		
	adjustmen	t will be asse	ssed agains	t the lot.		
		adjustment into will be made				
COPIES TO:			<del></del>		kari@gov.ab.o	ca)
	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYME	NT		/.	AREA MANAGER
Comments:						
						(/



Lot No.:	55500 - 56	000	Lab No.:	29	Field No.:	112
Manufacturer:	NSC Miner		Salt Type	43	Alta. Trans. Fine	
Date Sampled:	11-Jan-18		Production	Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tester		16-May-18	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION		-1. <u> </u>				
10000μm	100	100	100		1	· · · · · · · · · · · · · · · · · · ·
5000μm	100	100	99.3	-0.7		
2500μm	98	100	99	0.71		†
1250μm	85	100	92.3			
630μm	35	100	60.3	1		
315μm	0	50	22.7			
160μm	0	8	6.5	0		
80μm	0	3	1.5	Ō		
		T (PERCENT) =				
NOTE:		adjustment i t will be asses			i.	19
	• 0	adjustment i It will be mad				
COPIES TO:					kari@gov.ab.o ninerals.com)	:a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:			, <u>, , , , , , , , , , , , , , , , , , </u>		·	
E1			<del></del>			
					·	

Tested by: IH Reviewed by: GM



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	56500 - 57	000	Lab No.:	30	Field No.:	114	
Manufacturer:	NSC Miner		Salt Type	Annual Control of the Control	Alta. Trans. Fine		
Date Sampled:	13-Jan-18			Production Location: For		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION					•		
10000μm	100	100	100				
5000μm	100	100	99.6	-0.4			
2500μm	98	100	99.2	100			
1250μm	85	100	89	TE.			
630μm	35	100	49.7				
315μm	0	50	13		· · · · · · · · · · · · · · · · · · ·	·	
160μm	0	8	2.4	0			
80μm	0	3	0.2	o o			
PAYMENT A	DJUSTMEN	T (PERCENT) :	TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	If payment adjustmen If payment no paymer	adjustment i t will be asses adjustment i nt will be mad	s 5% or less ssed against s 100% or n le for the lo	i, no payment the lot. nore t.			
COFIES TO.					ninerals.com)	.d)	
Comments:	APPROVED	FOR PAYME	NT	· · · · · · · · · · · · · · · · · · ·	//	AREA MANAGER	
	V-4.						
	· · · · · · · · · · · · · · · · · · ·	****					
			<del></del>		····		



Lot No.:	57000 - 57	THE RESERVE OF THE PARTY OF THE	Lab No.:	31	Field No.:	115	
Manufacturer:	NSC Mine	als	Salt Type			Alta. Trans. Fine	
Date Sampled:	15-Jan-18		Production	Location:	Fort Saskato	hewan	
Date Received:	24-Apr-18		Date Tested:		16-May-18		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MiN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04	7			
GRADATION							
10000μm	100	100	99.3	-0.7			
5000μm	100	100	99	-1	9		
2500μm	98	100	98.7	0			
1250μm	85	100	90				
630µm	35	100	51.4				
315µm	0	50	13.7				
160µm	0	8	2.8				
80μm	0	3	0.5	0			
PAYMENT A	If payment adjustment		is 5% or less ssed against is 100% or m	nore			
COPIES TO:					kari@gov.ab.o	ca)	
					ninerals.com)	•	
	APPROVED	FOR PAYME	NT		//	AREA MANAGEI	
Comments:							
						- 0	
Tested hv	I R			Paviawad by:	GM \		

Tested by:

LR



Lot No.:	57500 - 580	)00	Lab No.:	32	Field No.:	116
Manufacturer:	NSC Minera		Salt Type		Alta. Trans.	the mannest face the way of the second
Date Sampled:			Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tested:		16-May-18	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
				SPEC		POINTS
SOLUBLE	98					
CHLORIDE			ADM TELEVISION			
SODIUM	95					
CHLORIDE						
INSOLUBLE		1				
MATTER						
MOISTURE		1	0.00			
CONTENT		1	0.00	4		
GRADATION		· · · · · · · · · · · · · · · · · · ·				
10000μm	100	100	100	III		
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.4	0		
1250μm	85	100	91.4			
630μm	35	100	54.1			
315μm	0	50	15.3			
160μm	0	8	3.1	0		
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:	adjustment  If payment  no paymen	will be asses adjustment i t will be mad	ssed against s 100% or n le for the lo	nore t.	\$	
COPIES TO:					kari@gov.ab.oninerals.com)	ea)
191	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						
				***		
Tested by:	LR	···-		Reviewed by:	GM >	8



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	58000 - 58	500	Lab No.:	33	Field No.:	117
Manufacturer:	NSC Minerals		Salt Type	31	Alta. Trans. Fine	
Date Sampled:	17-Jan-18 24-Apr-18		Production Location: Date Tested:		Fort Saskatchewan	
Date Received:					16-May-18	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					370
SODIUM						
CHLORIDE	95					
INSOLUBLE						
MATTER		1				
MOISTURE		4				
CONTENT		1	0.00			
GRADATION			-			
10000μm	100	100	99.6	-0.4	1	
5000µm	100	100	99.4	-0.6	A CANADA	
2500μm	98	100	99	0.5		
1250μm	85	100	90.3			
630μm	35	100	51.7			
315µm	0	50	14			
160μm	0	8	2.7	8		
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or n	nore	t	
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)
Comments:	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments.	···				······	
***************************************	*	······			<del></del>	
	······································			· ·	· · · · · · · · · · · · · · · · · · ·	0

Reviewed by: <u>GM</u>



Lot No.:	58500 - 590	000	Lab No.:	34	Field No.:	118	
Manufacturer:			Salt Type	MALOSTOWAL SCHOOLSON		Alta. Trans. Fine	
Date Sampled:			Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Tested:		16-May-18		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98			6			
CHLORIDE	36			19			
SODIUM	95						
CHLORIDE	95						
INSOLUBLE		1					
MATTER		1					
MOISTURE		1					
CONTENT		1	0.04				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.6	O .			
1250μm	85	100	91	12			
630µm	35	100	52.9				
315μm	0	50	14.5				
160μm	0	8	2.9	1.00			
80μm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:				, no payment			
		will be asses			•		
	If payment adjustment is 100% or more						
000150 50	no payment will be made for the lot.						
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	Nelson Schi	utz, NSC Min	erals Ltd. (n	schutz@nscn	ninerals.com)		
-	APPROVED	FOR PAYME	NT			AREA MANAGER	
Comments:							
				······································			
				a.w			
Tested by:	LR		. 1	Reviewed by:	GM	<b>1</b> -	



Tested by:

LR

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	59000 - 59	500	Lab No.:	35	Field No.:	119
Manufacturer:	NSC Minerals 18-Jan-18		Salt Type Production Location: Date Tested:		Alta. Trans. Fine Fort Saskatchewan 16-May-18	
Date Sampled:						
Date Received:						
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.5	0		
1250μm	85	100	90			
630µm	35	100	51.6			
315μm	0	50	14.2			
160μm	0	8	2.9	0		
80μm	0	3	0.3	0		
PAYMENT A	ADJUSTMEN	T (PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustmen	adjustment i t will be asses adjustment i nt will be mad	ssed against is 100% or n	t the lot.	t	
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportati	on (rishi.adhi	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						
				· · · · · ·		
					*******	7)



ot No.:	59500 - 600	000	Lab No.:	36	Field No.:	120	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	19-Jan-18		Production Location:		Fort Saskatchewan		
Date Received:	: 24-Apr-18		Date Tested:		16-May-18		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		98.50				
SODIUM CHLORIDE	95		96.90				
INSOLUBLE MATTER		1	1.49	0.49			
MOISTURE CONTENT		1	0.00				
GRADATION		<del></del>					
10000μm	100	100	100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.6	0			
1250μm	85	100	90.9				
630µm	35	100	53.6				
315µm	0	50	16.2				
160μm	0	8	3.4	0			
80µm	0	3	0.3	0			
NOTE:	adjustment If payment no paymen	adjustment i will be asses adjustment i t will be mad	s 5% or less ssed against s 100% or m e for the lot	no payment the lot. nore			
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGE	
omments:		**		··v.			
				**************************************		<del></del> -	

Tested by:

ΙH



Lot No.:	60000 - 60500		Lab No.:	37	Field No.:	121
Manufacturer:	NSC Minera	als :	Salt Type		Alta. Trans. Fine	
Date Sampled:	25-Jan-18		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tested	d:	16-May-18	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98				<b>.</b>	
CHLORIDE	36				}	
SODIUM CHLORIDE	95					
INSOLUBLE	-					
MATTER		1				
MOISTURE		***				
CONTENT		1	0.00			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.4	0		
1250μm	85	100	89.1			
630µm	35	100	50.6			
315μm	0	50	14.3			
160μm	0	8	3	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:		adjustment i will be asses		no payment the lot.	:	
	If payment	adjustment i	s 100% or m	ore		
	no payment	will be mad	e for the lot	•		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	:a)
	Nelson Schu	ıtz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
11	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:	***					THE TOTAL PROPERTY.
Tested by:	I R		<u></u>	seviewed by:	GM	



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	60500 - 61000		Lab No.:	38	Field No.:	122
Manufacturer:	NSC Miner	als	Salt Type Production Location:		Alta. Trans. Fine Fort Saskatchewan	
Date Sampled:	28-Jan-18					
Date Received:	24-Apr-18		Date Teste	d:	16-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN <sup>*</sup> POINTS
SOLUBLE CHLORIDE	98	2				
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION					•	
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	99.6	0.11		
1250μm	85	100	91.3			
630µm	- 35	100	54.9			
315μm	0	50	17			
160μm	0	8	3.7	6		
80µm	0	3	0.4	0		
PAYMENT A	If payment adjustment		s 5% or less ssed against s 100% or n	nore		
COPIES TO:			-	•	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGE
omments:						
				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	



Lot No.:	61000 - 61	500	Lab No.:	39	Field No.:	123
Manufacturer:	NSC Miner	The second second second second second	Salt Type	Salt Type		Fine
Date Sampled:	29-Jan-18			Production Location:		hewan
Date Received:	24-Apr-18		Date Teste	d:	16-May-18	
TEST	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACTOR	
SOLUBLE	98		D			
CHLORIDE	96					
SODIUM	95					
CHLORIDE	95					
INSOLUBLE		4				
MATTER		1				
MOISTURE		4	0.00		_	
CONTENT	j	1	0.00	-	17	
GRADATION					•	<u> </u>
10000μm	100	100	100	3	1	
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.2	0		
1250μm	85	100	89.6	4		
630μm	35	100	52.4			
315µm	0	50	14.8			
160µm	0	8	3	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:	If payment		s 5% or less	, no payment		
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.c	:a)
					ninerals.com)	•
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					<i></i>	
	<u>-</u>				<del></del>	-
Tested by:	LR		F	Reviewed by:	GM	$\mathscr{R}$ .



Lot No.:	61500 - 62000		Lab No.:	40	Field No.:	124
Manufacturer:	<b>NSC Miner</b>	als	Salt Type Production Location:		Alta. Trans. Fine Fort Saskatchewan	
Date Sampled:	30-Jan-18					
Date Received:	24-Apr-18		Date Teste	d:	16-May-18	
TEST CHEM COMP	SPECIFICATION LIMITS  MIN MAX		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
	-	1717-01		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	<u> </u>		ESTABLISH DE SE PERSON		L	
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.3	0		
1250μm	85	100	88.1			
630µm	35	100	48			
315µm	0	50	12.6			
160μm	0	8	2.5	0.14		
80μm	0	3	0.5	0		
PAYMENT A NOTE:  COPIES TO:	If payment adjustment If payment no paymen Rishi Adhika	adjustment i will be asses adjustment i t will be mad ari, Alberta T	s 5% or less sed against s 100% or me for the lot ransportation	nore :. on (rishi.adhil		a)
omments:	APPROVED	FOR PAYMEI	NT		//	AREA MANAGE

Tested by: IH Reviewed by: GM



Lot No.:	62000 - 62500		Lab No.:	41	Field No.:	125
Manufacturer:	<b>NSC Minera</b>	NSC Minerals		Salt Type		Fine
Date Sampled:	31-Jan-18		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	16-May-18	
TEST		TON LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		ADJUSTMEN POINTS
SOLUBLE				5.20		PONTIS
CHLORIDE	98					
SODIUM				in the second	<del></del>	
CHLORIDE	95					
INSOLUBLE	1					
MATTER		1				
MOISTURE		······				
CONTENT		1	0.04			
GRADATION				01		
10000μm	100	100	99.4	-0.6	<u> </u>	<u> </u>
5000μm	100	100	99.4	-0.6		
2500µm	98	100	99		· · · · · · · · · · · · · · · · · · ·	
1250μm	85	100	88.5			
630µm	35	100	50			
315μm	0	50	14.2			
160μm	0	8	3	0.4		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMFN	T POINTS	
NOTE:	If payment a adjustment	adjustment i will be asses	s 5% or less ssed against s 100% or m	no payment the lot. nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT	3		AREA MANAGE
omments:					······································	

Tested by:

LR



Lot No.:	62500 - 630	62500 - 63000		42	Field No.:	126	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	31-Jan-18	Jan-18 Production		Location: Fort Saskatchewan		hewan	
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST	SPECIFICATION LIMI		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		SPEC		POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER	٨	1					
MOISTURE CONTENT		1	0.00				
GRADATION	<u> </u>						
10000μm	100	100	99.6	-0.4			
5000μm	100	100	99.2	-0.8			
2500μm	98	100	98.7	. 0			
1250μm	85	100	87.9				
630µm	35	100	48.2				
315μm	0	50	12.4				
160μm	0	8	2.3	0			
80µm	0	3	0.2	.0			
PAYMENT A	adjustment		s 5% or less ssed against s 100% or n	, no payment the lot.			
COPIES TO:			•	•	kari@gov.ab.oninerals.com)	ca)	
8	APPROVED	FOR PAYME	NT		//	AREA MANAG	
Comments:				<del>.</del>			

<del></del>		
		$\overline{V}$
ested by:	LR	Reviewed by: GM



Lot No.:			Lab No.:	43	Field No.:	127	
Manufacturer:			Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98						
CHLORIDE	98						
SODIUM	95						
CHLORIDE	35						
INSOLUBLE		1					
MATTER		1					
MOISTURE		1	0.04				
CONTENT		1	0.04	E.			
GRADATION					•		
10000μm	· 100	100	100	Š.			
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.4	0			
1250μm	85	100	88.7				
630µm	35	100	49.1	7			
315µm	0	50	12.8				
160µm	0	8	2.4	0			
80µm	0	3	0.3	(0)			
PAYMENT A	ADJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	If payment adjustment		s 5% or less ssed against s 100% or m	, no payment the lot. nore			
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT	П	//	AREA MANAGE	
Comments:				8			
Tested by:	LR		, F	Reviewed by:	GM	<u> </u>	



Lot No.:	63500 - 640		Lab No.:	44	Field No.:	128	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	13-Feb-18		Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST	SPECIFICAT	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	IACION	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.3	-0.7			
2500μm	98	100	98.5	0			
1250μm	85	100	81.3	-3.7			
630µm	35	100	26.8	-8.2			
315µm	0	50	2.4				
160μm	0	8	0.3	0			
80μm	0	3	0.2	0			
PAYMENT A NOTE:	If payment adjustment	adjustment i will be asses adjustment i	s 5% or less ssed against s 100% or r	nore			
COPIES TO:	Rishi Adhika	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYME	NT			AREA MANAGI	

<del></del>			
			- 0
Tested by:	LR	 Reviewed by: GM	



Tested by:

LR

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	64000 - 64	The state of the s	Lab No.:	45	Field No.:	129	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Fine	
Date Sampled:	15-Feb-18		Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	ed:	16-May-18		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98			12. 13.			
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00		\$		
GRADATION					<b>.</b>		
10000μm	100	100	100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.1	0			
1250μm	85	100	88.7				
630µm	35	100	49.6				
315µm	0	50	12.7				
160μm	0	8	2.3	6			
80µm	0	3	0.1	0			
PAYMENT A	DJUSTMEN'	T (PERCENT) =	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	adjustment	adjustment i t will be asses adjustment i at will be mad	ssed agains is 100% or r	more	t		
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:							
		· · · · · ·	· <del>- · · · · · · · · · · · · · · · · · ·</del>				
2. 15-11.						0	



Lot No.:	64500 - 650	000	Lab No.:	46	Field No.:	130
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	COLUMN THE RESERVE AND THE PERSON OF STREET
Date Sampled:	19-Feb-18		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tested	d:	16-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	30					
SODIUM	95					
CHLORIDE	33					
INSOLUBLE		1				
MATTER		. <b>T</b>				
MOISTURE		1	0.00			
CONTENT			0.00			
GRADATION						to the
10000μm	100	100	100			
5000μm	100	100	98.9	-1.1		
2500μm	98	100	98.4	0		
1250μm	85	100	89.3			
630μm	35	100	52			
315μm	0	50	16.7			
160μm	0	8	4.1	0		
80μm	0	3	0.5	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:				, no payment		
		will be asses				
	•		<b>0</b>			
	If payment	adjustment i	s 100% or m	ore		
		t will be mad				
COPIES TO:					kari@gov.ab.c	:a)
				-	ninerals.com)	
		•	•		,	
				<del></del>		
	APPROVED	FOR PAYME	NT			
Comments		7.71			//	AREA MANAGER
Comments:						
	<del></del>		<u> </u>	<del></del>		
<del></del> .			-	P 1		
				·		-
Tested by:	IH		R	Reviewed by:	GM	
				.crictica by.		4



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

ot No.:	65000 - 65500		Lab No.:	47	Field No.:	131
Manufacturer:	<b>NSC Minera</b>	als	Salt Type Production Location:		Alta. Trans. I	ine
Date Sampled:	21-Feb-18				Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	16-May-18	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		97.60			
INSOLUBLE MATTER		1	1.05	0.05		
MOISTURE CONTENT		1	0.00			
GRADATION					86	
10000μm	100	100	100			
5000μm	100	100	99.6	-0.4		
2500μm	98	100	99.6	0		
1250μm	85	100	89.1			
630µm	35	100	50.5			
315μm	0	50	16.2			
160μm	0	8	4.3	0		
80μm	0	3	0.5	0		
				ADJUSTMEN'		
NOTE:	adjustment  If payment  no payment	will be asses adjustment i will be mad	ssed against s 100% or n le for the lo	nore t.		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGE
omments:						



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	65500 - 66	000	Lab No.:	48	Field No.:	132	
Manufacturer:	NSC Minerals		Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Feb-18		Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST	SPECIFICATION LIMITS		NUMBER TEST OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION					•		
10000μm	100	100	100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.6	0			
1250μm	85	100	90.9				
630µm	35	100	54.1				
315µm	0	50	17.4		-		
160μm	0	8	4.1	0.14			
80µm	0	3	0.4	0.00			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS		
NOTE:	If payment adjustment		s 5% or less ssed against s 100% or n	s, no payment the lot.			
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)	
Commont	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							
			<del></del>				
	<u>.</u>				· · · · · ·	<del>- }</del> -	



Lot No.:	66000 - 66	500	Lab No.:	49	Field No.:	133
Manufacturer:	<b>NSC Miner</b>	NSC Minerals		Salt Type		Fine
Date Sampled:	22-Feb-18		Production	Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	16-May-18	
TEST CHEM COMP	SPECIFICA'	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
		ļ		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE				K.		
MATTER		1				
MOISTURE		1	0.00			
CONTENT		1	0.00			
GRADATION					•	
10000μm	100	100	98.5	-1.5		
5000μm	100	100	98.5	-1.5		
2500μm	98	100	98.1	0		
1250μm	85	100	91.4			
630µm	35	100	58.4			
315μm 🗻	0	50	21.2			
160μm	0	8	6.1	0		
80μm	0	3	0.9	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against	the lot.	:	
	no paymen	t will be mad	e for the lo			
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	ra)
	APPROVED	FOR PAYMEI	NT		11	ADEA MANAGE
Comments:	·····				//	AREA MANAGEI

Tested by:

LR



Lot No.:	66500 - 67000		Lab No.:	Lab No.: <b>50</b>		134		
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Fine		
Date Sampled:	23-Feb-18		Production Location:		Fort Saskatchewan			
Date Received:	24-Apr-18		Date Teste	ed:	16-May-18			
TEST	SPECIFICA	TION LIMITS	· I	NUMBER OF UNITS	MULTIPLY	I MOMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE	98							
CHLORIDE	36							
SODIUM	95							
CHLORIDE	33							
INSOLUBLE		1						
MATTER		1						
MOISTURE		1	0.00					
CONTENT		1	0.00					
GRADATION						•		
10000μm	100	100	100					
5000μm	100	100	99.5	-0.5				
2500μm	98	100	99.2	生 建岩石 0				
1250μm	85	100	90.8					
630μm	35	100	55.5					
315μm	0	50	18.7					
160μm	0	8	4.6	0				
80μm	0	3	0.4	0				
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS			
NOTE:	If payment	adjustment i	s 5% or les	s, no paymen	t			
	adjustment	will be asses	ssed agains	t the lot.				
		adjustment i						
0001EC TO	no payment will be made for the lot.							
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)							
	Nelson Sch	utz, NSC Min	erais Ltd. (r	ischutz@nscr	ninerals.com)			
	APPROVED	FOR PAYMEI	NT					
	ATTROVED	TONTATIVIE	YI			AREA MANAGE		
Comments:								
		<del></del> .	<del></del>					
Tested by:	LR			Reviewed by:	GM >	<b>.</b>		



Lot No.:	67000 - 67500		Lab No.:	51	Field No.:	135
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Feb-18		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tester	d:	16-May-18	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98	100				
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION	Was and a second		10140 - 10 - No	Section V		
10000μm	100	100	100			
5000μm	100	100	100	0		
2500µm	98	100	99.7	0		
1250μm	85	100	90.9			
630µm	35	100	52.9			
315µm	0	50	14.9			
160μm	0	8	3	0		
80μm	0	3	0.3	0		
<b>PAYMENT A</b>	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore	=	
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	on (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:	8					

Tested by: LR Reviewed by: GM



Lot No.:	67500 - 68000		Lab No.:	52	Field No.:	136	
Manufacturer:	<b>NSC Miner</b>	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAME	Salt Type		Alta. Trans.	Alta. Trans. Fine	
Date Sampled:	2-Mar-18		Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	16-May-18		
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		SPEC		POINTS	
SOLUBLE	00						
CHLORIDE	98						
SODIUM	0.5						
CHLORIDE	95						
INSOLUBLE							
MATTER		1					
MOISTURE	1	_					
CONTENT		1	0.00				
GRADATION		<u>.                                    </u>			-l.,.		
10000μm	100	100	100		1	<u> </u>	
5000μm	100	100	100	0			
2500μm	98	100	95.8	-2.2			
1250μm	85	100	76.5	-8.5			
630µm	35	100	49.6	10	<u> </u>		
315µm	0	50	17.1				
160µm	-0	8	4.7	0			
80μm	0	3	1	Ó			
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:				, no paymen	t		
	adjustment	will be asse	ssed against	the lot.			
	If navment	adjustment i	is 100% or n	nore			
		t will be mad					
COPIES TO:	····	··			kari@gov.ab.o		
					ninerals.com)	-	
		-	·				
	APPROVED	FOR PAYME	NT		,	AREA MANAGI	
Comments:						ANEA WANAGE	
<del>-</del>							
						•	

Tested by:

LR

Reviewed by: <u>GM</u>





Lot No.:	68000 - 685	500	Lab No.:	53	Field No.:	137
Manufacturer:	NSC Minerals		Salt Type	The state of the s	Alta. Trans. Fine	
Date Sampled:	3-Mar-18		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste		16-May-18	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	36					
SODIUM	95	-				
CHLORIDE	33				L	
INSOLUBLE		1				
MATTER		1		3		XE
MOISTURE		1	0.00			
CONTENT			0.00		<u>L</u> .	
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	96	-2		
1250μm	85	100	79.4	-5.6		
630µm	35	100	53.7			
315μm	0	50	19.2			
160μm	0	8	5.2	0		
80μm	0	3	1	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:				, no payment		
		will be asses			•	
	If payment	adjustment i	s 100% or m	nore		
		will be mad				
COPIES TO:					kari@gov.ab.c	:a)
8					ninerals.com)	,
			·		ŕ	
	APPROVED	FOR PAYMEI	NT			
Comments		***			//	AREA MANAGER
Comments:						
				<del> </del>		
	·					· · · · · · · · · · · · · · · · · · ·
					· ···	0
Tested by:	LR		F	Reviewed by:	GM	<b>X</b> .



Lot No.:	68500 - 69000		Lab No.:	<b>54</b>	Field No.:	138		
Manufacturer:	NSC Mine	als	Salt Type		Alta. Trans. Fine			
Date Sampled:	5-Mar-18			Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste		16-May-18			
TEST	SPECIFICATION LIMIT		LIMITS TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE	98							
CHLORIDE	36							
SODIUM	95					23		
CHLORIDE	95							
INSOLUBLE		1						
MATTER		1						
MOISTURE		1	0.00					
CONTENT		1	0.00	33				
GRADATION								
10000μm	100	100	100					
5000μm	100	100	100	0		=		
2500μm	98	100	96.4	-1.6				
1250μm	85	100	78	-7				
630µm	35	100	50.5					
315µm	0	50	16.3					
160μm	0	8	4.2	0				
80μm	0	3	0.9	a di				
PAYMENT A	ADJUSTMEN'	T (PERCENT) =	= TOTAL OF	ADJUSTMEN	T POINTS			
NOTE:	adjustmen  If payment  no paymer	t will be asses adjustment i at will be mad	ssed agains is 100% or i le for the lo	more ot.				
COPIES TO:				on (rishi.adhi nschutz@nscn	kari@gov.ab.oninerals.com)	ca)		
	APPROVED	FOR PAYME	NT		- //	AREA MANAGER		
Comments:								
Tested by:	LR			Reviewed by:	GM	L.		



Lot No.:	69000 - 695	69000 - 69500		55	Field No.:	139	
Manufacturer:	<b>NSC Minera</b>	ıls	Salt Type		Alta. Trans. Fine		
Date Sampled:	10-Mar-18		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Tester	d:	17-May-18		
TEST CHEM COMP	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
SOLUBLE CHLORIDE	98			SPEC		POINTS	
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1			.0		
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	100	0			
2500μm	98	100	96.9	-1.1			
1250μm	85	100	80.5	-4.5	14		
630μm	35	100	53.7				
315µm	0	50	18.6			13	
160μm	0	8	4.6	0			
80μm	0	3	0.7	0			
PAYMENT A		adjustment i will be asses adjustment i	is 5% or less, ssed against is 100% or m	no payment the lot. nore			
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGE	

Tested by:

LR



Lot No.:	69500 - 70000		Lab No.:	56	Field No.:	140	
Manufacturer:	<b>NSC Minera</b>	els	Salt Type		Alta. Trans. Fine		
Date Sampled:	13-Mar-18		Production Location:		Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	17-May-18		
TEST CHEM COMP	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
		IVIAA		SPEC		POINTS	
SOLUBLE CHLORIDE	98		99.40				
SODIUM CHLORIDE	95		98.60				
INSOLUBLE MATTER		1	0.57				
MOISTURE CONTENT		1	0.04				
GRADATION						*	
10000μm	100	100	100	01			
5000μm	100	100	100	0			
2500μm	98	100	96.5	-1.5			
1250μm	85	100	<b>79.9</b>	-5.1			
630µm	35	100	52.5			•	
315µm	0	50	18.1				
160µm	0	8	4.7	0			
80µm	0 .	3	1		-		
PAYMENT A	adjustment		is 5% or less ssed against is 100% or n	, no payment the lot. nore		,	
COPIES TO:			•	•	kari@gov.ab.oninerals.com)	ca)	
	APPROVED	FOR PAYME	NT		/	AREA MANAGI	

**	·	<del>"</del>			_
Tested by:	LR		Reviewed by: GM	\$-	



Lot No.:	70000 - 70	70000 - 70500		57	Field No.:	141
Manufacturer:	NSC Minerals		Salt Type	***************************************	Alta. Trans.	Fine
Date Sampled:	13-Mar-18		Production Location:		Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA	SPECIFICATION LIMITS		NUMBER TEST OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	36					
SODIUM	95					
CHLORIDE	95	<u> </u>				
INSOLUBLE		1				
MATTER		1				
MOISTURE		1				
CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	97.8	-0.2		
1250μm	85	100	83.8	-1.2		
630μm	35	100	58.3			
315µm	0	50	22			
160μm	0	8	6.1	0		
80μm	0	3	1.1	0		
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment adjustment		is 5% or less ssed against is 100% or n	, no payment the lot.		
COPIES TO:	<u>-</u>		*		kari@gov.ab.o	ra)
					ninerals.com)	
	APPROVED	FOR PAYME	NT		# //	AREA MANAGEF
Comments:						
						_
						<del></del>

Tested by:

LR

Reviewed by: <u>GM</u>





#### **TEST REPORT & PAY ADJUSTMENT** FOR GRANULAR SODIUM CHLORIDE

Lot No.:	70500 - 710	STATE OF THE STATE	Lab No.:	58	Field No.:	142
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	15-Mar-18		Production	Location:	<b>Fort Saskatc</b>	hewan
Date Received:	24-Apr-18	April 1990	Date Teste	d:	17-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1		,		
MOISTURE CONTENT		1	0.04	V.		
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	95.9	-2.1		-
1250μm	85	100	78.1	-6.9		
630µm	35	100	52.1			
315µm	0	50	18.8			
160μm	0	8	5.2	0		
80μm	0	3	1	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment If payment no paymen	will be asses adjustment i will be mad	ssed against is 100% or n le for the lo	nore t.		
COPIES TO:			•	•	kari@gov.ab.oninerals.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGE
Comments:					,-	
	·····	····				
						$\overline{\mathcal{D}}$
Tested by:	LR			Reviewed by:	GM	8.



Lot No.:	71000 - 71		Lab No.:	59	Field No.:	143
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	18-Mar-18		Production	Location:	Fort Saskatc	hewan
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA <sup>*</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	96					
SODIUM CHLORIDE	95					
INSOLUBLE						
MATTER		1				
MOISTURE	+					
CONTENT		1	0.04			
GRADATION	<u>-1</u>				-	
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	97	-1		
1250μm	85	100	80.2	-4.8		
630µm	35	100	53.3			
315µm	0	50	19.1			
160µm	0	8	5.4	0		
80μm	0	3	1.1	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment If payment no paymen	will be asses adjustment i t will be mad	ssed against is 100% or n le for the lo	nore t.		
COPIES TO:				*	kari@gov.ab.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGE
Comments:						
Tested by:	LR		. 1	Reviewed by:	GM	X



Lot No.:	71500 - 720	000	Lab No.:	60	Field No.:	144
Manufacturer:	<b>NSC Minera</b>	ais	Salt Type	Salt Type		Fine
Date Sampled:	20-Mar-18	ar-18 Production Location: Fort Saskatche		hewan		
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	,	ADJUSTMENT POINTS
SOLUBLE	98				·	
CHLORIDE	96			¥.		
SODIUM	0.5					
CHLORIDE	95					
INSOLUBLE		4				
MATTER		1			54	
MOISTURE		4				
CONTENT		1	0.04		ŀ	
GRADATION					1	<u> </u>
10000μm	100	100	100		<u> </u>	
5000μm	100	100	100	Ŏ		
2500μm	98	100	98.1	0.50		
1250μm	85	100	85.4			
630μm	35	100	61.9			
315µm	0	50	25.7			
160μm	0	8	7.5			
80µm	0	3	1.4	0.33		
PAYMENT A	ADJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment adjustment	adjustment i will be asses	is 5% or less ssed against	, no payment the lot.		
		adjustment i				
COPIES TO:		t will be mad				
COPIES TO.			-	•	kari@gov.ab.o ninerals.com)	ca)
	APPROVED	FOR PAYME	NT			AREA MANAGE
Comments:					, <i>,,</i>	
				···		
						//

Tested by:

LR



Lot No.:	72000 - 72	500	Lab No.:	61	Field No.:	145
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	21-Mar-18	<b>5</b> 16 15 15 15 15 15 15 15 15 15 15 15 15 15	Production I	ocation:	Fort Saskatc	
Date Received:	24-Apr-18		Date Tested	:	17-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	A	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98	1				
CHLORIDE	96	<u> </u>				
SODIUM	95					
CHLORIDE	95					
INSOLUBLE		1				
MATTER		1				
MOISTURE		1				_
CONTENT		1	0.00		}	
GRADATION						<u> </u>
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		2
1250μm	85	100	90.9			
630µm	35	100	54.2			
315µm	0	50	19.6			
160μm	0	8	5.6	0		
80μm	0	3	0.6	0		
PAYMENT A	ADJUSTMENT	Γ (PERCENT) :	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	adjustment	adjustment i t will be asses adjustment i at will be mad	ssed against t s 100% or mo	the lot.	t	
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.o ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						
77-31	<del></del>	·				
Tested by:	LR	- **	Re	eviewed by:	GM	S.



	22	Was North Co. of the				
Lot No.:	72500 - 73	The second secon	Lab No.:	62	Field No.:	146
Manufacturer:	<b>NSC Miner</b>	med because its in the study	Salt Type		Alta. Trans.	Fine
Date Sampled:	23-Mar-18		Production	Location:	Fort Saskatch	hewan
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98			1		
CHLORIDE	96					
SODIUM	95					
CHLORIDE	95					
INSOLUBLE		1		M <sub>L</sub>		
MATTER		1				
MOISTURE		1	0.00			
CONTENT			0.00			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.4	0		
1250μm	85	100	91.2			
630µm	35	100	57.2			
315µm	0	50	22.1			
160μm	0	8	6.5	0		
80μm	0	3	0.6	B B O		
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:				, no payment		
		will be asses				
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						
Tested by:	LR			Reviewed by:	GM	8.



Lot No.:	73000 - 73	500	Lab No.:	63	Field No.:	147
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	27-Mar-18		Production	Location:	Fort Saskatc	hewan
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	50					
SODIUM	95					
CHLORIDE	173					
INSOLUBLE		1				
MATTER						
MOISTURE		1	0.00			
CONTENT			0.00			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		#
2500μm	98	100	99.3	Ò		
1250μm	85	100	90			
630µm	35	100	56.4			
315μm	0	50	22.4	7		
160μm	0	8	6.6	0		
80μm	0	3	0.9	0 1		
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against is 100% or n	nore	t	
COPIES TO:	<del></del>				kari@gov.ab.c	-a)
				-	ninerals.com)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:		···				
					**.	
·						

Tested by:

LR



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	73500 - 74		Lab No.:	64	Field No.:	148
Manufacturer:	NSC Miner	STORE STATE	Salt Type		Alta. Trans.	Fine
Date Sampled:	27-Mar-18		Production	Location:	Fort Saskatc	hewan
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1			2.	
MOISTURE CONTENT		1	0.00			
GRADATION					-	•
10000μm	100	100	100			<u> </u>
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.3	0		
1250μm	85	100	90.6			
630µm	35	100	56			
315µm	0	50	22			
160μm	0	8	6.4	Ö		
80μm	0	3	0.7	0		
	ADJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment adjustment If payment	•	is 5% or less ssed against is 100% or n	i, no paymen the lot.		
COPIES TO:			•	•	kari@gov.ab.o ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:						
			· · · · · · · · · · · · · · · · · · ·			^
				······································		<del></del>



Lot No.:	74000 - 74	500	Lab No.:	65	Field No.:	149
Manufacturer:	NSC Miner	SHOULD SEED THE SECOND SEASON	Salt Type	NAMES AND ASSESSED OF	Alta. Trans.	PERSONAL COMPANY CONTRACTOR OF THE PERSON CONT
Date Sampled:	28-Mar-18	THE CONTRACTOR STREET,	Production	Location:	Fort Saskatc	
Date Received:	24-Apr-18		Date Teste	<del></del>	17-May-18	iicwaii
			Date reste	T	17 10107-10	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	36	_				
SODIUM	95					
CHLORIDE	95					+9
INSOLUBLE		1		7,		
MATTER		1				
MOISTURE		1	0.00			
CONTENT		1	0.00	10. 10.		
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.5	0 ,		
1250μm	85	100	90.8	10		
630µm	35	100	56.7	12		
315µm	0	50	21.8			
160μm	0	8	6.4	0		
80μm	0	3	0.8	0		
PAYMENT A	ADJUSTMEN <sup>-</sup>	Γ (PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment	adjustment i t will be asses adjustment i t will be mad	ssed against is 100% or r	nore	t	
COPIES TO:			•	•	kari@gov.ab.o ninerals.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:						
			<del></del>	· .		$\overline{V}$
Tested by:	LR			Reviewed by:	GM	8



LR

#### **TEST REPORT & PAY ADJUSTMENT** FOR GRANULAR SODIUM CHLORIDE

Lot No.:	74500 - 75	000	Lab No.:	66	Field No.:	150
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	29-Mar-18		Production	Location:	Fort Saskatc	hewan
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		97.90			1
INSOLUBLE MATTER		1	1.15	0.15		
MOISTURE CONTENT		1	0.04		l II	
GRADATION			14			• • • • • • • • • • • • • • • • • • • •
10000μm	100	100	100			
5000µm	100	100	99.6	-0.4		
2500μm	98	100	99.2	0.1		
1250μm	85	100	89.8			
630μm	35	100	54.5	100	W-1	
315µm	0	50	20.2	1		
160μm	0	8	5.3	0		
80μm	0	3	0.5	0		
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment adjustment If payment		is 5% or less ssed against is 100% or n	, no paymen the lot.		
COPIES TO:	<del></del>				kari@gov.ab.o	ca)
ed			-	-	ninerals.com)	•
	APPROVED	FOR PAYME	NT ·			AREA MANAGER
Comments:						
Tested by:	LR		-	Reviewed by:		



Lot No.:	75000 - 75	500	Lab No.:	67	Field No.:	151
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	2-Apr_18		Production	Location:	Fort Saskatc	hewan
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00	5		***
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	99.5	0		
1250μm	85	100	90.9	A.		
630µm	35	100	58.5			
315µm	0	50	23.8			
160μm	0	8	7			
80µm	0	3	0.8	0.0		
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment adjustment		is 5% or less ssed against is 100% or n	, no payment the lot.		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation	on (rishi.adhi	kari@gov.ab.oninerals.com)	• 107
21	APPROVED	FOR PAYME	NT			AREA MANAGE
Comments:		940				

Tested by:

LR



CHEM COMP   MIN   MAX	Lot No.:	75500 - 760	000	Lab No.:	68	Field No.:	152
Date Received:   24-Apr-18	Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans.	Fine
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OUT OF SPEC   FACTOR ADJUSTMIN POINTS	Date Sampled:	3-Apr-18		Production	Location:	Fort Saskatc	hewan
TEST   SPECIFICATION LIMITS   TEST   OF UNITS   OUT OF FACTOR   ADJUSTMENT POINTS	Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
SOLUBLE	- · · · · · · · · · · · · · · · · · · ·			TEST	OF UNITS		NUMBER OF
SOLUBLE	CHEM COMP	MIN	MAX				
CHLORIDE		98					
MATTER		95					
CONTENT   1   0.04			1				
10000μm			1	0.04			
10000μm 100 100 100 100 2500μm 100 100 99.7 1250μm 98 100 99.7 1250μm 85 100 91 1250μm 35 100 57.1 1315μm 0 50 22.7 160μm 0 8 6.4 80μm 0 3 0.8 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)		<u> </u>				<u>.                                    </u>	
100   100   100   100   2500μm   98   100   99.7   1250μm   85   100   91   1250μm   35   100   57.1   1315μm   0   50   22.7   160μm   0   8   6.4   80μm   0   3   0.8   100   8   6.4   100   8   100		100	100	100	4		
2500μm 98 100 99.7  1250μm 85 100 91  630μm 35 100 57.1  315μm 0 50 22.7  160μm 0 8 6.4  80μm 0 3 0.8  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	5000μm	100	100		0		
1630μm 35 100 57.1  315μm 0 50 22.7  160μm 0 8 6.4  80μm 0 3 0.8  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	2500μm	98	100		0		
315μm 0 50 22.7  160μm 0 8 6.4  80μm 0 3 0.8  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	1250μm	85	100	91			1
160μm 0 8 6.4  80μm 0 3 0.8  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANA	630µm	35	100	57.1			
80μm 0 3 0.8  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANA	315µm	0	50	22.7			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANA	160μm	0	8	6.4			
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANA	80µm	0	3	0.8	10		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANA	PAYMENT A	ADJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN'	T POINTS	
COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT /AREA MANA	NOTE:	adjustment	will be asses	ssed against is 100% or n	the lot.		
/AREA MANA	COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	on (rishi.adhi		•
	-	APPROVED	FOR PAYME	NT		//	AREA MANAGE
	comments:		···			,	
					- <del></del>		0

Tested by: LR Reviewed by: GM



Tested by:

LR

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	76000 - 76		Lab No.:	69	Field No.:	153	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	3-Apr-18		Production	Location:	<b>Fort Saskatc</b>	newan	
Date Received:	24-Apr-18		Date Teste	d:	17-May-18		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR ADJUSTMI		
SOLUBLE	98						
CHLORIDE	96				= 1		
SODIUM	0.5	,					
CHLORIDE	95						
INSOLUBLE		4			***		
MATTER		1					
MOISTURE		4					
CONTENT		1	0.04		- 1		
GRADATION							
10000μm	100	100	100				
5000μm	100	100	100	0.1			
2500μm	98	100	99.8	0			
1250μm	85	100	91.3	2	V		
630µm	35	100	58.1				
315μm	0	50	24				
160µm	0	8	7.2	0			
80μm	0	3	0.9	0.			
PAYMENT A	ADJUSTMENT	(PERCENT) :	TOTAL OF	ADIUSTMEN'	T POINTS		
NOTE:	adjustment If payment no paymen	will be asses adjustment i t will be mad	ssed against is 100% or n le for the lo	nore t.			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGI	
Comments:		,					
·							

Reviewed by: <u>GM</u>



Tested by:

LR

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	76500 - 77	000	Lab No.:	70	Field No.:	154
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	4-Apr-18		Production Location:		Fort Saskatchewan	
Date Received:			Date Tested:		17-May-18	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE						
SODIUM	95					
CHLORIDE	93					] = =
INSOLUBLE		1		W		
MATTER		1				1
MOISTURE		1	0.04			
CONTENT			0.04			
GRADATION						
10000μm	100	100	99.5	-0.5		
5000μm	100	100	99.4	-0.6		
2500μm	98	100	99.2	0		
1250μm	85	100	91.9			
630µm	35	100	57.4			
315µm	0	50	22.9			
160μm	0	8	6.6	100		
80μm	0	3	0.8	0		
PAYMENT A	DJUSTMEN	T (PERCENT) :	= TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:	adjustmen	adjustment i t will be asses adjustment i it will be mad	ssed against is 100% or r	nore	t	
COPIES TO:					kari@gov.ab.c ninerals.com)	ra)
Comments:	APPROVED	FOR PAYME	NT		//	AREA MANAGER
				g, qu	<del></del>	
		<del></del>	<del></del> .			
	<u></u>					$\mathcal{O}$



ot No.:	77000 - 775	00	Lab No.:	71	Field No.:	155
Manufacturer:	NSC Minerals 4-Apr-18 24-Apr-18		Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location: Date Tested:		Fort Saskatchewan	
Date Received:					17-May-18	
TEST CHEM COMP	SPECIFICATION LIMITS  MIN MAX		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEW COMP	2	- IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				ē
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	99.8			
1250μm	85	100	91			
630µm	35	100	56.8			
315µm	0	50	22.9			
160μm	0	8	7.1	0		
80μm	0	3	1	0 /		
NOTE:	ADJUSTMENT If payment a adjustment If payment a no payment	idjustment i will be asses idjustment i	is 5% or less, ssed against is 100% or m	no payment the lot.		
COPIES TO:			-	•	kari@gov.ab.oninerals.com)	ca)
	APPROVED I	FOR PAYME	NT		//	AREA MANAGE
omments:		<del>"</del>	13		<del>.</del>	

Tested by: LR Reviewed by: GM




Lot No	77500 50	A CONTRACTOR OF THE PARTY OF TH	1 -1 -2	HAT AND DESCRIPTION OF STREET	8	motors with a series where		
Lot No.:	77500 - 78		Lab No.:	72	Field No.:	156		
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine			
Date Sampled:	5-Apr-18		Production Location:		Fort Saskatchewan			
Date Received:	24-Apr-18		Date Teste	d:	17-May-18			
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
	<del>-</del>	<u> </u>						
SODIUM	95							
CHLORIDE	<del> </del>							
INSOLUBLE		1		6				
MATTER		<u> </u>						
MOISTURE		1 1	0.04					
CONTENT		<u> </u>			<u></u>			
GRADATION	1	T			Ψ			
10000μm	100	100	100					
5000μm	100	100	100	0				
2500μm	98	100	99.6					
1250μm	85	100	91.5					
630μm	35	100	58.6					
315μm	0	50	24					
160µm	0	8	7.1	0	×			
80μm	0	3	0.8	6				
PAYMENT A	NDJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>®</sup>	T POINTS			
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or n	the lot.	t			
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)							
			-	•	ninerals.com)			
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER		
Comments:		·	<del></del> -			MEG MAINGER		
Tested by:	10			سيا المستوالية	CNA			



Lot No.:	78000 - 78	500	Lab No.:	73	Field No.:	157
Manufacturer:	<b>NSC Mine</b>	rals	Salt Type	<u> </u>	Alta. Trans. Fine	
Date Sampled:	6-Apr-18		Production	Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Teste	d:	17-May-18	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1			****	
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	0.		
2500μm	98	100	99.8	08.		
1250μm	85	100	91.8			
630µm	35	100	58.3			
315µm	0	50	23.1	70 8		
160μm	0	8	6.8	0		
80µm	0	3	1	. О		
PAYMENT A	DJUSTMEN	T (PERCENT) :	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustmen  If payment  no paymen	adjustment i t will be asses adjustment i at will be mad ari, Alberta T	ssed against s 100% or n le for the lo	the lot. nore t.	t kari@gov.ab.c	ca)
	Nelson Sch	utz, NSC Min	erals Ltd. (n		ninerals.com)	
	APPROVED	FOR PAYME	NT 			AREA MANAGER
Comments:						

Tested by:

LR





Lot No.:	78500 - 79	000	Lab No.:	74	Field No.:	158
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	
Date Sampled:	11-Apr-18		Production	Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tested	d:	17-May-18	
(e): *				T		
TEST	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98	, ,		Š		
CHLORIDE	36					
SODIUM	95					
CHLORIDE	95	L				
INSOLUBLE		1				
MATTER						
MOISTURE		1	0.00			
CONTENT		1	0.00			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.6	0		
1250μm	85	100	91.1			
630µm	35	100	57.7			
315μm	0	50	23.6	7		
160μm	0	8	7.1	0		Œ
80μm	0	3	0.9	0		н н
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:		adjustment i will be asses	•		t	
141	If payment	adjustment i	s 100% or m	ore		
		t will be mad				
COPIES TO:					kari@gov.ab.o	:a)
					ninerals.com)	·-·• <b>,</b>
	APPROVED	FOR PAYME	NT	***		AREA MANAGER
Comments:	***					
Tested by:	LR	7.		eviewed by:	GM	



Lot No.:	79000 - 795	500	Lab No.:	75	Field No.:	159
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	17-Apr-18		Production	Location:	Fort Saskatchewan	
Date Received:	24-Apr-18		Date Tested: 17-		17-May-18	
TEST CHEM COMP	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CITEIVI COIVIP	IAIIIA	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	95.9	-2.1		
1250μm	85	100	79.6	-5.4		
630µm	35	100	54.1			
315µm	0	50	17.1			
160μm	0	8	5	0		
80μm	0	3	0.6	0		
NOTE:	If payment adjustment  If payment and payment and payment	adjustment i will be asses adjustment i will be mad	is 5% or less ssed against is 100% or n le for the lo	nore t.		
COPIES TO:					kari@gov.ab.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGI
Comments:						· · · · · · · · · · · · · · · · · · ·
				<u>-</u>	**	

Tested by:

LR





Tested by:

LR

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

18 18 18 18 CATION LIMITS  MAX  1 1 1 100 100 100 100 100 50	Salt Type Production Date Tester  TEST  99.30  98.40  0.65  0.00  100  100  96.6  81.7  56.6	NUMBER OF UNITS OUT OF SPEC	Alta. Trans. I Fort Saskatc 17-May-18  MULTIPLY FACTOR	A STATE OF THE STA
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99.30 98.40 0.65 0.00 100 100 96.6 81.7	NUMBER OF UNITS OUT OF SPEC	17-May-18  MULTIPLY	NUMBER OF ADJUSTMENT
1 100 100 100 100 100 100	99.30 98.40 0.65 0.00 100 100 96.6 81.7	NUMBER OF UNITS OUT OF SPEC	MULTIPLY	ADJUSTMENT
1 1 100 100 100 100 100 100	99.30 98.40 0.65 0.00 100 100 96.6 81.7	OF UNITS OUT OF SPEC	1	ADJUSTMENT
1 1 100 100 100 100 100	98.40 0.65 0.00 100 100 96.6 81.7	SPEC -1.4		
1 100 100 100 100 100	98.40 0.65 0.00 100 100 96.6 81.7	The second secon		
1 100 100 100 100 100	0.65 0.00 100 100 96.6 81.7	The second secon		
1 100 100 100 100 100	0.00 100 100 96.6 81.7	The second secon		
100 100 100 100 100	100 100 96.6 81.7	The second secon		
100 100 100 100	100 96.6 81.7	The second secon		
100 100 100 100	100 96.6 81.7	The second secon		
100 100 100 100	100 96.6 81.7	The second secon		
100 100 100	96.6 81.7	The second secon		
100 100	81.7	The second secon		1
100		-3.3		<del></del>
ı 50	21.3	N Comment		
8	6.1	(6)		
3	1.2	0		
ENT (PERCENT)		ADILISTMENT	T DOINTS	
ent adjustment ent will be asse ent adjustment nent will be mad hikari, Alberta 1	is 5% or less essed against is 100% or m de for the lot Fransportation	, no payment the lot. nore t. on (rishi.adhil	kari@gov.ab.c	•
		scnutz@nscn		AREA MANAGEI
	ent adjustment nent will be mad hikari, Alberta T Schutz, NSC Mir	ent adjustment is 100% or m nent will be made for the lo hikari, Alberta Transportatio	ent adjustment is 100% or more nent will be made for the lot. hikari, Alberta Transportation (rishi.adhi Schutz, NSC Minerals Ltd. (nschutz@nscn	ent adjustment is 100% or more nent will be made for the lot. hikari, Alberta Transportation (rishi.adhikari@gov.ab.o Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)



CHEM COMP MIN MAX OUT OF FACTOR ADJUST	Date Sampled: Date Received:  TEST  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 1250µm 315µm 160µm 80µm PAYMENT AE NOTE:	8-Aug-18 17-Sep-18 SPECIFICATION MIN 98	FION LIMITS	Production Date Tester TEST	NUMBER OF UNITS OUT OF	Fort Saskatche 18-Sep-18 MULTIPLY	THE STREET AND STREET AND ADDRESS OF THE STREET
Date Received: 17-Sep-18   Date Tested: 18-Sep-18	TEST  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:	SPECIFICA MIN 98		Date Tested TEST	NUMBER OF UNITS OUT OF	18-Sep-18 MULTIPLY	
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OUT OF SPEC   SPEC   POINTS OUT OF SPEC   POINTS OUT OUT OF SPEC   POINTS OUT	TEST CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:	SPECIFICA MIN 98		TEST	NUMBER OF UNITS OUT OF	MULTIPLY	NUMBER OF
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OUT OF SPEC   SPEC   POINTS OUT OF SPEC	CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:	MIN 98			OF UNITS OUT OF		NUMBER OF
SOLUBLE	SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:	98	MAX	99.40	1	I ACION	
SOLUBLE CHLORIDE	CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:			00.40		-	ADJUSTMENT POINTS
Oct   Page   Page	CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:	95		33.40			
MATTER         1         0.62           MOISTURE CONTENT         1         0.00           GRADATION         100         100           10000μm         100         100           5000μm         100         100           2500μm         98         100         97.2           630μm         35         100         52.4           315μm         0         50         18.7           160μm         0         8         5.0           80μm         0         3         0.7           PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS           NOTE:         If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.           If payment adjustment will be made for the lot.           COPIES TO:         Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)           Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm PAYMENT AE NOTE:			98.60			
CONTENT   1   0.00	CONTENT GRADATION 10000μm 5000μm 2500μm 1250μm 630μm 315μm 160μm 80μm PAYMENT AE NOTE:		1	0.62			
10000μm	10000μm 5000μm 2500μm 1250μm 630μm 315μm 160μm 80μm PAYMENT AE		1	0.00			
5000μm   100   100   100   2500μm   98   100   97.2   -0.8   1250μm   85   100   79.6   -5.4   630μm   35   100   52.4   315μm   0   50   18.7   160μm   0   8   5.0   80μm   0   3   0.7   0	5000μm 2500μm 1250μm 630μm 315μm 160μm 80μm PAYMENT AE			· · · · · · · · · · · · · · · · · · ·			
2500μm 98 100 97.2 -0.8  1250μm 85 100 79.6 -5.4  630μm 35 100 52.4  315μm 0 50 18.7  160μm 0 8 5.0  80μm 0 3 0.7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	2500μm 1250μm 630μm 315μm 160μm 80μm PAYMENT AE NOTE:			100			
1250μm 85 100 79.6 -5.4  630μm 35 100 52.4  315μm 0 50 18.7  160μm 0 8 5.0  80μm 0 3 0.7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	1250μm 630μm 315μm 160μm 80μm PAYMENT AD NOTE:	100	100	100	0		
1630μm 35 100 52.4  315μm 0 50 18.7  160μm 0 8 5.0  80μm 0 3 0.7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	630µm 315µm 160µm 80µm PAYMENT AE	98	100	97.2	-0.8		
315μm 0 50 18.7  160μm 0 8 5.0  80μm 0 3 0.7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	315μm 160μm 80μm PAYMENT AE NOTE:	85	100	79.6	-5.4		
160μm 0 8 5.0 0  80μm 0 3 0.7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	160μm 80μm PAYMENT AE NOTE:	35	100	52.4			
80μm 0 3 0.7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	80μm  PAYMENT AC  NOTE:	0	50	18.7			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	PAYMENT AD NOTE:	0	8	5.0	Park (e) Albania		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	NOTE:	0	3	0.7	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	NOTE:	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	· ·
· · · · · · · · · · · · · · · · · · ·		If payment adjustment  If payment and payment Rishi Adhika	adjustment is will be asses adjustment is will be mad ri, Alberta Tr	s 5% or less, sed against s 100% or me for the lotansportation	no payment the lot. ore n (rishi.adhik	ari@gov.ab.ca)	
/ADEA A	M. Prance Control				chutz@nscm	inerals.com)	/ADEA MANIA
Comments:	omments:				<del></del>		/AREA MANAC
		_				4	

Tested by:

LR



Tested by:

LR

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

	The second second	STORY WATER		Staff agrantique		THE THE STATE OF T
Lot No.:	500 to 1000	THE PERSON OF STREET	Lab No.:	2	Field No.:	2
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	8-Aug-18		Production I	Location:	Fort Saskatcl	hewan
Date Received:	17-Sep-18		Date Tested	:	18-Sep-18	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500µm	98	100	96.2	-1.8		
1250µm	85	100	78.3	-6.7		
630µm	35	100	50.8			
315µm	0	50	17.4			
160µm	0	8	4.8	0-		
80µm	0	3	0.7	0.5		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS	-
NOTE:	· •	•	s 5% or less, sed against t		:	
	• •	-	s 100% or mo			
COPIES TO:			· ·		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						,
5-32				en e tarresaux		



Lot No.:	1000 to 150	00	Lab No.:	3	Field No.:	3
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	13-Aug-18		Production l	ocation:	Fort Saskatchewan	
Date Received:	17-Sep-18		Date Tested:		18-Sep-18	
TEST CHEM COMP	SPECIFICAT MIN	ION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	0		
2500μm	98	100	96.4	-1.6		
1250μm	85	100	78.9	-6.1		
630µm	35	100	51.3			
315µm	0	50	17.3			
160μm	0	8	4.6	0		
80µm	0	3	0.9	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	-
NOTE:	adjustment	will be asses adjustment i	s 5% or less, ssed against t s 100% or mo le for the lot.	he lot.		
COPIES TO:			•	•	cari@gov.ab.canimerals.com)	a)
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						
Tested by:	LR		Re	eviewed by:	GM	



Lot No.:	43000 - 435	500	Lab No.:	4	Field No.:	87	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	ine	
Date Sampled:	13-Dec-17		Production	Location:	Fort Saskatchewan		
Date Received:	24-Apr-18		Date Teste	d:	15-May-18		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98					101113	
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION		·				<u> </u>	
10000μm	100	100	100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.7	0		<del></del>	
1250μm	85	100	93.3				
630µm	35	100	60.2			······································	
315µm	0	50	22.1				
160μm	0	8	5.8	0			
80μm	0	3	0.5	O.		****	
PAYMENT A		adjustment i will be asses adjustment i	s 5% or less sed against s 100% or m	nore			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED I	OR PAYMEN	NT		//	REA MANAGE	
omments:						WANAGE!	
				<u>.</u>			

Tested by: LR Reviewed by: GM



Lot No.:	43500 - 44	000	Lab No.:	5	Field No.:	88
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Fine
Date Sampled:	13-Dec-17		Production	Location:	Fort Saskato	hewan
Date Received:	24-Apr-18		Date Teste	d:	15-May-18	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION				····		<u> </u>
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7			
1250μm	85	100	92.8			
630µm	35	100	60.5			
315μm	0	50	22.4			
160μm	0	8	6.1	0.00		· · · · · · · · · · · · · · · · · · ·
80µm	0	3	0.8	0		
NOTE:	adjustment  If payment a  no payment	adjustment is will be asses adjustment is will be mad	s 5% or less, sed against s 100% or m e for the lot	no payment the lot. ore		
COPIES TO:					cari@gov.ab.c ninerals.com)	a)
	APPROVED I	FOR PAYMEN	NT		/A	REA MANAGE
omments:				-		

Tested by:	LR	Reviewed by: GM	1.



Lot No.:	2500 to 30	nn	Lab No.:	6	Field No.:	6
Manufacturer:	NSC Miner	TANKS IN SECTION AND SECTION OF THE	Salt Type	THE REPORT OF THE PARTY OF THE	Alta. Trans.	CARACTER AND ADDRESS OF THE PARTY OF THE PAR
Date Sampled:	20-Aug-18		Production	l ocation:	Fort Saskatc	The state of the s
Date Received:	17-Sep-18		Date Tested		18-Sep-18	
TEST CHEM COMP		TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	T		500 V. S. (400 S. H. 29)	1	T	·
10000μm	100	100	100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
5000μm	100	100	100	0		
2500μm	98	100	96.1	-1.9	ļ	
1250μm	85 35	100	78.7	-6.3		
630μm 315μm	0	100 50	52.2 17.3	<u> </u>		
160μm	0	8	4.3	0		
80μm	0	3	0.7	0		·
	DJUSTMENT If payment adjustment	(PERCENT) = adjustment i will be asses	= TOTAL OF A s 5% or less, ssed against t	NDJUSTMEN no payment the lot.		
			s 100% or mo e for the lot.			
COPIES TO:				-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			AREA MANAGER
Comments:				ali con		

Tested by:

LR

Reviewed by: <u>GM</u>



Lot No.:	3000 to 350		Lab No :	7	Field No.	7
Manufacturer:	NSC Minera	THE RESERVE AND ADDRESS OF THE PARTY OF THE	Lab No.:		Field No.:	Debar Management Paris (Silvers of In-
Date Sampled:	12 2 Landing William Carl advantage to	alS	Salt Type Production I	ocation.	Alta. Trans.	
Date Received:	22-Aug-18 17-Sep-18		Date Tested		Fort Saskatc	newan
Date Neceiveu.	17-3ep-10		Date resteu		10-3ep-10	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION					•	<del></del>
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	95.8	-2.2		1=1
1250μm	85	100	76.7	-8.3		
630µm	35	100	48.4			
315µm	0	50	15.3			
160μm	0	8	3.7	0		
80μm	0	3	0.6	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:		•	s 5% or less, ssed against t		t	
			s 100% or mo			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						···
				<u></u> -		
					- 17 - 174-1	

Tested by: LR Reviewed by: GM



Lot No.:	3500 to 4000		Lab No.:	8	Field No.:	8		
Manufacturer:	NSC Minerals		Salt Type	alt Type		Alta. Trans. Fine		
Date Sampled:	23-Aug-18		Production Location:		Fort Saskatchewan			
Date Received:	17-Sep-18		Date Tested:		18-Sep-18			
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1			···			
MOISTURE CONTENT		1	0.00			· · · · · · · · · · · · · · · · · · ·		
GRADATION	·		STEMPHEN STAN		<u> </u>	<u> </u>		
10000μm	100	100	100					
5000μm	100	100	100	0				
2500µm	98	100	97.1	-0.9	<u> </u>			
1250μm	85	100	82.1	-2.9				
630µm	35	100	55.7					
315μm	0	50	20.1					
160μm	0	8	5.3	0				
80µm	0	3	0.8	0	3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more								
		t will be mad						
COPIES TO:		-	•	•	kari@gov.ab.c ninerals.com)	a)		
	APPROVED FOR PAYMENT  /AREA MANAGER							
Comments:								
	~	Name of the Owner		200		0		

	A	***
Tested by:	LR	Reviewed by: GM



Lot No :	4000 4- 454		Lob No :		Field No.	
Lot No.: Manufacturer:	4000 to 450	A CONTRACTOR OF THE PARTY OF TH	Lab No.:	9	Field No.:	9
	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Aug-18		Production Location:		Fort Saskatchewan	
Date Received:	17-Sep-18		Date Tested	: 1	18-Sep-18	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
СНЕМ СОМР						
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
GRADATION		· · ·				
10000μm	100	100	100			
5000μm	100	100	100	0		
2500µm	98	100	96.9	-1.1		
1250µm	85	100	80.1	-4.9		
630µm	35	100	53.7			
315µm	0	50	19.2			
160µm	0	8	5.3	0		
80µm	0	3	0.9	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN'	T POINTS	
NOTE:		=	s 5% or less, ssed against t		:	
	no payment	will be mad	s 100% or me e for the lot.			
COPIES TO:			· •	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT	_	//	AREA MANAGER
Comments:			<u> </u>		•	<del>, ,</del>
				<del>.</del>		· · · · · · · · · · · · · · · · · · ·
				1303		

Tested by:

LR