



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>0 - 500</b>	Lab No.:	<b>1</b>	Field No.:	<b>1</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Sep-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>14-Dec-21</b>	Date Tested:	<b>15-Dec-21</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1	<b>0.25</b>			
<b>GRADATION</b>						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.6</b>			
2500µm	98	100	<b>98.0</b>			
1250µm	85	100	<b>77.5</b>	-7.5		
630µm	35	100	<b>27.7</b>	-7.3		
315µm	0	50	<b>5.9</b>			
160µm	0	8	<b>1.6</b>			
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by:

DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>500 - 1000</b>	Lab No.:	<b>2</b>	Field No.:	<b>2</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Oct-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>14-Dec-21</b>	Date Tested:	<b>15-Dec-21</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1	<b>0.08</b>			

**GRADATION**

	MIN	MAX	TEST			
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.3</b>			
2500µm	98	100	<b>97.7</b>	-0.3		
1250µm	85	100	<b>77.1</b>	-7.9		
630µm	35	100	<b>27.6</b>	-7.4		
315µm	0	50	<b>6.6</b>			
160µm	0	8	<b>1.6</b>			
80µm	0	3	<b>0.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

**/AREA MANAGER**

Comments:

---



---



---

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>1000 - 1500</b>	Lab No.:	<b>3</b>	Field No.:	<b>3</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>24-Nov-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>14-Dec-21</b>	Date Tested:	<b>15-Dec-21</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.5</b>			
2500µm	98	100	<b>98.5</b>			
1250µm	85	100	<b>82.2</b>	-2.5		
630µm	35	100	<b>35.9</b>			
315µm	0	50	<b>9.5</b>			
160µm	0	8	<b>2.8</b>			
80µm	0	3	<b>0.7</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>1500 - 2000</b>	Lab No.:	<b>4</b>	Field No.:	<b>4</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>14-Dec-21</b>	Date Tested:	<b>15-Dec-21</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1	<b>0.03</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.3</b>			
2500µm	98	100	<b>97.0</b>	-1		
1250µm	85	100	<b>73.9</b>	-11.9		
630µm	35	100	<b>24.1</b>	-10.9		
315µm	0	50	<b>5.3</b>			
160µm	0	8	<b>1.4</b>			
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: DL \_\_\_\_\_

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>2000 - 2500</b>	Lab No.:	<b>5</b>	Field No.:	<b>5</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>7-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>14-Dec-21</b>	Date Tested:	<b>15-Dec-21</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1	<b>0.04</b>			
<b>GRADATION</b>						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.7</b>			
2500µm	98	100	<b>98.9</b>			
1250µm	85	100	<b>86.1</b>			
630µm	35	100	<b>42.1</b>			
315µm	0	50	<b>10.7</b>			
160µm	0	8	<b>2.6</b>			
80µm	0	3	<b>0.4</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: DL

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>2500 - 3000</b>	Lab No.:	<b>6</b>	Field No.:	<b>6</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>14-Dec-21</b>	Date Tested:	<b>15-Dec-21</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
CN WATER SOLUBLE						
CN STRONG ACID DRY						
CN WEAK ACID DRY WEIGHT						
MOISTURE CONTENT		1	<b>0.00</b>			
<b>GRADATION</b>						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.8</b>			
2500µm	98	100	<b>99.1</b>			
1250µm	85	100	<b>87.1</b>			
630µm	35	100	<b>44.2</b>			
315µm	0	50	<b>13.2</b>			
160µm	0	8	<b>3.6</b>			
80µm	0	3	<b>0.4</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>3000-3500</b>	Lab No.:	<b>7</b>	Field No.:	<b>7</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.7</b>	<b>-0.3</b>		
2500µm	98	100	<b>99.5</b>	<b>0</b>		
1250µm	85	100	<b>95.1</b>			
630µm	35	100	<b>65.2</b>			
315µm	0	50	<b>25.5</b>			
160µm	0	8	<b>5.4</b>	<b>0</b>		
80µm	0	3	<b>0.6</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>3500-4000</b>	Lab No.:	<b>8</b>	Field No.:	<b>8</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.5</b>	-0.5		
2500µm	98	100	<b>99.3</b>	0		
1250µm	85	100	<b>95.1</b>			
630µm	35	100	<b>65.2</b>			
315µm	0	50	<b>24.7</b>			
160µm	0	8	<b>5.0</b>	0		
80µm	0	3	<b>0.5</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: DL

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>4000-4500</b>	Lab No.:	<b>9</b>	Field No.:	<b>9</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>96.0</b>			
630µm	35	100	<b>67.3</b>			
315µm	0	50	<b>26.0</b>			
160µm	0	8	<b>5.3</b>	0		
80µm	0	3	<b>0.7</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: DL

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>4500-5000</b>	Lab No.:	<b>10</b>	Field No.:	<b>10</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>29-Dec-21</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.9</b>	<b>-0.1</b>		
2500µm	98	100	<b>99.7</b>	<b>0</b>		
1250µm	85	100	<b>95.4</b>			
630µm	35	100	<b>65.6</b>			
315µm	0	50	<b>24.5</b>			
160µm	0	8	<b>4.7</b>	<b>0</b>		
80µm	0	3	<b>0.6</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---




---



---

Tested by: DL

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>5000-5500</b>	Lab No.:	<b>11</b>	Field No.:	<b>11</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>4-Jan-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.9</b>	-0.1		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>95.7</b>			
630µm	35	100	<b>66.9</b>			
315µm	0	50	<b>27.2</b>			
160µm	0	8	<b>6.1</b>	0		
80µm	0	3	<b>0.7</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: DL

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	5500-6000	Lab No.:	12	Field No.:	12
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	6-Jan-22	Production Location:	Fort Saskatchewan		
Date Received:	28-Jan-22	Date Tested:	31-Jan-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.40			
INSOLUBLE MATTER		1	0.90			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm	100	100	100			
5000µm	100	100	99.5	-0.5		
2500µm	98	100	99.2	0		
1250µm	85	100	94.3			
630µm	35	100	61.9			
315µm	0	50	21.7			
160µm	0	8	4.1	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>6000-6500</b>	Lab No.:	<b>13</b>	Field No.:	<b>13</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>9-Jan-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>95.8</b>			
630µm	35	100	<b>68.0</b>			
315µm	0	50	<b>28.2</b>			
160µm	0	8	<b>6.1</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>6500-7000</b>	Lab No.:	<b>14</b>	Field No.:	<b>14</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Jan-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			
GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.8</b>	-0.2		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>95.2</b>			
630µm	35	100	<b>65.1</b>			
315µm	0	50	<b>24.7</b>			
160µm	0	8	<b>4.9</b>	0		
80µm	0	3	<b>0.5</b>	0		

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>7000-7500</b>	Lab No.:	<b>15</b>	Field No.:	<b>15</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>19-Jan-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.9</b>	-0.1		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>95.6</b>			
630µm	35	100	<b>66.7</b>			
315µm	0	50	<b>25.5</b>			
160µm	0	8	<b>5.1</b>	0		
80µm	0	3	<b>0.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>7500-8000</b>	Lab No.:	<b>16</b>	Field No.:	<b>16</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Jan-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.8</b>	<b>-0.2</b>		
2500µm	98	100	<b>99.6</b>	<b>0</b>		
1250µm	85	100	<b>94.8</b>			
630µm	35	100	<b>64.0</b>			
315µm	0	50	<b>24.5</b>			
160µm	0	8	<b>5.0</b>	<b>0</b>		
80µm	0	3	<b>0.6</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>8000-8500</b>	Lab No.:	<b>17</b>	Field No.:	<b>17</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Jan-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>28-Jan-22</b>	Date Tested:	<b>31-Jan-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>99.8</b>	<b>-0.2</b>		
2500µm	98	100	<b>99.5</b>	<b>0</b>		
1250µm	85	100	<b>93.6</b>			
630µm	35	100	<b>58.7</b>			
315µm	0	50	<b>19.1</b>			
160µm	0	8	<b>3.3</b>	<b>0</b>		
80µm	0	3	<b>0.3</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>10000-10500</b>	Lab No.:	<b>18</b>	Field No.:	<b>21</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>7-Feb-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>8-Mar-22</b>	Date Tested:	<b>9-Mar-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>97.4</b>	-0.6		
1250µm	85	100	<b>87.4</b>			
630µm	35	100	<b>41.5</b>			
315µm	0	50	<b>16.1</b>			
160µm	0	8	<b>4.7</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>10500-11000</b>	Lab No.:	<b>19</b>	Field No.:	<b>22</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>8-Feb-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>8-Mar-22</b>	Date Tested:	<b>9-Mar-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>96.9</b>	-1.1		
1250µm	85	100	<b>86.7</b>			
630µm	35	100	<b>37.4</b>			
315µm	0	50	<b>12.2</b>			
160µm	0	8	<b>2.9</b>	0		
80µm	0	3	<b>0.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **11000-11500** Lab No.: **20** Field No.: **23**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **10-Feb-22** Production Location: **Fort Saskatchewan**

Date Received: **8-Mar-22** Date Tested: **9-Mar-22**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>95.5</b>	-2.5		
1250µm	85	100	<b>84.4</b>	-0.6		
630µm	35	100	<b>39.4</b>			
315µm	0	50	<b>15.7</b>			
160µm	0	8	<b>4.8</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>11500-12000</b>	Lab No.:	<b>21</b>	Field No.:	<b>24</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Feb-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>8-Mar-22</b>	Date Tested:	<b>9-Mar-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>95.8</b>	-2.2		
1250µm	85	100	<b>81.7</b>	-3.3		
630µm	35	100	<b>30.7</b>	-4.3		
315µm	0	50	<b>9.5</b>			
160µm	0	8	<b>2.3</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>12000-12500</b>	Lab No.:	<b>22</b>	Field No.:	<b>25</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>22-Feb-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>8-Mar-22</b>	Date Tested:	<b>9-Mar-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

**GRADATION**

10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>94.4</b>	-3.6		
1250µm	85	100	<b>78.6</b>	-6.4		
630µm	35	100	<b>25.7</b>	-9.3		
315µm	0	50	<b>6.7</b>			
160µm	0	8	<b>1.4</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: DL

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>12500-13000</b>	Lab No.:	<b>23</b>	Field No.:	<b>26</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Mar-22</b>	Production Location:	<b>Fort Saskatchewan</b>		
Date Received:	<b>8-Mar-22</b>	Date Tested:	<b>9-Mar-22</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm	100	100	<b>100</b>			
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>96.6</b>	-1.4		
1250µm	85	100	<b>84.5</b>	-0.5		
630µm	35	100	<b>37.3</b>			
315µm	0	50	<b>14.6</b>			
160µm	0	8	<b>4.6</b>	0		
80µm	0	3	<b>0.7</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: DL

Reviewed by: GM 