



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	15500 - 16000	Lab No.:	6	Field No.:	32
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	June 2 2022	Production Location:	Ft. Saskatchewan AB		
Date Received:	June 13 2022	Date Tested:	June 15 2022		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.18			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	96.9	-1.1		
1250µm	85	100	87.3			
630µm	35	100	45.2			
315µm	0	50	20.7			
160µm	0	8	5.2			
80µm	0	3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	15000 - 15500	Lab No.:	5	Field No.:	31
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	May 6 2022	Production Location:	Ft. Saskatchewan AB		
Date Received:	June 13 2022	Date Tested:	June 15 2022		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.14			

GRADATION						
10000µm			100			
5000µm	100	100	99.8	-0.2		
2500µm	98	100	95.5	-2.5		
1250µm	85	100	83.5	-1.5		
630µm	35	100	37.7			
315µm	0	50	15.7			
160µm	0	8	3.8			
80µm	0	3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	14500 - 15000	Lab No.:	4	Field No.:	30
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	April 1 2022	Production Location:	Ft. Saskatchewan AB		
Date Received:	June 13 2022	Date Tested:	June 15 2022		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm			100			
5000µm	100	100	99.8	-0.2		
2500µm	98	100	97.1	-0.9		
1250µm	85	100	87.5			
630µm	35	100	45.2			
315µm	0	50	21.0			
160µm	0	8	5.6			
80µm	0	3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	14000 - 14500	Lab No.:	3	Field No.:	29
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	March 22 2022	Production Location:	Ft. Saskatchewan AB		
Date Received:	June 13 2022	Date Tested:	June 15 2022		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	96.3	-1.7		
1250µm	85	100	85.9			
630µm	35	100	39.1			
315µm	0	50	16.1			
160µm	0	8	3.6			
80µm	0	3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	13500 - 14000	Lab No.:	2	Field No.:	28
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	March 15 2022	Production Location:	Ft. Saskatchewan AB		
Date Received:	June 13 2022	Date Tested:	June 15 2022		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.60			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	96.9	-1.1		
1250µm	85	100	87.5			
630µm	35	100	42.8			
315µm	0	50	18.1			
160µm	0	8	4.3			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	13000 - 13500	Lab No.:	1	Field No.:	27
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Mar. 8 2022	Production Location:	Ft. Saskatchewan AB		
Date Received:	June 13 2022	Date Tested:	June 15 2022		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	96.4	-1.6		
1250µm	85	100	85.1			
630µm	35	100	36.2			
315µm	0	50	14.3			
160µm	0	8	3.2			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM