



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>18001 - 18500</b>	Lab No.:	<b>1</b>	Field No.:	<b>37</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Sep-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>99.9</b>			
1250µm	85	100	<b>93.7</b>			
630µm	35	100	<b>57.1</b>			
315µm	0	50	<b>21.5</b>			
160µm	0	8	<b>5.3</b>			
80µm	0	3	<b>0.9</b>			

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>18501 - 19000</b>	Lab No.:	<b>2</b>	Field No.:	<b>38</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Sep-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.5</b>			
630µm	35	100	<b>54.2</b>			
315µm	0	50	<b>20</b>			
160µm	0	8	<b>5</b>	0		
80µm	0	3	<b>0.8</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	19001 - 19500	Lab No.:	3	Field No.:	39
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	29-Sep-17	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	26-Apr-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	90.9			
630µm	35	100	52.1			
315µm	0	50	18.5			
160µm	0	8	4.5	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>19501 - 20000</b>	Lab No.:	<b>4</b>	Field No.:	<b>40</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>29-Sep-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.40</b>			
INSOLUBLE MATTER		1	<b>0.86</b>			
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>90.5</b>			
630µm	35	100	<b>49.9</b>			
315µm	0	50	<b>16.4</b>			
160µm	0	8	<b>3.7</b>	0		
80µm	0	3	<b>0.2</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	20001 - 20500	Lab No.:	5	Field No.:	41
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	2-Oct-17	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	26-Apr-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	96.7			
630µm	35	100	73.9			
315µm	0	50	41.5			
160µm	0	8	16.1	8.1		
80µm	0	3	2.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>20501- 21000</b>	Lab No.:	<b>6</b>	Field No.:	<b>42</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>3-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.5</b>			
630µm	35	100	<b>64.3</b>			
315µm	0	50	<b>27</b>			
160µm	0	8	<b>7.9</b>	0		
80µm	0	3	<b>1.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>21001- 21500</b>	Lab No.:	<b>7</b>	Field No.:	<b>43</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>4-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.9</b>			
630µm	35	100	<b>60.7</b>			
315µm	0	50	<b>24.7</b>			
160µm	0	8	<b>7.1</b>	0		
80µm	0	3	<b>1.5</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>21501 - 22000</b>	Lab No.:	<b>8</b>	Field No.:	<b>44</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>4-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.6</b>			
630µm	35	100	<b>61.6</b>			
315µm	0	50	<b>26.3</b>			
160µm	0	8	<b>8</b>	0		
80µm	0	3	<b>1.4</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>22001 - 22500</b>	Lab No.:	<b>9</b>	Field No.:	<b>45</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>10-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.6</b>			
630µm	35	100	<b>63.3</b>			
315µm	0	50	<b>26.9</b>			
160µm	0	8	<b>8.4</b>	0.4		
80µm	0	3	<b>1.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	22501 - 23000	Lab No.:	10	Field No.:	46
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	11-Oct-17	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	26-Apr-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	92.5			
630µm	35	100	55			
315µm	0	50	20.2			
160µm	0	8	4.8	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>23001 - 23500</b>	Lab No.:	<b>11</b>	Field No.:	<b>47</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>13-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.7</b>			
630µm	35	100	<b>63</b>			
315µm	0	50	<b>26.3</b>			
160µm	0	8	<b>7</b>	0		
80µm	0	3	<b>1.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>23501 - 24000</b>	Lab No.:	<b>12</b>	Field No.:	<b>48</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>15-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.1</b>			
630µm	35	100	<b>63.5</b>			
315µm	0	50	<b>27.2</b>			
160µm	0	8	<b>7.9</b>	0		
80µm	0	3	<b>1.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>24501 - 25000</b>	Lab No.:	<b>13</b>	Field No.:	<b>50</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>31-Oct-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>95.6</b>			
630µm	35	100	<b>68.3</b>			
315µm	0	50	<b>33.1</b>			
160µm	0	8	<b>11.6</b>	3.6		
80µm	0	3	<b>1.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>25001 - 25500</b>	Lab No.:	<b>14</b>	Field No.:	<b>51</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>98.80</b>			
SODIUM CHLORIDE	95		<b>97.30</b>			
INSOLUBLE MATTER		1	<b>1.20</b>	0.20		
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>95.8</b>			
630µm	35	100	<b>69.6</b>			
315µm	0	50	<b>35.5</b>			
160µm	0	8	<b>12.4</b>	4.4		
80µm	0	3	<b>1.8</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>26001 - 26500</b>	Lab No.:	<b>15</b>	Field No.:	<b>53</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>6-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.5</b>			
630µm	35	100	<b>61.8</b>			
315µm	0	50	<b>25.4</b>			
160µm	0	8	<b>6.4</b>	0		
80µm	0	3	<b>0.7</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>26501 - 27000</b>	Lab No.:	<b>16</b>	Field No.:	<b>54</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>7-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>26-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>95.1</b>			
630µm	35	100	<b>62.4</b>			
315µm	0	50	<b>26.6</b>			
160µm	0	8	<b>7.3</b>	0		
80µm	0	3	<b>1.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>27001 - 27500</b>	Lab No.:	<b>17</b>	Field No.:	<b>55</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>13-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.4</b>			
630µm	35	100	<b>60.6</b>			
315µm	0	50	<b>24.5</b>			
160µm	0	8	<b>5.5</b>	0		
80µm	0	3	<b>0.7</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	27501 - 28000	Lab No.:	18	Field No.:	56
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	15-Nov-17	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	27-Apr-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	94.6			
630µm	35	100	60.5			
315µm	0	50	23.8			
160µm	0	8	5.7	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>28001 - 28500</b>	Lab No.:	<b>19</b>	Field No.:	<b>57</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>15-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.6</b>			
630µm	35	100	<b>62.9</b>			
315µm	0	50	<b>27.5</b>			
160µm	0	8	<b>7.1</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>28501 - 29000</b>	Lab No.:	<b>20</b>	Field No.:	<b>58</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>17-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.6</b>			
630µm	35	100	<b>62</b>			
315µm	0	50	<b>25.2</b>			
160µm	0	8	<b>6.5</b>	0		
80µm	0	3	<b>0.9</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>29001 - 29500</b>	Lab No.:	<b>21</b>	Field No.:	<b>59</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>17-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.6</b>			
630µm	35	100	<b>50.3</b>			
315µm	0	50	<b>16.7</b>			
160µm	0	8	<b>3.3</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>29501 - 30000</b>	Lab No.:	<b>22</b>	Field No.:	<b>60</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.40</b>			
INSOLUBLE MATTER		1	<b>0.87</b>			
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.1</b>			
630µm	35	100	<b>53.5</b>			
315µm	0	50	<b>16.8</b>			
160µm	0	8	<b>3.2</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>30001 - 30500</b>	Lab No.:	<b>23</b>	Field No.:	<b>61</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.9</b>			
630µm	35	100	<b>53.5</b>			
315µm	0	50	<b>17.1</b>			
160µm	0	8	<b>3.4</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>30501 - 31000</b>	Lab No.:	<b>24</b>	Field No.:	<b>62</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.1</b>			
630µm	35	100	<b>53.7</b>			
315µm	0	50	<b>16.8</b>			
160µm	0	8	<b>3.1</b>	0		
80µm	0	3	<b>0.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	31001 - 31500	Lab No.:	25	Field No.:	63
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	22-Nov-17	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	27-Apr-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	92.6			
630µm	35	100	53.1			
315µm	0	50	18.1			
160µm	0	8	4.7	0		
80µm	0	3	0.9	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>31501 - 32000</b>	Lab No.:	<b>26</b>	Field No.:	<b>64</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>23-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93</b>			
630µm	35	100	<b>54.9</b>			
315µm	0	50	<b>19.7</b>			
160µm	0	8	<b>5.3</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>32001 - 32500</b>	Lab No.:	<b>27</b>	Field No.:	<b>65</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>24-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.2</b>			
630µm	35	100	<b>54.9</b>			
315µm	0	50	<b>20.8</b>			
160µm	0	8	<b>5.8</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>32501 - 33000</b>	Lab No.:	<b>28</b>	Field No.:	<b>66</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>27-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>27-Apr-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.05</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.6</b>			
630µm	35	100	<b>55</b>			
315µm	0	50	<b>20.9</b>			
160µm	0	8	<b>5.6</b>	0		
80µm	0	3	<b>0.8</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>33001 - 33500</b>	Lab No.:	<b>29</b>	Field No.:	<b>67</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>27-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.1</b>			
630µm	35	100	<b>53.7</b>			
315µm	0	50	<b>17.9</b>			
160µm	0	8	<b>4.2</b>	0		
80µm	0	3	<b>0.8</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>33001 - 33500</b>	Lab No.:	<b>30</b>	Field No.:	<b>68</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.9</b>			
630µm	35	100	<b>47.6</b>			
315µm	0	50	<b>14.8</b>			
160µm	0	8	<b>3.3</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>34001 - 34500</b>	Lab No.:	<b>31</b>	Field No.:	<b>69</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>30-Nov-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.8</b>			
630µm	35	100	<b>56.2</b>			
315µm	0	50	<b>21.6</b>			
160µm	0	8	<b>5.8</b>	0		
80µm	0	3	<b>1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>34501 - 35000</b>	Lab No.:	<b>32</b>	Field No.:	<b>70</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.9</b>			
630µm	35	100	<b>56.5</b>			
315µm	0	50	<b>21.3</b>			
160µm	0	8	<b>4.9</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **35001 - 35500** Lab No.: **33** Field No.: **71**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **4-Dec-17** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **1-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.20			
SODIUM CHLORIDE	95		98.20			
INSOLUBLE MATTER		1	0.81			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	92.7			
630µm	35	100	56.5			
315µm	0	50	20.5			
160µm	0	8	4.5	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>35501 - 36000</b>	Lab No.:	<b>34</b>	Field No.:	<b>72</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>5-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93</b>			
630µm	35	100	<b>55.5</b>			
315µm	0	50	<b>21.1</b>			
160µm	0	8	<b>4.9</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>36001 - 36500</b>	Lab No.:	<b>35</b>	Field No.:	<b>73</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>7-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93</b>			
630µm	35	100	<b>54.8</b>			
315µm	0	50	<b>19.5</b>			
160µm	0	8	<b>3.9</b>	0		
80µm	0	3	<b>0.1</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>36501 - 37000</b>	Lab No.:	<b>36</b>	Field No.:	<b>74</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>9-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>1-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>99.8</b>			
1250µm	85	100	<b>86.6</b>			
630µm	35	100	<b>37.2</b>			
315µm	0	50	<b>8</b>			
160µm	0	8	<b>1.6</b>			
80µm	0	3	<b>0.04</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)


APPROVED FOR PAYMENT /AREA MANAGER

Comments:

---



---

Tested by: LR Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>37001 - 37500</b>	Lab No.:	<b>37</b>	Field No.:	<b>75</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>99.8</b>			
1250µm	85	100	<b>86.6</b>			
630µm	35	100	<b>38.5</b>			
315µm	0	50	<b>9.7</b>			
160µm	0	8	<b>2.6</b>			
80µm	0	3	<b>0.5</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>37501 - 38000</b>	Lab No.:	<b>38</b>	Field No.:	<b>76</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>87.3</b>			
630µm	35	100	<b>39.3</b>			
315µm	0	50	<b>8.8</b>			
160µm	0	8	<b>1.9</b>	0		
80µm	0	3	<b>0.2</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>38001 - 38500</b>	Lab No.:	<b>39</b>	Field No.:	<b>77</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>88.8</b>			
630µm	35	100	<b>42.9</b>			
315µm	0	50	<b>11.1</b>			
160µm	0	8	<b>3</b>	0		
80µm	0	3	<b>0.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **38501 - 39000** Lab No.: **40** Field No.: **78**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **15-Dec-17** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **3-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>87.6</b>			
630µm	35	100	<b>37.6</b>			
315µm	0	50	<b>6.8</b>			
160µm	0	8	<b>1.2</b>	0		
80µm	0	3	<b>0.09</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>39001 - 39500</b>	Lab No.:	<b>41</b>	Field No.:	<b>79</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>99.9</b>			
1250µm	85	100	<b>88.7</b>			
630µm	35	100	<b>39.6</b>			
315µm	0	50	<b>8.9</b>			
160µm	0	8	<b>2</b>			
80µm	0	3	<b>0.5</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>39501 - 40000</b>	Lab No.:	<b>42</b>	Field No.:	<b>80</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Dec-17</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.10</b>			
INSOLUBLE MATTER		1	<b>0.87</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>87.1</b>			
630µm	35	100	<b>37.1</b>			
315µm	0	50	<b>7.7</b>			
160µm	0	8	<b>1.9</b>	0		
80µm	0	3	<b>0.7</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>40001 - 40500</b>	Lab No.:	<b>43</b>	Field No.:	<b>81</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>3-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.8</b>			
630µm	35	100	<b>50.7</b>			
315µm	0	50	<b>15.7</b>			
160µm	0	8	<b>2.7</b>	0		
80µm	0	3	<b>0.2</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>40501 - 41000</b>	Lab No.:	<b>44</b>	Field No.:	<b>82</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>3-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>90.6</b>			
630µm	35	100	<b>49.2</b>			
315µm	0	50	<b>15.5</b>			
160µm	0	8	<b>2.8</b>	0		
80µm	0	3	<b>0.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>41001 - 41500</b>	Lab No.:	<b>45</b>	Field No.:	<b>83</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>5-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>3-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.9</b>			
630µm	35	100	<b>49.8</b>			
315µm	0	50	<b>15.7</b>			
160µm	0	8	<b>2.9</b>	0		
80µm	0	3	<b>0.5</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **41501 - 42000** Lab No.: **46** Field No.: **84**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **8-Jan-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **3-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>91.1</b>			
630µm	35	100	<b>48.6</b>			
315µm	0	50	<b>15</b>			
160µm	0	8	<b>2.6</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **42001 - 42500** Lab No.: **47** Field No.: **85**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **9-Jan-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **4-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.6</b>			
630µm	35	100	<b>49.3</b>			
315µm	0	50	<b>14.5</b>			
160µm	0	8	<b>2.4</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>42501 - 43000</b>	Lab No.:	<b>48</b>	Field No.:	<b>86</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>9-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.6</b>			
630µm	35	100	<b>49.5</b>			
315µm	0	50	<b>15</b>			
160µm	0	8	<b>2.8</b>	0		
80µm	0	3	<b>0.4</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:


---



---



---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>43001 - 43500</b>	Lab No.:	<b>49</b>	Field No.:	<b>87</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>10-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.6</b>			
630µm	35	100	<b>52.8</b>			
315µm	0	50	<b>16.8</b>			
160µm	0	8	<b>3.1</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>43501 - 44000</b>	Lab No.:	<b>50</b>	Field No.:	<b>88</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.2</b>			
630µm	35	100	<b>55.6</b>			
315µm	0	50	<b>19</b>			
160µm	0	8	<b>4.3</b>	0		
80µm	0	3	<b>0.8</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>43501 - 44000</b>	Lab No.:	<b>51</b>	Field No.:	<b>89</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>12-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>94.2</b>			
630µm	35	100	<b>57.2</b>			
315µm	0	50	<b>19.2</b>			
160µm	0	8	<b>4</b>	0		
80µm	0	3	<b>0.8</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>44501 - 45000</b>	Lab No.:	<b>52</b>	Field No.:	<b>90</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>15-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.00</b>			
INSOLUBLE MATTER		1	<b>0.90</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>94</b>			
630µm	35	100	<b>55.6</b>			
315µm	0	50	<b>18.3</b>			
160µm	0	8	<b>3.6</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>45001 - 45500</b>	Lab No.:	<b>53</b>	Field No.:	<b>91</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.9</b>			
630µm	35	100	<b>55.7</b>			
315µm	0	50	<b>19.1</b>			
160µm	0	8	<b>4.2</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>45501 - 46000</b>	Lab No.:	<b>54</b>	Field No.:	<b>92</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>92.9</b>			
630µm	35	100	<b>53.6</b>			
315µm	0	50	<b>17.4</b>			
160µm	0	8	<b>3.4</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	46001 - 46500	Lab No.:	55	Field No.:	93
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	4-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	91.6			
630µm	35	100	48.7			
315µm	0	50	14.4			
160µm	0	8	2.6	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>46501 - 47000</b>	Lab No.:	<b>56</b>	Field No.:	<b>94</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>17-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.9</b>			
630µm	35	100	<b>52.6</b>			
315µm	0	50	<b>16</b>			
160µm	0	8	<b>2.9</b>	0		
80µm	0	3	<b>0.4</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	47001 - 47500	Lab No.:	57	Field No.:	95
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	4-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	92.4			
630µm	35	100	49.8			
315µm	0	50	13.9			
160µm	0	8	2.6	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>47501 - 48000</b>	Lab No.:	<b>58</b>	Field No.:	<b>96</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>4-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.6</b>			
630µm	35	100	<b>48.6</b>			
315µm	0	50	<b>14</b>			
160µm	0	8	<b>2.4</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>48001 - 48500</b>	Lab No.:	<b>59</b>	Field No.:	<b>97</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>89.8</b>			
630µm	35	100	<b>45.3</b>			
315µm	0	50	<b>7.3</b>			
160µm	0	8	<b>0.4</b>	0		
80µm	0	3	<b>0.09</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>48501 - 49000</b>	Lab No.:	<b>60</b>	Field No.:	<b>98</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>89.7</b>			
630µm	35	100	<b>42.1</b>			
315µm	0	50	<b>9.7</b>			
160µm	0	8	<b>1.2</b>	0		
80µm	0	3	<b>0</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>49001 - 49500</b>	Lab No.:	<b>61</b>	Field No.:	<b>99</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>19-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.7</b>			
630µm	35	100	<b>50.3</b>			
315µm	0	50	<b>11.7</b>			
160µm	0	8	<b>1.3</b>	0		
80µm	0	3	<b>0.09</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>49501 - 50000</b>	Lab No.:	<b>62</b>	Field No.:	<b>100</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.00</b>			
INSOLUBLE MATTER		1	<b>0.88</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.4</b>			
630µm	35	100	<b>55.9</b>			
315µm	0	50	<b>17.9</b>			
160µm	0	8	<b>3.8</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>50001 - 55000</b>	Lab No.:	<b>63</b>	Field No.:	<b>101</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>87.3</b>			
630µm	35	100	<b>42.4</b>			
315µm	0	50	<b>9.3</b>			
160µm	0	8	<b>1.9</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT


/AREA MANAGER

Comments:

---



---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>50501 - 51000</b>	Lab No.:	<b>64</b>	Field No.:	<b>102</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>22-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>100</b>			
1250µm	85	100	<b>89.6</b>			
630µm	35	100	<b>40.6</b>			
315µm	0	50	<b>9.6</b>			
160µm	0	8	<b>1.5</b>			
80µm	0	3	<b>0.1</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>51001 - 51500</b>	Lab No.:	<b>65</b>	Field No.:	<b>103</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>22-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>85.8</b>			
630µm	35	100	<b>39.9</b>			
315µm	0	50	<b>10</b>			
160µm	0	8	<b>1.6</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:


---



---



---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>51501 - 52000</b>	Lab No.:	<b>66</b>	Field No.:	<b>104</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>22-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>85.5</b>			
630µm	35	100	<b>39.2</b>			
315µm	0	50	<b>7.4</b>			
160µm	0	8	<b>1.4</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>52001 - 52500</b>	Lab No.:	<b>67</b>	Field No.:	<b>105</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>23-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>88.1</b>			
630µm	35	100	<b>44.8</b>			
315µm	0	50	<b>12.2</b>			
160µm	0	8	<b>2.2</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>52501 - 53000</b>	Lab No.:	<b>68</b>	Field No.:	<b>106</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>23-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>84.7</b>	-0.3		
630µm	35	100	<b>36</b>			
315µm	0	50	<b>10</b>			
160µm	0	8	<b>2.3</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_

Tested by: LR Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>53001 - 53500</b>	Lab No.:	<b>69</b>	Field No.:	<b>107</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>23-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>87.2</b>			
630µm	35	100	<b>39.1</b>			
315µm	0	50	<b>6</b>			
160µm	0	8	<b>0.8</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:


---



---



---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>53501 - 54000</b>	Lab No.:	<b>70</b>	Field No.:	<b>108</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>24-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>86.1</b>			
630µm	35	100	<b>36.3</b>			
315µm	0	50	<b>5.9</b>			
160µm	0	8	<b>0.9</b>	0		
80µm	0	3	<b>0.04</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>54001 - 54500</b>	Lab No.:	<b>71</b>	Field No.:	<b>109</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>24-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>1-May-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>86.7</b>			
630µm	35	100	<b>38</b>			
315µm	0	50	<b>6.2</b>			
160µm	0	8	<b>0.8</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>54501 - 55000</b>	Lab No.:	<b>72</b>	Field No.:	<b>110</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>25-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.00</b>			
INSOLUBLE MATTER		1	<b>0.82</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.6</b>			
630µm	35	100	<b>46.2</b>			
315µm	0	50	<b>11.3</b>			
160µm	0	8	<b>2.7</b>	0		
80µm	0	3	<b>0.5</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	55001 - 55500	Lab No.:	73	Field No.:	111
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	26-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	76.7	-8.3		
630µm	35	100	21.9	-13.1		
315µm	0	50	0.4			
160µm	0	8	0	0		
80µm	0	3	0	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	55501 - 56000	Lab No.:	74	Field No.:	112
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	28-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	78	-7		
630µm	35	100	22.2	-12.8		
315µm	0	50	0.8			
160µm	0	8	0.1	0		
80µm	0	3	0.1	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	56001 - 56500	Lab No.:	75	Field No.:	113
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	30-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	84.2	-0.8		
630µm	35	100	27.5	-7.5		
315µm	0	50	1.4			
160µm	0	8	0.3	0		
80µm	0	3	0.2	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	56501 - 57000	Lab No.:	76	Field No.:	114
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	31-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.7	0		
1250µm	85	100	73.7	-11.3		
630µm	35	100	16.2	-18.8		
315µm	0	50	0.6			
160µm	0	8	0.09	0		
80µm	0	3	0.04	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	57001 - 57500	Lab No.:	77	Field No.:	115
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	31-Jan-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	91.2			
630µm	35	100	53.6			
315µm	0	50	16.9			
160µm	0	8	3.4	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>57501 - 58000</b>	Lab No.:	<b>78</b>	Field No.:	<b>116</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>31-Jan-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.7</b>			
630µm	35	100	<b>52.4</b>			
315µm	0	50	<b>12.5</b>			
160µm	0	8	<b>2</b>	0		
80µm	0	3	<b>0.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>58001 - 58500</b>	Lab No.:	<b>79</b>	Field No.:	<b>117</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>1-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.8</b>			
630µm	35	100	<b>66.9</b>			
315µm	0	50	<b>28.3</b>			
160µm	0	8	<b>7.7</b>	0		
80µm	0	3	<b>0.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	58501 - 59000	Lab No.:	80	Field No.:	118
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	2-Feb-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	94.3			
630µm	35	100	69.2			
315µm	0	50	30.3			
160µm	0	8	7.9	0		
80µm	0	3	0.8	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	59001 - 59500	Lab No.:	81	Field No.:	119
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	4-Feb-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	9-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	95.8			
630µm	35	100	63.1			
315µm	0	50	28.7			
160µm	0	8	9.4	1.4		
80µm	0	3	1.1	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.: **59501 - 60000** Lab No.: **82** Field No.: **120**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **4-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **9-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.20			
SODIUM CHLORIDE	95		97.80			
INSOLUBLE MATTER		1	0.80			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.1	0		
1250µm	85	100	92.9			
630µm	35	100	63.7			
315µm	0	50	23.5			
160µm	0	8	6	0		
80µm	0	3	0	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>60001 - 60500</b>	Lab No.:	<b>83</b>	Field No.:	<b>121</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>5-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>93</b>			
630µm	35	100	<b>60.4</b>			
315µm	0	50	<b>22.1</b>			
160µm	0	8	<b>5.2</b>	0		
80µm	0	3	<b>1.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>60501 - 61000</b>	Lab No.:	<b>84</b>	Field No.:	<b>122</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>5-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>89.8</b>			
630µm	35	100	<b>53.7</b>			
315µm	0	50	<b>16.3</b>			
160µm	0	8	<b>3.2</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

---



---



---

Tested by: LR Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **61001 - 61500** Lab No.: **85** Field No.: **123**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **5-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **9-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>94.5</b>			
630µm	35	100	<b>63.9</b>			
315µm	0	50	<b>24.4</b>			
160µm	0	8	<b>6.2</b>	0		
80µm	0	3	<b>0.7</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>61501 - 62000</b>	Lab No.:	<b>86</b>	Field No.:	<b>124</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>6-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>9-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.1</b>			
630µm	35	100	<b>58.4</b>			
315µm	0	50	<b>14.3</b>			
160µm	0	8	<b>3</b>	0		
80µm	0	3	<b>0.09</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>62001 - 62500</b>	Lab No.:	<b>87</b>	Field No.:	<b>125</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>6-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94</b>			
630µm	35	100	<b>63.3</b>			
315µm	0	50	<b>23.2</b>			
160µm	0	8	<b>5.7</b>	0		
80µm	0	3	<b>0.9</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	62501 - 63000	Lab No.:	88	Field No.:	126
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	6-Feb-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	15-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	93.3			
630µm	35	100	59.2			
315µm	0	50	21.5			
160µm	0	8	5.1	0		
80µm	0	3	0.9	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>63001 - 63500</b>	Lab No.:	<b>89</b>	Field No.:	<b>127</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>7-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91</b>			
630µm	35	100	<b>55.1</b>			
315µm	0	50	<b>15.9</b>			
160µm	0	8	<b>3.5</b>	0		
80µm	0	3	<b>0.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---



---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **63501 - 64000** Lab No.: **90** Field No.: **128**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **7-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **15-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.7</b>			
630µm	35	100	<b>61.7</b>			
315µm	0	50	<b>26.7</b>			
160µm	0	8	<b>7</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments:  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>64001 - 64500</b>	Lab No.:	<b>91</b>	Field No.:	<b>129</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>8-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>93.3</b>			
630µm	35	100	<b>60.1</b>			
315µm	0	50	<b>19.9</b>			
160µm	0	8	<b>4.6</b>	0		
80µm	0	3	<b>0.7</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

\_\_\_\_\_

\_\_\_\_\_

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>64501 - 65000</b>	Lab No.:	<b>92</b>	Field No.:	<b>130</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>8-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.1</b>			
630µm	35	100	<b>55.5</b>			
315µm	0	50	<b>15.1</b>			
160µm	0	8	<b>2.7</b>	0		
80µm	0	3	<b>0.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>65001 - 65500</b>	Lab No.:	<b>93</b>	Field No.:	<b>131</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>8-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>98.90</b>			
SODIUM CHLORIDE	95		<b>97.70</b>			
INSOLUBLE MATTER		1	<b>1.01</b>	0.01		
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>94.2</b>			
630µm	35	100	<b>55.7</b>			
315µm	0	50	<b>18.4</b>			
160µm	0	8	<b>5.1</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>65501 - 66000</b>	Lab No.:	<b>94</b>	Field No.:	<b>132</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>9-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.3</b>			
630µm	35	100	<b>53.3</b>			
315µm	0	50	<b>15.2</b>			
160µm	0	8	<b>3.6</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>66001 - 66500</b>	Lab No.:	<b>95</b>	Field No.:	<b>133</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>10-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>15-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90</b>			
630µm	35	100	<b>48.5</b>			
315µm	0	50	<b>12</b>			
160µm	0	8	<b>1.5</b>	0		
80µm	0	3	<b>0</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **66501 - 67000** Lab No.: **96** Field No.: **134**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **11-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **15-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>89.9</b>			
630µm	35	100	<b>45.1</b>			
315µm	0	50	<b>10.8</b>			
160µm	0	8	<b>2.3</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS


NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  
  
If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>67001 - 67500</b>	Lab No.:	<b>97</b>	Field No.:	<b>135</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>12-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>90.4</b>			
630µm	35	100	<b>49.2</b>			
315µm	0	50	<b>11.5</b>			
160µm	0	8	<b>1.8</b>	0		
80µm	0	3	<b>0.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **67501 - 68000** Lab No.: **98** Field No.: **136**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **12-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **25-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92</b>			
630µm	35	100	<b>53</b>			
315µm	0	50	<b>13.1</b>			
160µm	0	8	<b>2.3</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  
  
If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **68001 - 68500** Lab No.: **99** Field No.: **137**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **11-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **25-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>91.1</b>			
630µm	35	100	<b>50.2</b>			
315µm	0	50	<b>12.5</b>			
160µm	0	8	<b>2.3</b>	0		
80µm	0	3	<b>0.1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  
  
If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments:  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	68501 - 69000	Lab No.:	100	Field No.:	138
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	13-Feb-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	25-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	92.9			
630µm	35	100	54.4			
315µm	0	50	15.2			
160µm	0	8	2.9	0		
80µm	0	3	0.2	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>69001 - 69500</b>	Lab No.:	<b>101</b>	Field No.:	<b>139</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>13-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.10</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.1</b>			
630µm	35	100	<b>51.7</b>			
315µm	0	50	<b>12.8</b>			
160µm	0	8	<b>2.3</b>	0		
80µm	0	3	<b>0.2</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**


/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>69501 - 70000</b>	Lab No.:	<b>102</b>	Field No.:	<b>140</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>14-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>97.30</b>			
INSOLUBLE MATTER		1	<b>0.91</b>			
MOISTURE CONTENT		1	<b>0.10</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.1</b>			
630µm	35	100	<b>60.6</b>			
315µm	0	50	<b>22.6</b>			
160µm	0	8	<b>6.7</b>	0		
80µm	0	3	<b>1.1</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>70001 - 70500</b>	Lab No.:	<b>103</b>	Field No.:	<b>141</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>14-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.4</b>			
630µm	35	100	<b>57.8</b>			
315µm	0	50	<b>20.7</b>			
160µm	0	8	<b>6.1</b>	0		
80µm	0	3	<b>1</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>70501 - 71000</b>	Lab No.:	<b>104</b>	Field No.:	<b>142</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>14-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92</b>			
630µm	35	100	<b>56.3</b>			
315µm	0	50	<b>18.2</b>			
160µm	0	8	<b>4.9</b>	0		
80µm	0	3	<b>1</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	<b>71001 - 71500</b>	Lab No.:	<b>105</b>	Field No.:	<b>143</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>15-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.7</b>			
630µm	35	100	<b>56.8</b>			
315µm	0	50	<b>18.7</b>			
160µm	0	8	<b>4.8</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	71501 - 72000	Lab No.:	106	Field No.:	144
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	15-Feb-18	Production Location:	Vanscoy		
Date Received:	24-Apr-18	Date Tested:	25-May-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	92.8			
630µm	35	100	60.8			
315µm	0	50	24			
160µm	0	8	7.8	0		
80µm	0	3	1.7	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

\_\_\_\_\_

\_\_\_\_\_

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>72001 - 72500</b>	Lab No.:	<b>107</b>	Field No.:	<b>145</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.2</b>			
630µm	35	100	<b>58</b>			
315µm	0	50	<b>22.1</b>			
160µm	0	8	<b>7</b>	0		
80µm	0	3	<b>1.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>72501 - 73000</b>	Lab No.:	<b>108</b>	Field No.:	<b>146</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>93.6</b>			
630µm	35	100	<b>62.6</b>			
315µm	0	50	<b>23.5</b>			
160µm	0	8	<b>6.6</b>	0		
80µm	0	3	<b>1.2</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>73001 - 73500</b>	Lab No.:	<b>109</b>	Field No.:	<b>147</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>19-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.3</b>			
630µm	35	100	<b>57.9</b>			
315µm	0	50	<b>20.5</b>			
160µm	0	8	<b>5.7</b>	0		
80µm	0	3	<b>1.1</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>73501 - 74000</b>	Lab No.:	<b>110</b>	Field No.:	<b>148</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>19-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>24-Apr-18</b>	Date Tested:	<b>25-May-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>93.1</b>			
630µm	35	100	<b>57.2</b>			
315µm	0	50	<b>20.3</b>			
160µm	0	8	<b>6</b>	0		
80µm	0	3	<b>1.4</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **74001 - 74500** Lab No.: **111** Field No.: **149**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **20-Feb-18** Production Location: **Vanscoy**

Date Received: **24-Apr-18** Date Tested: **25-May-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>97.70</b>			
INSOLUBLE MATTER		1	<b>0.87</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.1</b>			
630µm	35	100	<b>57.2</b>			
315µm	0	50	<b>19.9</b>			
160µm	0	8	<b>5.2</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>74501 - 75000</b>	Lab No.:	<b>112</b>	Field No.:	<b>150</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>99.9</b>	<b>0</b>		
1250µm	85	100	<b>92.6</b>			
630µm	35	100	<b>59.1</b>			
315µm	0	50	<b>22.8</b>			
160µm	0	8	<b>7.4</b>	<b>0</b>		
80µm	0	3	<b>1.6</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>75000 - 75500</b>	Lab No.:	<b>113</b>	Field No.:	<b>151</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>99.9</b>	<b>0</b>		
1250µm	85	100	<b>93.1</b>			
630µm	35	100	<b>61.2</b>			
315µm	0	50	<b>23.9</b>			
160µm	0	8	<b>6.7</b>	<b>0</b>		
80µm	0	3	<b>1.1</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>75501 - 76000</b>	Lab No.:	<b>114</b>	Field No.:	<b>152</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.8</b>			
630µm	35	100	<b>60.6</b>			
315µm	0	50	<b>21.0</b>			
160µm	0	8	<b>5.2</b>	0		
80µm	0	3	<b>0.8</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>76001 - 76500</b>	Lab No.:	<b>115</b>	Field No.:	<b>153</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>100</b>			
1250µm	85	100	<b>89.3</b>			
630µm	35	100	<b>39.0</b>			
315µm	0	50	<b>5.1</b>			
160µm	0	8	<b>0.5</b>			
80µm	0	3	<b>0.1</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>76501 - 77000</b>	Lab No.:	<b>116</b>	Field No.:	<b>154</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>98.80</b>			
SODIUM CHLORIDE	95		<b>98.10</b>			
INSOLUBLE MATTER		1	<b>1.18</b>	0.18		
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>93.2</b>			
630µm	35	100	<b>60.1</b>			
315µm	0	50	<b>20.7</b>			
160µm	0	8	<b>3.8</b>	0		
80µm	0	3	<b>0.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>77001 - 77500</b>	Lab No.:	<b>117</b>	Field No.:	<b>155</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>22-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.7</b>			
630µm	35	100	<b>63.8</b>			
315µm	0	50	<b>24.6</b>			
160µm	0	8	<b>6.6</b>	0		
80µm	0	3	<b>0.8</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** /AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>77501 - 78000</b>	Lab No.:	<b>118</b>	Field No.:	<b>156</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>22-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>94.3</b>			
630µm	35	100	<b>61.3</b>			
315µm	0	50	<b>21.4</b>			
160µm	0	8	<b>5.4</b>	<b>0</b>		
80µm	0	3	<b>0.6</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>78001 - 78500</b>	Lab No.:	<b>119</b>	Field No.:	<b>157</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>23-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>93.4</b>			
630µm	35	100	<b>60.9</b>			
315µm	0	50	<b>22.9</b>			
160µm	0	8	<b>6.2</b>	<b>0</b>		
80µm	0	3	<b>1</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>78501 - 79000</b>	Lab No.:	<b>120</b>	Field No.:	<b>158</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>23-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>93.3</b>			
630µm	35	100	<b>61.8</b>			
315µm	0	50	<b>24.2</b>			
160µm	0	8	<b>7.0</b>	0		
80µm	0	3	<b>0.9</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	79001 - 79500	Lab No.:	121	Field No.:	159
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	23-Feb-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	18-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	93.2			
630µm	35	100	60.3			
315µm	0	50	23.2			
160µm	0	8	6.1	0		
80µm	0	3	0.7	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	79501 - 80000	Lab No.:	122	Field No.:	160
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	26-Feb-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	18-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	91.8			
630µm	35	100	51.8			
315µm	0	50	15.7			
160µm	0	8	4.2	0		
80µm	0	3	0.6	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>80001 - 80500</b>	Lab No.:	<b>123</b>	Field No.:	<b>161</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>26-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>93.6</b>			
630µm	35	100	<b>57.5</b>			
315µm	0	50	<b>18.8</b>			
160µm	0	8	<b>4.7</b>	<b>0</b>		
80µm	0	3	<b>0.7</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>80501 - 81000</b>	Lab No.:	<b>124</b>	Field No.:	<b>162</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>26-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>93.5</b>			
630µm	35	100	<b>62.2</b>			
315µm	0	50	<b>27.0</b>			
160µm	0	8	<b>9.3</b>	<b>1.3</b>		
80µm	0	3	<b>1.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>81001 - 81500</b>	Lab No.:	<b>125</b>	Field No.:	<b>163</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>26-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.8</b>			
630µm	35	100	<b>63.0</b>			
315µm	0	50	<b>26.6</b>			
160µm	0	8	<b>9.0</b>	1		
80µm	0	3	<b>1.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	81501 - 82000	Lab No.:	126	Field No.:	164
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	27-Feb-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	18-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.30			
INSOLUBLE MATTER		1	0.90			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	93.4			
630µm	35	100	62.0			
315µm	0	50	27.1			
160µm	0	8	9.7	1.7		
80µm	0	3	1.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>82001 - 82500</b>	Lab No.:	<b>127</b>	Field No.:	<b>165</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>27-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>93.3</b>			
630µm	35	100	<b>60.3</b>			
315µm	0	50	<b>24.6</b>			
160µm	0	8	<b>8.8</b>	<b>0.8</b>		
80µm	0	3	<b>1.4</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>82501 - 83000</b>	Lab No.:	<b>128</b>	Field No.:	<b>166</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type		Alta. Trans. Fine	
Date Sampled:	<b>28-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>92.5</b>			
630µm	35	100	<b>55.6</b>			
315µm	0	50	<b>19.6</b>			
160µm	0	8	<b>6.2</b>	<b>0</b>		
80µm	0	3	<b>0.9</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>83001 - 83500</b>	Lab No.:	<b>129</b>	Field No.:	<b>167</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Feb-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>99.7</b>	<b>0</b>		
1250µm	85	100	<b>89.9</b>			
630µm	35	100	<b>44.6</b>			
315µm	0	50	<b>10.1</b>			
160µm	0	8	<b>2.3</b>	<b>0</b>		
80µm	0	3	<b>0.5</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>83501 - 84000</b>	Lab No.:	<b>130</b>	Field No.:	<b>168</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.6</b>			
630µm	35	100	<b>55.5</b>			
315µm	0	50	<b>19.0</b>			
160µm	0	8	<b>5.5</b>	0		
80µm	0	3	<b>0.7</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>84001 - 84500</b>	Lab No.:	<b>131</b>	Field No.:	<b>169</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>18-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>99.9</b>			
1250µm	85	100	<b>92.3</b>			
630µm	35	100	<b>54.1</b>			
315µm	0	50	<b>18.3</b>			
160µm	0	8	<b>5.0</b>			
80µm	0	3	<b>0.8</b>			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>84501 - 85000</b>	Lab No.:	<b>132</b>	Field No.:	<b>170</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>5-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>94.9</b>			
630µm	35	100	<b>63.7</b>			
315µm	0	50	<b>28.7</b>			
160µm	0	8	<b>10.8</b>	<b>2.8</b>		
80µm	0	3	<b>1.6</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>85001 - 85500</b>	Lab No.:	<b>133</b>	Field No.:	<b>171</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>6-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.6</b>			
630µm	35	100	<b>63.3</b>			
315µm	0	50	<b>26.5</b>			
160µm	0	8	<b>8.9</b>	0.9		
80µm	0	3	<b>1.0</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	85501 - 86000	Lab No.:	134	Field No.:	172
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	6-Mar-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	19-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	93.0			
630µm	35	100	55.0			
315µm	0	50	17.3			
160µm	0	8	4.2	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **86001 - 86500** Lab No.: **135** Field No.: **173**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **7-Mar-18** Production Location: **Vanscoy**

Date Received: **8-May-18** Date Tested: **19-Sep-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>93.1</b>			
630µm	35	100	<b>61.7</b>			
315µm	0	50	<b>26.4</b>			
160µm	0	8	<b>9.5</b>	<b>1.5</b>		
80µm	0	3	<b>1.7</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>86501 - 87000</b>	Lab No.:	<b>136</b>	Field No.:	<b>174</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>8-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.10</b>			
SODIUM CHLORIDE	95		<b>98.30</b>			
INSOLUBLE MATTER		1	<b>0.91</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>99.9</b>	<b>0</b>		
1250µm	85	100	<b>94.2</b>			
630µm	35	100	<b>63.7</b>			
315µm	0	50	<b>27.7</b>			
160µm	0	8	<b>10.1</b>	<b>2.1</b>		
80µm	0	3	<b>1.7</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>87001 - 87500</b>	Lab No.:	<b>137</b>	Field No.:	<b>175</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>12-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.9</b>			
630µm	35	100	<b>64.1</b>			
315µm	0	50	<b>27.3</b>			
160µm	0	8	<b>9.0</b>	1		
80µm	0	3	<b>1.0</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	87501 - 88000	Lab No.:	138	Field No.:	176
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	14-Mar-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	19-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	93.0			
630µm	35	100	61.5			
315µm	0	50	26.5			
160µm	0	8	9.6	1.6		
80µm	0	3	1.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>88001 - 88500</b>	Lab No.:	<b>139</b>	Field No.:	<b>177</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>19-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.05</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>			
2500µm	98	100	<b>99.9</b>			
1250µm	85	100	<b>93.4</b>			
630µm	35	100	<b>60.9</b>			
315µm	0	50	<b>25.4</b>			
160µm	0	8	<b>8.6</b>	0.6		
80µm	0	3	<b>1.2</b>			

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** /AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>88501 - 89000</b>	Lab No.:	<b>140</b>	Field No.:	<b>178</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	<b>0</b>		
2500µm	98	100	<b>100</b>	<b>0</b>		
1250µm	85	100	<b>93.7</b>			
630µm	35	100	<b>61.4</b>			
315µm	0	50	<b>24.9</b>			
160µm	0	8	<b>8.6</b>	<b>0.6</b>		
80µm	0	3	<b>1.4</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	89001 - 89500	Lab No.:	141	Field No.:	179
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	21-Mar-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	19-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	93.4			
630µm	35	100	62.7			
315µm	0	50	26.8			
160µm	0	8	9.9	1.9		
80µm	0	3	1.6	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	89501 - 90000	Lab No.:	142	Field No.:	180
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	27-Mar-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	19-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			

GRADATION						
10000µm						
5000µm	100	100	99.9	-0.1		
2500µm	98	100	99.8	0		
1250µm	85	100	91.4			
630µm	35	100	54.6			
315µm	0	50	19.1			
160µm	0	8	4.9	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>90001 - 90500</b>	Lab No.:	<b>143</b>	Field No.:	<b>181</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>29-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>99.9</b>	<b>-0.1</b>		
2500µm	98	100	<b>99.7</b>	<b>0</b>		
1250µm	85	100	<b>90.7</b>			
630µm	35	100	<b>53.4</b>			
315µm	0	50	<b>17.3</b>			
160µm	0	8	<b>3.8</b>	<b>0</b>		
80µm	0	3	<b>0.5</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>90501 - 91000</b>	Lab No.:	<b>144</b>	Field No.:	<b>182</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>31-Mar-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>99.7</b>	<b>-0.3</b>		
2500µm	98	100	<b>99.4</b>	<b>0</b>		
1250µm	85	100	<b>90.0</b>			
630µm	35	100	<b>52.4</b>			
315µm	0	50	<b>16.8</b>			
160µm	0	8	<b>3.8</b>	<b>0</b>		
80µm	0	3	<b>0.3</b>	<b>0</b>		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>91001 - 91500</b>	Lab No.:	<b>145</b>	Field No.:	<b>183</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>3-Apr-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>8-May-18</b>	Date Tested:	<b>19-Sep-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>99.4</b>	<b>-0.6</b>		
2500µm	98	100	<b>99.1</b>	<b>0</b>		
1250µm	85	100	<b>91.1</b>			
630µm	35	100	<b>52.4</b>			
315µm	0	50	<b>13.9</b>			
160µm	0	8	<b>2.7</b>	<b>0</b>		
80µm	0	3	<b>0.2</b>	<b>0</b>		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	91501 - 92000	Lab No.:	146	Field No.:	184
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	4-Apr-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	19-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.20			
INSOLUBLE MATTER		1	0.84			
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	88.1			
630µm	35	100	44.8			
315µm	0	50	10.3			
160µm	0	8	1.9	0		
80µm	0	3	0.3	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	92001 - 92500	Lab No.:	147	Field No.:	185
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	9-Apr-18	Production Location:	Vanscoy		
Date Received:	8-May-18	Date Tested:	19-Sep-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	99.9	-0.1		
2500µm	98	100	99.8	0		
1250µm	85	100	91.0			
630µm	35	100	53.5			
315µm	0	50	16.9			
160µm	0	8	3.6	0		
80µm	0	3	0.3	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>92501 - 93000</b>	Lab No.:	<b>148</b>	Field No.:	<b>186</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>16-Apr-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>5-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.13</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>89.9</b>			
630µm	35	100	<b>43.2</b>			
315µm	0	50	<b>10.9</b>			
160µm	0	8	<b>1.9</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>93001 - 93500</b>	Lab No.:	<b>149</b>	Field No.:	<b>187</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Apr-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>5-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>98.50</b>			
SODIUM CHLORIDE	95		<b>97.60</b>			
INSOLUBLE MATTER		1	<b>1.55</b>	0.55		
MOISTURE CONTENT		1	<b>0.20</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.0</b>			
630µm	35	100	<b>48.2</b>			
315µm	0	50	<b>11.8</b>			
160µm	0	8	<b>1.6</b>	0		
80µm	0	3	<b>0.2</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **93501 - 94000** Lab No.: **150** Field No.: **188**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **1-May-18** Production Location: **Vanscoy**

Date Received: **3-Dec-18** Date Tested: **5-Dec-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.17</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>89.2</b>			
630µm	35	100	<b>45.8</b>			
315µm	0	50	<b>14.5</b>			
160µm	0	8	<b>3.4</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **94001 - 94500** Lab No.: **151** Field No.: **189**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **8-May-18** Production Location: **Vanscoy**

Date Received: **3-Dec-18** Date Tested: **5-Dec-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.12</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>91.1</b>			
630µm	35	100	<b>49.3</b>			
315µm	0	50	<b>16.1</b>			
160µm	0	8	<b>4.0</b>	0		
80µm	0	3	<b>0.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>94501 - 95000</b>	Lab No.:	<b>152</b>	Field No.:	<b>190</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>31-May-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>5-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.09</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.2</b>			
630µm	35	100	<b>55.6</b>			
315µm	0	50	<b>20.5</b>			
160µm	0	8	<b>4.6</b>	0		
80µm	0	3	<b>0.7</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **95001 - 95500** Lab No.: **153** Field No.: **191**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **18-Jun-18** Production Location: **Vanscoy**

Date Received: **3-Dec-18** Date Tested: **5-Dec-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.17</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.7</b>			
630µm	35	100	<b>49.0</b>			
315µm	0	50	<b>15.1</b>			
160µm	0	8	<b>3.3</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>95501 - 96000</b>	Lab No.:	<b>154</b>	Field No.:	<b>192</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Jun-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>5-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.13</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.5</b>			
630µm	35	100	<b>50.3</b>			
315µm	0	50	<b>15.2</b>			
160µm	0	8	<b>3.6</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT** \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	96001 - 96500	Lab No.:	155	Field No.:	193
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	11-Jul-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	5-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	89.2			
630µm	35	100	44.3			
315µm	0	50	11.6			
160µm	0	8	2.0	0		
80µm	0	3	0.3	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	96501 - 97000	Lab No.:	156	Field No.:	194
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	26-Jul-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	5-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	90.9			
630µm	35	100	48.5			
315µm	0	50	14.8			
160µm	0	8	3.1	0		
80µm	0	3	0.3	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>97001 - 97500</b>	Lab No.:	<b>157</b>	Field No.:	<b>195</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>31-Jul-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>5-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.20</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.5</b>			
630µm	35	100	<b>48.0</b>			
315µm	0	50	<b>14.4</b>			
160µm	0	8	<b>3.1</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>0 to 500</b>	Lab No.:	<b>158</b>	Field No.:	<b>1</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>13-Aug-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.13</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>90.5</b>			
630µm	35	100	<b>46.6</b>			
315µm	0	50	<b>13.5</b>			
160µm	0	8	<b>2.4</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>501 to 1000</b>	Lab No.:	<b>159</b>	Field No.:	<b>2</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>14-Aug-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.12</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.2</b>			
630µm	35	100	<b>50.4</b>			
315µm	0	50	<b>15.9</b>			
160µm	0	8	<b>3.3</b>	0		
80µm	0	3	<b>0.4</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	1001 to 1500	Lab No.:	160	Field No.:	3
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	14-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	90.6			
630µm	35	100	51.3			
315µm	0	50	17.4			
160µm	0	8	3.6	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	1501 to 2000	Lab No.:	161	Field No.:	4
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	91.9			
630µm	35	100	52.3			
315µm	0	50	18.2			
160µm	0	8	3.8	0		
80µm	0	3	0.7	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	2001 to 2500	Lab No.:	162	Field No.:	5
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	20-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.13			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	91.4			
630µm	35	100	50.1			
315µm	0	50	16.8			
160µm	0	8	3.6	0		
80µm	0	3	0.7	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR \_\_\_\_\_

Reviewed by: GM \_\_\_\_\_



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>2501 to 3000</b>	Lab No.:	<b>163</b>	Field No.:	<b>6</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Aug-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.3</b>			
630µm	35	100	<b>51.6</b>			
315µm	0	50	<b>16.9</b>			
160µm	0	8	<b>3.6</b>	0		
80µm	0	3	<b>0.8</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	3001 to 3500	Lab No.:	164	Field No.:	7
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	22-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	91.4			
630µm	35	100	50.8			
315µm	0	50	16.6			
160µm	0	8	3.5	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM 





TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	3501 to 4000	Lab No.:	165	Field No.:	8
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	22-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.7	0		
1250µm	85	100	91.3			
630µm	35	100	49.4			
315µm	0	50	15.4			
160µm	0	8	3.3	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	4001 to 4500	Lab No.:	166	Field No.:	9
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	24-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	90.1			
630µm	35	100	47.4			
315µm	0	50	15.4			
160µm	0	8	3	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	4501 to 5000	Lab No.:	167	Field No.:	10
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	24-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.60			
SODIUM CHLORIDE	95		97.10			
INSOLUBLE MATTER		1	1.48	0.48		
MOISTURE CONTENT		1	0.12			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	89.0			
630µm	35	100	48.5			
315µm	0	50	17.4			
160µm	0	8	3.5	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR \_\_\_\_\_

Reviewed by: GM \_\_\_\_\_



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	5001 to 5500	Lab No.:	168	Field No.:	11
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	24-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	89.8			
630µm	35	100	49.6			
315µm	0	50	15.4			
160µm	0	8	2.7	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>5501 to 6000</b>	Lab No.:	<b>169</b>	Field No.:	<b>12</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>27-Aug-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.16</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.4</b>			
630µm	35	100	<b>49.6</b>			
315µm	0	50	<b>15.3</b>			
160µm	0	8	<b>2.8</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>6001 to 6500</b>	Lab No.:	<b>170</b>	Field No.:	<b>13</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Aug-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.30</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.0</b>			
630µm	35	100	<b>49.0</b>			
315µm	0	50	<b>15.2</b>			
160µm	0	8	<b>3.0</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	6501 to 7000	Lab No.:	171	Field No.:	14
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	30-Aug-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	90.2			
630µm	35	100	49.6			
315µm	0	50	15.8			
160µm	0	8	3.0	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR \_\_\_\_\_

Reviewed by: GM \_\_\_\_\_



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	7001 to 7500	Lab No.:	172	Field No.:	15
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	4-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.13			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	95.2			
630µm	35	100	64.7			
315µm	0	50	26.8			
160µm	0	8	6.0	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	7501 to 8000	Lab No.:	173	Field No.:	16
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	4-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.13			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	94.7			
630µm	35	100	63.0			
315µm	0	50	26.4			
160µm	0	8	6.5	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	8001 to 8500	Lab No.:	174	Field No.:	17
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	5-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.16			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	95.1			
630µm	35	100	64.6			
315µm	0	50	28.0			
160µm	0	8	6.7	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>8501 to 9000</b>	Lab No.:	<b>175</b>	Field No.:	<b>18</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>6-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.12</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.5</b>			
630µm	35	100	<b>61.7</b>			
315µm	0	50	<b>25.4</b>			
160µm	0	8	<b>5.7</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	9001 to 9500	Lab No.:	176	Field No.:	19
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	10-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	95.2			
630µm	35	100	63.3			
315µm	0	50	26.3			
160µm	0	8	6.1	0		
80µm	0	3	0.8	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	9501 to 10000	Lab No.:	177	Field No.:	20
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	11-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.00			
SODIUM CHLORIDE	95		95.50			
INSOLUBLE MATTER		1	2.06	1.06		
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	94.0			
630µm	35	100	65.4			
315µm	0	50	28.5			
160µm	0	8	6.4	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>17501 - 18000</b>	Lab No.:	<b>178</b>	Field No.:	<b>36</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>19-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.13</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.7</b>			
630µm	35	100	<b>52.6</b>			
315µm	0	50	<b>17.9</b>			
160µm	0	8	<b>3.9</b>	0		
80µm	0	3	<b>0.8</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>18001 - 18500</b>	Lab No.:	<b>179</b>	Field No.:	<b>37</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>20-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.17</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.9</b>			
630µm	35	100	<b>52.8</b>			
315µm	0	50	<b>17.9</b>			
160µm	0	8	<b>3.5</b>	0		
80µm	0	3	<b>0.4</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.: **18501 - 19000** Lab No.: **180** Field No.: **38**

Manufacturer: **NSC Minerals** Salt Type: **Alta. Trans. Fine**

Date Sampled: **20-Sep-18** Production Location: **Vanscoy**

Date Received: **3-Dec-18** Date Tested: **6-Dec-18**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.17</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.0</b>			
630µm	35	100	<b>52.1</b>			
315µm	0	50	<b>16.6</b>			
160µm	0	8	<b>3.2</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	19001 - 19500	Lab No.:	181	Field No.:	39
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	20-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	91.7			
630µm	35	100	52.0			
315µm	0	50	17.6			
160µm	0	8	3.6	0		
80µm	0	3	0.5	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>19501 - 20000</b>	Lab No.:	<b>182</b>	Field No.:	<b>40</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.16</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.4</b>			
630µm	35	100	<b>54.5</b>			
315µm	0	50	<b>18.5</b>			
160µm	0	8	<b>3.7</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>20001 - 20500</b>	Lab No.:	<b>183</b>	Field No.:	<b>41</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>21-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.13</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>92.4</b>			
630µm	35	100	<b>54.5</b>			
315µm	0	50	<b>18.3</b>			
160µm	0	8	<b>3.2</b>	0		
80µm	0	3	<b>0.5</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>20501 - 21000</b>	Lab No.:	<b>184</b>	Field No.:	<b>42</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>24-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.12</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.7</b>			
630µm	35	100	<b>51.2</b>			
315µm	0	50	<b>15.9</b>			
160µm	0	8	<b>3.0</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	21001 - 21500	Lab No.:	185	Field No.:	43
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	24-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	91.9			
630µm	35	100	52.3			
315µm	0	50	17.5			
160µm	0	8	3.6	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	21501 - 22000	Lab No.:	186	Field No.:	44
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	24-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	92.6			
630µm	35	100	54.8			
315µm	0	50	21.3			
160µm	0	8	5.7	0		
80µm	0	3	1.0	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	22001 - 22500	Lab No.:	187	Field No.:	45
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	26-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	92.4			
630µm	35	100	53.8			
315µm	0	50	19.7			
160µm	0	8	4.9	0		
80µm	0	3	0.8	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	22501 - 23000	Lab No.:	188	Field No.:	46
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	26-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	92.2			
630µm	35	100	52.1			
315µm	0	50	17.8			
160µm	0	8	4.2	0		
80µm	0	3	0.6	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE

Lot No.:	23001 - 23500	Lab No.:	189	Field No.:	47
Manufacturer:	NSG Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	26-Sep-18	Production Location:	Vanscoy		
Date Received:	3-Dec-18	Date Tested:	6-Dec-18		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	90.9			
630µm	35	100	50.5			
315µm	0	50	17.8			
160µm	0	8	4.3	0		
80µm	0	3	0.7	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>23501 - 24000</b>	Lab No.:	<b>190</b>	Field No.:	<b>48</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>28-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.17</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.6</b>			
630µm	35	100	<b>52.0</b>			
315µm	0	50	<b>18.0</b>			
160µm	0	8	<b>4.1</b>	0		
80µm	0	3	<b>0.6</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---

---

---

Tested by: LR Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>24001 - 24500</b>	Lab No.:	<b>191</b>	Field No.:	<b>49</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>1-Oct-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.21</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>92.1</b>			
630µm	35	100	<b>51.8</b>			
315µm	0	50	<b>17.4</b>			
160µm	0	8	<b>3.8</b>	0		
80µm	0	3	<b>0.6</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>24501 - 25000</b>	Lab No.:	<b>192</b>	Field No.:	<b>50</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>2-Oct-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>3-Dec-18</b>	Date Tested:	<b>6-Dec-18</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.20</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>91.3</b>			
630µm	35	100	<b>50.0</b>			
315µm	0	50	<b>15.8</b>			
160µm	0	8	<b>3.3</b>	0		
80µm	0	3	<b>0.7</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT \_\_\_\_\_ /AREA MANAGER

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	10001 to 10500	Lab No.:	193	Field No.:	21
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	11-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

**GRADATION**

10000µm						
5000µm	100	100	100	0		
2500µm	98	100	100	0		
1250µm	85	100	93.3			
630µm	35	100	60.4			
315µm	0	50	23.5			
160µm	0	8	5.9	0		
80µm	0	3	0.4	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>10501 to 11000</b>	Lab No.:	<b>194</b>	Field No.:	<b>22</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>11-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>11-Feb-19</b>	Date Tested:	<b>12-Feb-19</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>94.1</b>			
630µm	35	100	<b>62.7</b>			
315µm	0	50	<b>22.0</b>			
160µm	0	8	<b>5.0</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT


/AREA MANAGER

Comments:

\_\_\_\_\_

\_\_\_\_\_

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>11001 to 11500</b>	Lab No.:	<b>195</b>	Field No.:	<b>23</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>12-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>11-Feb-19</b>	Date Tested:	<b>12-Feb-19</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>93.4</b>			
630µm	35	100	<b>61.1</b>			
315µm	0	50	<b>23.7</b>			
160µm	0	8	<b>6.0</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>11501 to 12000</b>	Lab No.:	<b>196</b>	Field No.:	<b>24</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>12-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>11-Feb-19</b>	Date Tested:	<b>12-Feb-19</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.04</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.8</b>	0		
1250µm	85	100	<b>88.5</b>			
630µm	35	100	<b>50.3</b>			
315µm	0	50	<b>15.8</b>			
160µm	0	8	<b>3.9</b>	0		
80µm	0	3	<b>0.3</b>	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM







**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>12001 to 12500</b>	Lab No.:	<b>197</b>	Field No.:	<b>25</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>13-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>11-Feb-19</b>	Date Tested:	<b>12-Feb-19</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.7</b>	0		
1250µm	85	100	<b>88.2</b>			
630µm	35	100	<b>47.4</b>			
315µm	0	50	<b>14.6</b>			
160µm	0	8	<b>3.2</b>	0		
80µm	0	3	<b>0.3</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	12501 to 13000	Lab No.:	198	Field No.:	26
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	13-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	88.6			
630µm	35	100	48.2			
315µm	0	50	14.5			
160µm	0	8	3.8	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Tested by: LR \_\_\_\_\_

Reviewed by: GM \_\_\_\_\_



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	13001 to 13500	Lab No.:	199	Field No.:	27
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	13-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	89.1			
630µm	35	100	48.1			
315µm	0	50	13.3			
160µm	0	8	3.4			
80µm	0	3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	13501 to 14000	Lab No.:	200	Field No.:	28
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	14-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	88.8			
630µm	35	100	47.2			
315µm	0	50	13.7			
160µm	0	8	3.2	0		
80µm	0	3	0.5	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	14001 to 14500	Lab No.:	201	Field No.:	29
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

**GRADATION**

10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.7	0		
1250µm	85	100	88.7			
630µm	35	100	47.3			
315µm	0	50	12.6			
160µm	0	8	2.7	0		
80µm	0	3	0.2	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: LR

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	14501 to 15000	Lab No.:	202	Field No.:	30
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

**GRADATION**

10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	87.9			
630µm	35	100	46.6			
315µm	0	50	12.5			
160µm	0	8	2.5	0		
80µm	0	3	0.3	0		

**PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS**

**NOTE:** If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

**COPIES TO:** Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

**APPROVED FOR PAYMENT**

**/AREA MANAGER**

Comments:

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	15001 to 15500	Lab No.:	203	Field No.:	31
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.8	0		
1250µm	85	100	88.6			
630µm	35	100	48.0			
315µm	0	50	13.2			
160µm	0	8	2.7	0		
80µm	0	3	0.4	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>15501 to 16000</b>	Lab No.:	<b>204</b>	Field No.:	<b>32</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>11-Feb-19</b>	Date Tested:	<b>12-Feb-19</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		<b>99.00</b>			
SODIUM CHLORIDE	95		<b>97.20</b>			
INSOLUBLE MATTER		1	<b>0.98</b>			
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>99.9</b>	0		
1250µm	85	100	<b>90.5</b>			
630µm	35	100	<b>51.3</b>			
315µm	0	50	<b>15.2</b>			
160µm	0	8	<b>3.4</b>	0		
80µm	0	3	<b>0.5</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---

---

---

Tested by: LR

Reviewed by: GM 





**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	<b>16001 to 16500</b>	Lab No.:	<b>205</b>	Field No.:	<b>33</b>
Manufacturer:	<b>NSC Minerals</b>	Salt Type	<b>Alta. Trans. Fine</b>		
Date Sampled:	<b>18-Sep-18</b>	Production Location:	<b>Vanscoy</b>		
Date Received:	<b>11-Feb-19</b>	Date Tested:	<b>12-Feb-19</b>		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	<b>0.00</b>			

GRADATION						
10000µm						
5000µm	100	100	<b>100</b>	0		
2500µm	98	100	<b>100</b>	0		
1250µm	85	100	<b>90.5</b>			
630µm	35	100	<b>49.2</b>			
315µm	0	50	<b>15.1</b>			
160µm	0	8	<b>3.4</b>	0		
80µm	0	3	<b>0.4</b>	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---




---



---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	16501 to 17000	Lab No.:	206	Field No.:	34
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	19-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	91.4			
630µm	35	100	53.8			
315µm	0	50	17.2			
160µm	0	8	4.2	0		
80µm	0	3	0.2	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER


Comments:

---

---

---

Tested by: LR

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT  
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	17001 to 17500	Lab No.:	207	Field No.:	35
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	19-Sep-18	Production Location:	Vanscoy		
Date Received:	11-Feb-19	Date Tested:	12-Feb-19		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0		
1250µm	85	100	90.7			
630µm	35	100	53.5			
315µm	0	50	16.2			
160µm	0	8	4.0	0		
80µm	0	3	0.3	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

---



---



---

Tested by: LR

Reviewed by: GM