

V V V						
Lot No.:	27501 - 28		Lab No.:	1	Field No.:	56
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	2-Dec-19		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.4			
SODIUM CHLORIDE	95		97.6			
INSOLUBLE MATTER		1	1.505	0.505		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			0.02		****	
GRADATION						
10000μm						
5000μm	100	100	100			·
2500μm	98	100	99.7			
1250μm	85	100	91.4			
630μm	35	100	55.3			
315µm	0	50	18.5			
160μm	0	8	4.7			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment	•	
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	ore		
	• • •	t will be mad				
COPIES TO:				n (rishi.adhik	ari@gov.ab.ca	a)
		utz, NSC Mine	•	•	=	
	APPROVED	FOR PAYMEN	NT		/^	DEA MANIACED
Commonts			<u>.</u>			REA MANAGER
Comments:						
······					-	



- · · · ·						
Lot No.:	28001 - 28		Lab No.:	2	Field No.:	57
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	2-Dec-19		·	Production Location:		
Date Received:	24-Feb-20		Date Tested	<u>d:</u>	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT	***************************************					
GRADATION						
10000μm						
5000μm	100	100	100		<u></u>	
2500μm	98	100	99.7			
1250µm	85	100	90.8			
630μm	35	100	52.2			
315μm	0	50	18.0			
160μm	0	8	4.2			
80μm	0	3	0.3			
····	DJUSTMENT	(PERCENT) =		DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses	sed against t	the lot.	,	
	no paymen	adjustment is t will be mad	e for the lot.			
COPIES TO:		ari, Alberta Tı utz, NSC Mine	•	•	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	REA MANAGER
Comments:						
						ė.



Lot No.:	28501 - 29	000	Lab No.:	3	F: -1-1 A1 -	
Manufacturer:	NSC Miner			3	Field No.:	58 -•
Date Sampled:	4-Dec-19	ais	Salt Type	1 • :	Alta. Trans. I	-ine
Date Received:	24-Feb-20		Production		Vanscoy	
Date Neceived.	24-reb-20		Date Tested	1:	25-Feb-20	<del>T                                    </del>
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			-
2500μm	98	100	99.9			
1250μm	85	100	90.2			
630µm	35	100	47.6			
315μm	0	50	11.8			
160μm	0	8	2.4			
80μm	0	3	0.3			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
	• •	adjustment is t will be made		ore		
			<del></del>	n (rishi.adhik	ari@gov.ab.c	a)
		utz, NSC Mine	•	•	-	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



		-				
Lot No.:	29001 - 29	500	Lab No.:	4	Field No.:	59
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	4-Dec-19		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST	SPECIFICA	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			·		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						,
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm				A0.000.00.00.00.00.00.00.00.00.00.00.00.	-	
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	91.5			
630μm	35	100	48.6			
315μm	0	50	13.4			
160μm	0	8	2.1			
80μm	0	3	0.2			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less,	no payment		
,	adjustment	will be asses	sed against t	he lot.		
		adjustment is		ore		·
CONFCTO		will be mad		. / .: -1-:11-:1		
COPIES TO:					ari@gov.ab.ca iinerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						
						1



Lot No.:	29501 - 300	000	Lab No.:	5	Field No.:	60
Manufacturer:	NSC Minera	ils	Salt Type		Alta. Trans. I	ine
Date Sampled:	4-Dec-19		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE		1				***************************************
CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION			F			
10000μm				Laster Márico Váriot Actor		
5000μm	100	100	100			
2500μm	98	100	100			
1250μm	85	100	90.9			
630μm	35	100	49.4			
315μm	0	50	13.3			1
160μm	. 0	8	2.7			*
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	ndjustment is	s 5% or less,	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If payment a	djustment is	s 100% or mo	ore		
	no payment	will be mad	e for the lot.			
COPIES TO:			•		ari@gov.ab.ca inerals.com)	3)
	APPROVED I	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						
	-					

Tested by: DL

Reviewed by: <u>GM</u>





Lot No.:	30001 - 30		Lab No.:	6	Field No.:	61
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	5-Dec-19		Production		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.8	200		
1250μm	85	100	91.0			
630μm	35	100	49.0			
315µm	0	50	14.7			
160μm	0	8	2.6			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is				
		will be asses				
	If payment	adjustment is	s 100% or mo	ore		
•	no paymen	t will be mad	e for the lot.			
COPIES TO:	Rishi Adhik	ari, Alberta Tı	ransportation	n (rishi.adhik	ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nso	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						
				······································		

		0
Tested by:	DL	Reviewed by: GM



Tested by:

DL

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

		<b>*</b>				
Lot No.:	30501 - 31	000	Lab No.:	7	Field No.:	62
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	6-Dec-19		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION					·	<b>y</b>
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	89.9			
630µm	35	100	47.9			
315μm	0	50	13.8			
160μm	0	8	3.1			
80μm	0	3	0.2	and the second second second		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is	sed against t	he lot.		
		=		л <del>С</del>		
COPIES TO:	<del></del>	t will be mad	*	/richi adhib	ari@gov.ah.o	a)
COPIES IO.		utz, NSC Mine			ari@gov.ab.ca inerals.com)	a j
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						
						0

Reviewed by: GM



V V V				200000000000000000000000000000000000000		
Lot No.:	31001 - 315		Lab No.:	8	Field No.:	63
Manufacturer:	NSC Minera	als	Salt Type	······································	Alta. Trans.	Fine
Date Sampled:	6-Dec-19		Production I		Vanscoy	
Date Received:	24-Feb-20	1.2	Date Tested	:	25-Feb-20	<b>-</b>
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					****
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT			98.10			
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	91.6			
.630μm	35	100	51.3			
315μm	0	50	15.8			
160μm	0	8	2.9			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment i	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
		adjustment is will be mad	s 100% or mo	ore		
<del></del>	<del></del>			/richi adhili	ari@gov.ab.a	2)
			ransportation erals Ltd. (nsc		ari@gov.ab.c iporals.com\	a j
	iveison Schu	ILZ, INSC IVIING	erais Llu. (NSC	.nutz@nscm	merais.com)	
	APPROVED	FOR PAYMEN	NT		_	
<u></u>					//	AREA MANAGER
Comments:						

Tested by:	DL	Reviewed by: GM	



A A 4						
Lot No.:	31501 - 32		Lab No.:	9	Field No.:	64
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	8-Dec-19		Production I		Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	TAIL TAIL TAIL TAIL TAIL TAIL TAIL TAIL
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE		4				<u> </u>
CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm	400	400			***************************************	
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85 25	100	91.2			
630μm	35	100	49.8			
315μm	0	50	14.8			······
160μm	0	8	3.2			
80μm	0	3	0.4			
		· -	TOTAL OF A		POINTS	
		=	s 5% or less, i			
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	re		
		t will be made				
				rishi.adhik	ari@gov.ab.ca	a)
			erals Ltd. (nsc			
			17.000.00			
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	K
			U



V V •						
Lot No.:	32001 - 32	500	Lab No.:	10	Field No.:	65
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	9-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
				NUMBER		
TEST	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1			·	
MOISTURE		_				
CONTENT		1	0.08			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY					***************************************	
WEIGHT	:		1900 B. S.			
GRADATION				I	***************************************	
10000μm						
5000µm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	86.2			
630µm	35	100	41.0			
315µm	0	50	10.6			
160µm	0	8	1.8			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less,	no payment	•	·
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or ma	ore		
	• •	t will be mad		,,,		
COPIES TO:	······································			n (rishi.adhik	ari@gov.ab.ca	a)
		utz, NSC Mine	-			,
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						
	· ·					



Lot No.:	32501 - 330		Lab No.:	11	Field No.:	66
Manufacturer:	NSC Minera	ls	Salt Type	********	Alta. Trans. I	Fine
Date Sampled:	9-Dec-20		Production		Vanscoy	
Date Received:	24-Feb-20		Date Tested	l <b>:</b>	25-Feb-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.1			
SODIUM CHLORIDE	95		98.1			
INSOLUBLE MATTER		1	0.847			
MOISTURE					<b>****</b>	
CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID			0.02			ŧ I
DRY WEIGHT CN WEAK ACID DRY WEIGHT			<0.02			***************************************
GRADATION 10000μm	100	100				
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	88.9			
630μm	35	100	44.9			
315μm	0	50	12.2			
160μm	0	8	1.9			
80μm	0	3	0.2			
				DJUSTMENT	POINTS	
NOTE:	• •	•	s 5% or less, sed against t	• •		
		-	s 100% or mo			
COPIES TO:			· ·		ari@gov.ab.c inerals.com)	a)
	APPROVED I	OR PAYMEN	NT .	-	//	AREA MANAGEI
Comments:					, , , , , , , , , , , , , , , , , , , ,	
- · •						

			0
Tested by:	DL	Reviewed by: GM	
		and a	



Lot No.:	33001 - 335	00	Lab No.:	12	Field No.:	67
Manufacturer:	NSC Minera	ils	Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Dec-19		Production Location:		Vanscoy	100
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST CHEM COMP	SPECIFICAT MIN	ION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
	101114	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	85.3			
630µm	35	100	40.8			
315µm	0	50	9.6			
160μm	0	8	1.8			
80μm	0	3	0.2		!	
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	idjustment is	s 5% or less,	no payment		
			sed against t			
		-	s 100% or mo	ore		
COPIES TO:	<del></del>			a (richi adhik	ari@gov.ab.o	-21
COFILS TO.		•	•	-	inerals.com)	
	APPROVED	OR PAYMEN	NT			
		<u>-</u> .			/.	AREA MANAGER
Comments:						-

	-			
				$\Omega$
Tested by:	DL	-	Reviewed by: GM	



Tested by:

DL

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	33501 - 34	000	Lab No.:	13	Field No.:	68
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Dec-19	100	Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	***************************************	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	90.8			,
630µm	35	100	51.7			
315µm	0	50	18.0			
160μm	0	8	4.1			
80µm	0	3	0.4			
	DJUSTMEN	T (PERCENT) =		DJUSTMENT	POINTS	
NOTE:		adjustment is t will be asses				
		adjustment is		ore		
COPIES TO:		nt will be mad		o (richi adhik	ari@gov.ab.c	<u> </u>
COPIES TO.		utz, NSC Mine				a j
· ·					•	,
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGEF
Comments:	-					

Reviewed by: GM



V V W						
Lot No.:	34001 - 34		Lab No.:	14	Field No.:	69
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	10-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98				***************************************	
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	90.0			
630μm	35	100	52.5			
315μm	0	50	16.7			
160μm	0	8	4.0			
80μm	0	3	0.4			
			TOTAL OF A		POINTS	
NOTE:		•	s 5% or less, r			
	adjustment	will be asses	sed against t	he lot.		
		adjustment is t will be mad	s 100% or mo e for the lot.	ore		
COPIES TO:	Rishi Adhika	ari, Alberta Tı	ransportation	n (rishi.adhik	ari@gov.ab.ca	a)
	Nelson Schu	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	2
			70



V V V						
Lot No.:	34501 - 350	000	Lab No.:	15	Field No.:	70
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	10-Dec-19		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm			-5			
5000μm	100	100	100			
2500μm	98	100	99.4			
1250μm	85	100	89.5			
630μm	35	100	48.1			
315µm	0	50	14.8			
160μm	0	8	2.9			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	• •	-	s 5% or less, i ssed against t			
		=	s 100% or mo	ore		
COPIES TO:				a (richi adhik	ari@gov.ab.c	·a)
					inerals.com)	.a;
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

	0
DL	Reviewed by: GM
	DL



					×		
Lot No.:	35001 - 35		Lab No.:	16	Field No.:	71	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine	
Date Sampled:	10-Dec-19		Production		Vanscoy		
Date Received:	24-Feb-20		Date Tested	<b>!:</b>	25-Feb-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		61.0				
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID  DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION						·	
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.5				
1250μm	85	100	89.5				
630μm	35	100	50.6				
315μm	0	50	16.4				
160μm	0	. 8	4.2				
80μm	0	3	0.5				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:		adjustment is will be asses					
		adjustment is t will be mad		ore			
COPIES TO:					ari@gov.ab.ca ninerals.com)	a)	
	INCISUII SUII	atz, NOC WILL	: 1 a 15 L L L L L L L L L L L L L L L L L L	CHULZ@HSCH	iniciais.com)		
	APPROVED	APPROVED FOR PAYMENT /AREA MANAGER					
Comments:							

·			
Tested by:	DL	Reviewed by: GM	



		<i></i>				
Lot No.:	35501 - 360		Lab No.:	17	Field No.:	72
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	11-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					***************************************
INSOLUBLE MATTER		1				
MOISTURE			_			
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						ļ
WEIGHT						
GRADATION						
10000μm						I
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	89.8			
630μm	35	100	48.7			
315μm	0	50	16.6			
160μm	0	8	3.5			
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is will be asses	•	• •		
	• •	adjustment is t will be mad		ore		
COPIES TO:				ı (rishi adhik	ari@gov.ab.c	a)
					inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:		-				

Tested by:	DL	Reviewed by: GM	7
			0



V V		<b>~</b>		107 A 2018 S 2018 S 2018 S 2018 A		Barrati en 1992 en 199
Lot No.:	36001 - 36		Lab No.:	18	Field No.:	73
Manufacturer:			Salt Type	***************************************	Alta. Trans. I	ine
Date Sampled:	11-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					-
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.2			
1250μm	85	100	86.5			4.1
630µm	35	100	45.0			
315µm	0	50	13.1			
160μm	0	8	3.2			
80µm	0	3	0.3			
····			TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment		
		•	sed against t			
		adjustment is t will be mad	s 100% or mo	ore		
COPIES TO:	· · · · · · · · · · · · · · · · · · ·			n (rishi.adhik	ari@gov.ab.c	a)
					inerals.com)	,
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						
		-				
						^



Lot No.:	36501 - 37		Lab No.:	19	Field No.:	74	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Alta. Trans. Fine	
Date Sampled:	12-Dec-19		Production	Location:	Vanscoy		
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER	·	1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT				<b>.</b>			
CN WEAK ACID DRY WEIGHT	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		este.				
GRADATION				· · · · · · · · · · · · · · · · · · ·			
10000μm							
5000μm	100	100	100				
2500μm	98	100	100				
1250μm	85	100	90.5				
630µm	35	100	47.6				
315µm	0	50	13.3				
160μm	0	8	2.4				
80μm	0	3	0.3				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	• •	adjustment is will be asses	•	• •			
		adjustment is t will be made		ore			
	Rishi Adhika		ransportation		ari@gov.ab.ca inerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER	

			0
Tested by:	DL	Reviewed by: GM	



Lot No.:	37001 - 375	500	Lab No.:	20	Field No.:	75
Manufacturer:	NSC Minera		Salt Type	20	Alta. Trans.	
Date Sampled:	12-Dec-19	AIG		Production Location:		rnie
Date Received:	24-Feb-20		Date Tested		Vanscoy 25-Feb-20	
- see neceived.			Date Tested	· 	23*FeD*ZU	T
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE		-				
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						<u> </u>
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	87.8			
630μm	35	100	43.1			
315µm	0	50	10.5			
160μm	0	8	2.5			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment i	s 5% or less,	no payment		
			sed against t			
			s 100% or mo	ore		
			e for the lot.			
COPIES TO:			=		ari@gov.ab.c	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (nsc	chutz@nscm	ninerals.com)	
	ΔΡΡΒΟΙ/ΕΝ	FOR PAYMEN	NT	mer		* .
	ALL HOVED	ORTATIVILI			//	AREA MANAGEF
Comments:						

-			$\cap$
Tested by:	DL	Reviewed by: GM	



Lot No.:	37501 - 380		Lab No.:	21	Field No.:	76
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	12-Dec-19	!-Dec-19		Production Location:		
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.8			
SODIUM CHLORIDE	95		97.4			
INSOLUBLE MATTER		1	1.165	0.165		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID			<0.02			
DRY WEIGHT CN WEAK ACID DRY			10.02			
WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			. "
1250μm	85	100	88.5			
630μm	35	100	44.3			
315μm	0	50	12.5			
160μm	0	8	2.6			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:			s 5% or less, i sed against t			
	If payment a no payment	•	s 100% or mo	ore		
COPIES TO:				n (rishi.adhik	ari@gov.ab.c	a)
			-		inerals.com)	
	APPROVED F	OR PAYMEN	NT		/4	AREA MANAGER
Comments:						

****			
Tested by:	DL	Reviewed by: GM	



V V V						
Lot No.:	38001 - 38	500	Lab No.:	22	Field No.:	77
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	12-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	86.9			
630μm	35	100	44.3			
- 315μm	0	50	13.4	**************************************		
160μm	0	8	3.7			
80μm	0	3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, i sed against t s 100% or mo	he lot.		
		will be mad		,,,,		
COPIES TO:	Rishi Adhika	iri, Alberta Ti	ransportation	ı (rishi.adhik	ari@gov.ab.c	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (nso	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	A
		-	



V V W		<b>***</b>				
Lot No.:	38501 - 390	000	Lab No.:	23	Field No.:	78
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	13-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				***************************************	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	87.6			
630μm	35	100	44.1		· · · · · · · · · · · · · · · · · · ·	
315μm	0	50	12.7			
160μm	0	. 8	2.5			
80μm	0	. 3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less,	no payment		
	adjustment	will be asses	sed against t	he lot.		
		adjustment is		ore		
		will be made				
COPIES TO:					ari@gov.ab.ca	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
			· · · · · · · · · · · · · · · · · · ·			
	APPROVED	FOR PAYMEN	NT			
					/A	REA MANAGER
Comments:						
						<u> </u>

		·	
			0
Tested by:	DL	Reviewed by: GM	



* *			,	042000000000000000000000000000000000000		
Lot No.:	39001 - 39		Lab No.:	24	Field No.:	79
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	13-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
TVCIOIT.						<u>L</u>
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	89.5			
630µm	35	100	48.2			
315μm	0	50	14.3			
160μm	0	8	3.4			
80µm	0	3	0.3			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment i will be asses	s 5% or less,	no payment		
		adjustment i t will be mad		ore		
COPIES TO:				n (rishi adhik	ari@gov.ab.c	a)
COLIES TO.					inerals.com)	ω,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	
			7 0



Lot No.:	39501 - 400	100	I - I- NI		P. 114.	
Manufacturer:			Lab No.:	25	Field No.:	
Date Sampled:	NSC Minerals		Salt Type		Alta. Trans. I	-ine
Date Received:	15-Dec-19		Production	····	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	<del></del>
TEST	SPECIFICAT	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					- Addition of the second of th
INSOLUBLE MATTER		1				
MOISTURE		1	0.00			
CONTENT		<u>.</u>	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT			10.00			
CN WEAK ACID DRY						
WEIGHT						·
GRADATION						
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.6			
1250μm	85	100	90.1			
630µm	35	100	48.2			
315µm	0	50	14.7			
160μm	0	8	2.6			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	diustment i	s 5% or less,	no navment		
			sed against t			
	aujustinent	will be asses	seu agamst t	ile lot.		
	If novment a	diuctmont :	100% ~~ ~~	oro		
		-	s 100% or mo	אוכ		
CODICCTO	no payment			الاطام مامامام	ari@aau ah a	-1
COPIES TO:			-		ari@gov.ab.ca	d <i>)</i>
	Nelson Schu	tz, NSC Mine	erals Ltd. (nsc	cnutz@nscm	inerals.com)	
	APPROVED F	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						
comments.						

		0
Tested by:	DL	Reviewed by: GM



· · · · ·				W///252/007502-00-00-00-00-00-00-00-00-00-00-00-00-0		
Lot No.:	40001 - 40		Lab No.:	26	Field No.:	81
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	15-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		. 1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY				<del></del>		
WEIGHT					•	
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	89.0			
630μm	35	100	51.4			
315μm	0	50	16.5			
160μm	0	8	4.0			
80μm	0	3	0.4			***
		(PERCENT) =			POINTS	
NOTE:		adjustment is	•			
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	ore		*
		t will be made				
COPIES TO:	<del></del>	<del></del>		rishi.adhik	ari@gov.ab.ca	a)
		utz, NSC Mine	•	-	-	
	APPROVED	FOR PAYMEN	JT		/4	REA MANAGER
Comments:						
				· · · · · · · · · · · · · · · · · · ·		

-			
			0
Tested by:	DL	Reviewed by: GM	



l ot Nic	40-54				_	
Lot No.:	40501 -410		Lab No.:	27	Field No.:	82
Manufacturer:	\$200 pt and a supply stroke with a supply and a supply a supply and a supply and a supply a s		Salt Type			Fine
Date Sampled:	Company of Charles and Charles		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98				<u>, , , , , , , , , , , , , , , , , , , </u>	
SODIUM CHLORIDE	95					·
INSOLUBLE MATTER		1				
MOISTURE		1	0.00			
CONTENT			0,00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
**LIGITI						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	89.3			
630µm	35	100	48.4			
315μm	0	50	15.4			
160μm	0	8	3.0			
80μm	0	3	0.2			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
			s 5% or less, r			<u> </u>
		-	sed against t			
	aujustinent	will be asses	ocu agamot t	ne lot.		
	If payment a	adjustment is	s 100% or mo	ore		
	no payment	will be made	e for the lot.			
COPIES TO:				(rishi.adhik	ari@gov.ab.c	a)
<del>-</del> -			erals Ltd. (nsc			•
		,	oraio Etai (iio		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	APPROVED	FOR PAYMEN	JT.			
					//	REA MANAGER
Comments:						
		******				



Lot No.:	41001 - 41	500	Lab No.:	28	Field No.:	83
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	
Date Sampled:	16-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				-	
INSOLUBLE MATTER		1				
MOISTURE			0.55			***************************************
CONTENT		1	0.00			
CN WATER SOLUBLE			PDV size of			
CN STRONG ACID DRY WEIGHT					-	
CN WEAK ACID DRY		<u> </u>				
WEIGHT						
GRADATION				***************************************		
10000μm						
5000μm	100	100	100		****	
2500μm	98	100	99.8			
1250μm	85	100	88.7			
630μm	35	100	47.6			
315µm	0	50	14.3			-
160μm	. 0	8	3.2			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If navment	adjustment is	: 100% or ma	nre		
		t will be mad		лС		
	<del></del>			Vrichi adhik	ari@gov.ab.ca	<u> </u>
		utz, NSC Mine	•		_	ч
	IACIONII ONII	acz, INOC IVIIIII	: 1 a 13 Ltu. (1150	االالكالاااا	micrais.CUIII)	
	APPROVED	FOR PAYMEN	NT		,.	DEA \$4444.055
<u> </u>					//	REA MANAGER
Comments:						

Tested by:	DL	Reviewed by: GM	
		•	70



V V						
Lot No.:	41501 - 42	:000	Lab No.:	29	Field No.:	84
Manufacturer:	NSC Mine	rals	Salt Type		Alta. Trans. I	Fine
Date Sampled:	17-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		81			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION					<u> </u>	
10000μm						
5000μm	100	100	100			·
2500μm	98	100	99.5			
1250μm	85	100	90.5			
630μm	35	100	49.9			
315μm	0	50	15.5			
160μm	0	8	3.1			
80μm	0	- 3	0.2			
	DJUSTMEN	Γ (PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less,	no payment		
		t will be asses				
	If payment	adjustment is	s 100% or mo	ore		
	no paymen	t will be mad	e for the lot.			
COPIES TO:	Rishi Adhik	ari, Alberta Tı	ransportation	n (rishi.adhik	ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT			
					/A	REA MANAGER
Comments:						
· · · · · · · · · · · · · · · · · · ·						
		uspu				
						_



					· · · · · · · · · · · · · · · · · · ·	
Lot No.:	42001 - 42	500	Lab No.:	30	Field No.:	85
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	Control of the Contro		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST	SPECIFICA	TION LIMITS		NUMBER	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	TEST	OF UNITS OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						·
CN WEAK ACID DRY						
WEIGHT						
GRADATION					<u> </u>	-
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	88.1			
630μm	35	100	47.1			·
315μm	0	50	14.0			
160μm	0	8	3.2			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	「(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
		adjustment is		ore		
CODIECTO		t will be mad		. /.:		-1
COPIES TO:					ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						
				· · · · · · · · · · · · · · · · · · ·		·

			0
Tested by:	DL	Reviewed by: GM	



4 4 4						
Lot No.:	42501 - 43	000	Lab No.:	31	Field No.:	86
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	17-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	l:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.7			·
SODIUM CHLORIDE	95		97.2			
INSOLUBLE MATTER		1	1.247	0.247	-	
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID  DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.02		***************************************	
GRADATION						
10000μm			14.			
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	89.1			
630µm	35	100	46.2			
315µm	0	50	14.9			
160μm	0	8	3.2			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	5% or less,	no payment	'	
	-	will be asses				
	no payment	adjustment is t will be mad	e for the lot.			
		ari, Alberta Tı ıtz, NSC Mine			ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	<b>J</b> T		/4	REA MANAGER
Comments:						
		NAME OF THE OWNER OWNER OF THE OWNER OWNE				

			0
Tested by:	DL	Reviewed by: GM	



Lot No.:	43001 - 435	500	Lab No.:	32	Field No.:	87	
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine	
Date Sampled:	18-Dec-19		Production Location:		Vanscoy		
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95				44,000		
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION				_			
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.3				
1250μm	85	100	90.1				
630μm	35	100	51.4				
315μm	0	50	15.7				
160μm	0	8	3.5				
80μm	0	3	0.4				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:		adjustment is will be asses					
		adjustment is will be made		ore			
COPIES TO:				n (rishi.adhik	ari@gov.ab.ca	a) .	
					inerals.com)	•	
	APPROVED FOR PAYMENT  /AREA MANAGER						
Comments:							





VV		<b>*</b>					
Lot No.:	43501 - 44		Lab No.:	33	Field No.:	88	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine	
Date Sampled:	18-Dec-19		Production Location:		Vanscoy		
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		99.00		(24)		
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE							
CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID  DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION	100	100					
10000μm	100	100	100	<u> </u>			
5000μm	100	100	99.8	-0.2		***************************************	
2500μm	98	100	99.1				
1250μm	85 25	100	90.0				
630μm	35	100	49.1				
315μm	0	50	14.8				
160μm	0	8	2.7				
80μm	0	3	0.3				
PAYMENT A	DJUSTMENT	r (PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	If payment	adjustment is	s 5% or less, i	no payment			
	adjustment	will be asses	sed against t	he lot.			
	If payment	adjustment is	s 100% or mo	re			
	no payment will be made for the lot.						
COPIES TO:		······································		ı (rishi.adhik	ari@gov.ab.ca	a)	
	Nelson Sch	utz, NSC Mine	erals Ltd. (nso	chutz@nscm	inerals.com)		
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER	
Comments:							

Tested by: DL

Reviewed by: GM





Lot No.:	44001 - 44		Lab No.:	34	Field No.:	89	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine	
Date Sampled:	19-Dec-19		Production	Location:	Vanscoy		
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	126				
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE	-						
CN STRONG ACID  DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.2				
1250μm	85	100	88.3				
630μm	35	100	46.6				
315μm	0	50	12.9				
160μm	0	8	2.9				
80µm	. 0	3	0.3				
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	If payment a	adjustment is	s 5% or less,	no payment			
	adjustment	will be asses	sed against t	he lot.			
		adjustment is		ore			
	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
					inerals.com)	,a j	
	APPROVED	FOR PAYMEN	NT .		1/	AREA MANAGER	
Comments:			·				






Lot No.:	44501 - 45	000	Lab No.	35	Field NI	
Manufacturer:	44501 - 45000 NSC Minerals		Lab No.:	35	Field No.:	90
Date Sampled:	20-Dec-19		Salt Type		Alta. Trans. Fine	
Date Received:	24-Feb-20		Production Location:		Vanscoy	
Date Received.	24-160-20		Date Tested	<u>.</u>	25-Feb-20	<del></del>
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		10.00			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	91.4			
630µm	35	100	53.4			
315µm	0	50	16.2	-		
160μm	0	8	2.6			,
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	Γ (PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is t will be asses				
		adjustment is		ore		
COPIES TO:	Rishi Adhik	ari, Alberta Tr utz, NSC Mine	ansportation	· ·	_	
	APPROVED	FOR PAYMEN	<b>IT</b>		/	AREA MANAGER
Comments:						
	***************************************					



V V V								
Lot No.:	45001 - 45!	500	Lab No.:	36	Field No.:	91		
Manufacturer:			Salt Type		Alta. Trans. Fine			
Date Sampled:	21-Dec-19		Production Location:		Vanscoy			
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20			
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98		22.2					
SODIUM CHLORIDE	95		100					
INSOLUBLE MATTER		1						
MOISTURE		1	0.04					
CONTENT		1	0.04					
CN WATER SOLUBLE			18 18 18 18 18 18 18 18 18 18 18 18 18 1					
CN STRONG ACID			3.3					
DRY WEIGHT CN WEAK ACID DRY								
WEIGHT					-			
GRADATION 10000μm								
5000μm	100	100	100					
2500μm	98	100	99.8					
1250μm	85	100	88.5					
630µm	35	100	60.6					
315µm	0	50	18.3			·		
160μm	0	8	3.8					
80μm	0	3	0.2					
			TOTAL OF A	DJUSTMENT	POINTS			
NOTE:		•	s 5% or less, r			<u> </u>		
		=	sed against t					
		adjustment is will be mad	s 100% or mo	ore				
COPIES TO:				rishi adhik	ari@gov.ab.c	a)		
60112310.			erals Ltd. (nsc					
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER		
Comments:								



V V V						
Lot No.:	45501 - 46	000	Lab No.:	37	Field No.:	92
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	23-Dec-19		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	l:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			<u></u>
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION				I	***************************************	<u></u>
10000μm						·
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	91.9			
630μm	35	100	52.4			
315μm	0	50	17.3			
160μm	0	8	3.8			
80μm	0	. 3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	5% or less,	no payment	,	
e e e e e e e e e e e e e e e e e e e		will be asses	•	• •		
	If payment	adjustment is	: 100% or mo	ore		
		t will be made		,,,		
COPIES TO:			,	n (rishi.adhik	ari@gov.ab.ca	a)
901123101		utz, NSC Mine	•		_	<b>-</b> /
	APPROVED	FOR PAYMEN	<b>I</b> T		/4	AREA MANAGER
Comments:			<u> </u>			





				72.		
Lot No.:	46001 - 46		Lab No.:	38	Field No.:	93
Manufacturer:	NSC Miner	als	Salt Type	Salt Type		ine
Date Sampled:	26-Dec-19		Production		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE		1				
CONTENT		1	0.00			
CN WATER SOLUBLE		, , , , , , , , , , , , , , , , , , ,				
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6	100		
1250μm	85	100	90.6			
630μm	35	100	51.3			
315μm	0	50	16.0			
160μm	0	8	4.0			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
			s 5% or less, i sed against t			
		adjustment is will be made	s 100% or mo	ore		
		<del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>		rishi adhib	ari@gov.ab.ca	a)
			erals Ltd. (nsc			
	APPROVED	FOR PAYMEN	NT		//	REA MANAGER
Comments:						

Tested by:

DL

Reviewed by: GM





Lot No.:	46501 - 47	000	Lab No.:	39	Field No.:	94
Manufacturer:	NSC Miner		Salt Type	35	Alta. Trans	
Date Sampled:	27-Dec-19	ais	Production	Location		i rine
Date Received:	24-Feb-20		Date Tested		Vanscoy 25-Feb-20	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	INDIVIDER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	91.8			
630μm	35	100	52.2			
315µm	0	50	17.1			
160μm	0	8	3.4			
80μm	0	3	0.3			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
		adjustment is will be asses				
		adjustment is t will be made		ore		
	<del></del>	ari, Alberta Tı		rishi adhik	ari@gov ah	ca)
		utz, NSC Mine				
	APPROVED	FOR PAYMEN	<b>N</b> T	-	/	'AREA MANAGER
Comments:	- Constitution and Constitution	7,000				



Lot No.:	47001 - 47	500	Lab No.:	40	Field No.:	<u> </u>
Manufacturer:	NSC Miner		Salt Type	40		95 r:
Date Sampled:	28-Dec-19	ais	Production	Location	Alta. Trans. Fine	
Date Received:	24-Feb-20		Date Tested		Vanscoy 25-Feb-20	
Date Neceivea.	2416020		Date restet	). T	25-rep-20	T
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	91.4			
630μm	35	100	53.7			
315µm	.0	50	17.7			
160μm	0	8	4.3			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
		adjustment is				
		will be asses				
	If payment	adjustment is	100% or m	ore		
		will be mad				
					ari@gov.ab.c	a)
				chutz@nscm		,
				<del></del>		
	APPROVED	FOR PAYMEN	IT		//	AREA MANAGER
Comments:					·	
						···



A A A						_
Lot No.:	47501 - 48	000	Lab No.:	41	Field No.:	96
Manufacturer:	NSC Miner	als	Salt Type		Alta, Trans, I	Fine
Date Sampled:	28-Dec-19		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.8			
SODIUM CHLORIDE	95		97.6			
INSOLUBLE MATTER		1	1.154	0.154		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	91.9			
630µm	35	100	52.9			
315μm	0	50	17.5			
160μm	0	8	3.2			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
		adjustment is t will be made		ore		
COPIES TO:		ari, Alberta Tr utz, NSC Mine	·='	•	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	<b>N</b> T		/4	AREA MANAGER
Comments:	·					



· VV						
Lot No.:	48001 - 48	500	Lab No.:	42	Field No.:	97
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	29-Dec-19		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
				MUMBER		
TEST	SPECIFICAT	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE		_	2			
CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						<u> </u>
10000μm						·
5000μm	100	100	100		***************************************	
2500μm	98	100	99.7			
1250μm	85	100	90.3			
630μm	35	100	50.1			
315μm	0	50	14.9			
160μm	0	8	3.4			
80μm	0	3	0.3			***************************************
	<u> </u>	(PERCENT) =		DJUSTMENT	POINTS	
NOTE:		adjustment is			. •	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		will be asses				
	aajastiiiciit	Will be asses	oca agamor t	110 100.		
	If payment a	adjustment is	s 100% or mo	re		
		will be made				
	<del></del>	<del>i</del>		ı (rishi.adhik	ari@gov.ab.ca	a)
		ıtz, NSC Mine				
	APPROVED	FOR PAYMEN	ΝΤ		/A	REA MANAGER
Comments:						
		***************************************				



<b>*</b> * * *		<b>7</b> 0				
Lot No.:	48501 - 49		Lab No.:	43	Field No.:	98
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	29-Dec-19		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				·	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						- Manual Car
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	91.8			
630µm	35	100	52.4			
315µm	0	50	17.2			
160μm	0	8	3.2			
80µm	0	3	0.3			
		(PERCENT) =		DJUSTMENT	POINTS	
NOTE:	adjustment  If payment	adjustment is will be asses adjustment is t will be made	sed against t	he lot.	1	
COPIES TO:	Rishi Adhika		ansportation		ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:	The state of		·			·
						· · · · · · · · · · · · · · · · · · ·
						$\mathcal{O}$

			0
Tested by:	DL	Reviewed by: GM	



Lat Nia	10000			CONTRACTOR CONTRACTOR		Wasanaya
Lot No.: Manufacturer:	49001 - 495		Lab No.:	44	Field No.:	99
	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled: Date Received:	30-Dec-19		Production		Vanscoy	
Date Received:	24-Feb-20		Date Tested	: T	25-Feb-20	<del></del>
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		9			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT			9 (4 ) And H			
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	91.7			
630µm	35	100	50.4			
315µm	0	50	13.8			
160μm	0	8	2.9			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is	5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
			100% or mo	ore		
·····		will be made		/ . ]		- 1
		•	ransportation erals Ltd. (nsc	•	ari@gov.ab.c inerals.com)	a)
	APPROVED I	FOR PAYMEN	<b>I</b> T		//	AREA MANAGER
Comments:						



V V V		<b>J</b> 0				<del>-</del>
Lot No.:	49501 - 500	000	Lab No.:	45	Field No.:	100
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	30-Dec-19		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			***************************************		
INSOLUBLE MATTER		1				
MOISTURE					<u> </u>	
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
					<del></del>	
1250μm	85	100	90.0			
630μm	35	100	45.2	4		
315μm	0	50	11.9			
160μm	0	8	1.9			
80μm	0	3	0.3			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is	s 5% or less, i	no payment		•
	adjustment	will be asses	sed against t	he lot.		
	If payment a	adjustment is	s 100% or mo	re		
		will be made				
·····	<del></del>			rishi.adhik	ari@gov.ab.c	a)
		ıtz, NSC Mine	•	•	_	•
	APPROVED	FOR PAYMEN	<b>I</b> T	,	//	AREA MANAGER
Comments:						
	*******			~~~~		· ·

			0
Tested by:	DL	Reviewed by: GM	
			0



Lot No.:   50001 - 50500   Lab No.:   46   Field No.:   101	* *					****	
Date Sampled: 30-Dec-19 Production Location: Vanscoy Date Received: 24-Feb-20 Date Tested: 25-Feb-20  TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1 0.004  CN WATER SOLUBLE CONTENT 1 0.004  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT  GRADATION  10000µm 100 100 100  2500µm 98 100 99.5  1250µm 98 100 99.5  1250µm 85 100 88.5  630µm 35 100 44.1  315µm 0 50 10.9  160µm 0 8 2.0  80µm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					46	Field No.:	101
Date Received:         24-Feb-20         Date Tested:         25-Feb-20           TEST         SPECIFICATION LIMITS         TEST         NUMBER OF FACTOR ADJUSTMENT POINTS           CHEM COMP         MIN         MAX         TEST         NUMBER OF FACTOR ADJUSTMENT POINTS           SOLUBLE CHLORIDE         98         Image: Content of the point of the poi		200	als			Alta. Trans. I	Fine
TEST SPECIFICATION LIMITS  CHEM COMP MIN MAX  TEST OUT OF SPEC  SODIUM CHLORIDE  98  SODIUM CHLORIDE  95  SODIUM CHLORIDE  95  INSOLUBLE MATTER  MISSTURE CONTENT  1 0.04  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT  GRADATION  10000µm  5000µm  1000 100  2500µm  98  100  99.5  1250µm  85  100  88.5  630µm  35  100  44.1  315µm  0 50  10.9  160µm  0 8  2.0  80µm  0 3  0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER		152-20-20-00-00-00-00-00-00-00-00-00-00-00					
TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSCLUBLE MATTER 1 0.004  CN WATER SOLUBLE CONTENT 1 0.004  CN WATER SOLUBLE CONTENT 1 0.004  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm 100 100 100 2500µm 98 100 99.5  1250µm 98 100 99.5  1250µm 85 100 88.5  630µm 35 100 44.1  315µm 0 50 10.9  160µm 0 8 2.0  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
SOLUBLE CHLORIDE   98   SOLUBLE CHLORIDE   98   SODIUM CHLORIDE   95   SODIUM CHLORIDE   1   SODIUM CHLORIDE   1   SODIUM CHLORIDE   1   SODIUM CHLORIDE   SODIUM CHLORIDE	TEST	SPECIFICA	TION LIMITS	TEST			NUMBER OF
SODIUM CHLORIDE   95	СНЕМ СОМР	MIN	MAX		ł	FACTOR	1
INSOLUBLE MATTER	SOLUBLE CHLORIDE	98					
MOISTURE   CONTENT   1   0.04	SODIUM CHLORIDE	95					
CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm 100 100 2500µm 98 100 99.5 1250µm 85 100 88.5 630µm 35 100 44.1  315µm 0 50 10.9 160µm 0 8 2.0 80µm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER			1	10			
CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  100  2500µm  98  100  99.5  1250µm  85  100  88.5  630µm  35  100  44.1  315µm  0  500  160µm  0  8  2.0  80µm  0  3  0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	1		1	0.04			
DRY WEIGHT   CN WEAK ACID DRY   WEIGHT   CN WEAK ACID DRY   WEIGHT   CN WEAK ACID DRY   WEIGHT   CN WEAK ACID DRY   WEIGHT   CN WEIGHT							
GRADATION   10000μm   100   100   100   2500μm   100   100   99.5   1250μm   85   100   88.5   630μm   35   100   44.1   100   160μm   0   8   2.0   80μm   0   3   0.2   160μm   0   8   2.0   80μm   0   3   0.2   160μm	DRY WEIGHT						
10000μm 100 100 100 2500μm 98 100 99.5 1250μm 85 100 88.5 630μm 35 100 44.1 315μm 0 50 10.9 160μm 0 8 2.0 80μm 0 3 0.2 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	l .						
5000μm 100 100 100 100 2500μm 98 100 99.5 1250μm 85 100 88.5 630μm 35 100 44.1 315μm 0 50 10.9 160μm 0 8 2.0 80μm 0 3 0.2 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	GRADATION						
2500μm 98 100 99.5  1250μm 85 100 88.5  630μm 35 100 44.1  315μm 0 50 10.9  160μm 0 8 2.0  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	10000μm						
1250μm 85 100 88.5 630μm 35 100 44.1 315μm 0 50 10.9 160μm 0 8 2.0 80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER	5000μm	100	100	100		·	
630μm 35 100 44.1  315μm 0 50 10.9  160μm 0 8 2.0  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	2500μm	98	100	99.5			
315μm 0 50 10.9  160μm 0 8 2.0  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	1250μm	85	100	88.5			
160μm 0 8 2.0  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER	630μm	35	100	44.1			
80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER	315μm	0	50	10.9			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER	160μm	0	8	2.0			:
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER	80μm	0	3	0.2			
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER		DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT /AREA MANAGER	NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER			-	· ·	• •		·
COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT /AREA MANAGER			=		ore		
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGER	005:50=5				/ * 1 *		
APPROVED FOR PAYMENT /AREA MANAGER	COPIES TO:		-	•	•		a)
/AREA MANAGER		Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
		APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
	Comments:						······

Tested by:	DL	Reviewed by: GM



VV C						
Lot No.:	50501 - 51	000	Lab No.:	47	Field No.:	102
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	30-Dec-19		Production l	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.04			
CN WATER SOLUBLE						·
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.6			
1250μm	85	100	89.3			
630μm	35	100	47.9			
315μm	0	50	15.1			
160μm	0	8	2.3			
80μm	0	3	0.1			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	· · · · · · · · · · · · · · · · · · ·
NOTE:	If payment	adjustment is	s 5% or less, r	no payment	!	
		will be asses				
		adjustment is		ore		•
		t will be made			#	
			•	-	ari@gov.ab.ca	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						

		17.194.00	0
Tested by:	DL	Reviewed by: GM	
		neviewed by. Givi	70



		<b>1</b> 0				
Lot No.:	51001 - 51	500	Lab No.:	48	Field No.:	103
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	
Date Sampled:	31-Dec-19		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			***************************************		
INSOLUBLE MATTER		1				
MOISTURE			0.55			
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.4			
1250μm	85	100	89.6			
630μm	35	100	50.5			
315μm	0	50	15.1			
160μm	0	8	3.5		<u> </u>	
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, r	no payment		-
	adjustment	will be asses	sed against t	he lot.		
		adjustment is		ore		
		t will be mad	·····			
COPIES TO:		•	•	•	ari@gov.ab.c	a)
	Nelson Schi	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/#	REA MANAGER
Comments:						
						_



Lot No.:	51501 - 520		Lab No.:	49	Field No.:	104
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans. I	ine
Date Sampled:	2-Jan-20		Production I	ocation:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT	·	1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID					·	
DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION			·		-	**************************************
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	90.4			
630µm	35	100	49.4		ertindele i Telerine betreken kelen kelen i reden kombonisme et ende endergen er e	
315μm	0	50	15.0			
160μm	0	8	2.8			
80μm	0	3	0.3			
			TOTAL OF A	DIUSTMENIT	POINTS	
NOTE:	If payment a adjustment v	djustment is will be asses	s 5% or less, is sed against to see against to see against to see a 100% or mo	no payment he lot.		avanto com anga a sale inadence visiones
	no payment	-				
	<del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>	······		ı (rishi adhik	ari@gov.ab.ca	a)
			erals Ltd. (nsc			- ,
	APPROVED F	OR PAYME	٧T		/A	IREA MANAGE
					15	11 1 may 2 3 7 17 17 17 17 1 1 1 1 1 1 1 1 1 1 1 1

			0
Tested by:	DL.	Reviewed by: GM	



		•				
Lot No.:	52001 - 52	500	Lab No.:	50	Field No.:	105
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	3-Jan-20		Production	Location:	Vanscoy	
Date Received:	24-Feb-20	100	Date Tested	•	25-Feb-20	
						T
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER	-	1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT		·				
CN WEAK ACID DRY WEIGHT						
GRADATION	•					
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	88.9			
630μm	35	100	47.1			
315μm	. 0	50	13.3			
160μm	0	8	3.0			
80μm	0	3	0.4			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
	adjustment	adjustment is will be asses adjustment is	sed against t s 100% or mo	he lot.		
<del></del>		t will be made				
		ari, Alberta Tr utz, NSC Mine			ari@gov.ab.ca inerals.com)	3)
	APPROVED	FOR PAYMEN	NT ·		/A	REA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	



Lot No.:	52501 - 53	000	Lab No.:	51	Field No.:	106
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	Date Sampled: 4-Jan-20		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	l:	25-Feb-20	
TEST CHEM COMP	SPECIFICA MIN	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
				SPEC		POINTS
SOLUBLE CHLORIDE	98		99.1			
SODIUM CHLORIDE	95		98.6			
NSOLUBLE MATTER		1	0.873			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005		10.2	
DRY WEIGHT CN WEAK ACID DRY			0.02			
WEIGHT			<0.02			
GRADATION				<b>-</b>		
10000μm					w	
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	88.8			
630μm	35	100	44.5			
315µm	0	50	12.7			
160μm	0	8	2.2			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	5% or less,	no payment		
	adjustment	will be asses	sed against t	the lot.		
		adjustment is t will be made		ore		
COPIES TO:	<del></del>	ari, Alberta Tr		n (rishi adhik	ari@gov ah c	a)
CO1123 10.		utz, NSC Mine	•	•	-	u,
	APPROVED	FOR PAYMEN	IT		//	AREA MANAGER
omments:				**************************************	<i>:</i> .	wassan was was a same a sa
4,						

			0
Tested by:	DL	Reviewed by: GM	



Lot No.:	53001 - 53	500	Lab No.:	52	Field No.:	107
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	6-Jan-20		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			77.004			
CN STRONG ACID DRY WEIGHT						·
CN WEAK ACID DRY WEIGHT						
GRADATION				-		
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.0			
1250μm	85	100	88.7			
630μm	35	100	48.6			
315μm	0	50	14.8			
160μm	0	8	3.3			
80μm	0	3	0.2			
	L		TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		•	s 5% or less, ı			
		=	sed against t			
	If payment a	adjustment is	s 100% or mo	ore		
	no payment	will be mad	e for the lot.			
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ransportation	n (rishi.adhik	ari@gov.ab.ca	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	REA MANAGER
Comments:						ILLA MANAGEN
Comments.						
				***************************************		·



SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1  MOISTURE CONTENT 1  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT	Salt Typ			
TEST SPECIFICATION LI CHEM COMP MIN M/ SOLUBLE CHLORIDE 98 SODIUM CHLORIDE 95 INSOLUBLE MATTER		e	Alta. Trans.	Fine
TEST SPECIFICATION LI CHEM COMP MIN MA  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1  MOISTURE CONTENT 1  CN WATER SOLUBLE CH STRONG ACID DRY WEIGHT 1  CN WEAK ACID DRY WEIGHT 100 10  5000µm 100 10  5000µm 100 10  2500µm 98 10  1250µm 85 10  630µm 35 10  315µm 0 50  160µm 0 8  80µm 0 3  PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustment will be of payment will be compayment will be compaymen	Product	ion Location:	Vanscoy	
CHEM COMP MIN MAN  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1  MOISTURE CONTENT 1  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT 100 10 10 10 10 10 10 10 10 10 10 10 10	Date Te	sted:	25-Feb-20	
SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1  MOISTURE CONTENT 1  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT 100 10 10 10 10 10 10 10 10 10 10 10 10	IMITS TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
SODIUM CHLORIDE   95	AX	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
INSOLUBLE MATTER				
MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000μm 100 10  5000μm 100 10  2500μm 98 10  1250μm 85 10  630μm 35 10  315μm 0 50  160μm 0 8  80μm 0 3  PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustment will be opayment will be COPIES TO: Rishi Adhikari, Albee				
CONTENT         1           CN WATER SOLUBLE         CN STRONG ACID DRY WEIGHT           CN WEAK ACID DRY WEIGHT         DRY WEIGHT           GRADATION         100         10           5000μm         100         10           2500μm         98         10           1250μm         85         10           630μm         35         10           315μm         0         50           160μm         0         8           80μm         0         3           PAYMENT ADJUSTMENT (PERCENTY)         NOTE: If payment adjustmadjustmadjustmadjustmant will be           If payment adjustmant will be         If payment adjustmant will be           COPIES TO: Rishi Adhikari, Albe         Rishi Adhikari, Albe	L			
CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm 100 10  5000µm 98 10  2500µm 98 10  1250µm 85 10  630µm 35 10  315µm 0 50  160µm 0 8  80µm 0 3  PAYMENT ADJUSTMENT (PERCENTE NOTE: If payment adjustment will be on payment will be copyed to the companyment will be copyed to the cop				
CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000μm 100 10 5000μm 100 10 2500μm 98 10 1250μm 85 10 630μm 35 10 315μm 0 50 160μm 0 8 80μm 0 3 PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustment will be left payment will be COPIES TO: Rishi Adhikari, Albee	0.04			
DRY WEIGHT         CN WEAK ACID DRY WEIGHT           GRADATION           10000μm         100         10           5000μm         100         10           2500μm         98         10           1250μm         85         10           630μm         35         10           315μm         0         50           160μm         0         8           80μm         0         3           PAYMENT ADJUSTMENT (PERCENTER)         If payment adjustmation adjustmation adjustmation adjustment will be           If payment adjustmation payment will be           COPIES TO:         Rishi Adhikari, Albe				
CN WEAK ACID DRY WEIGHT  GRADATION  10000μm 100 10  5000μm 100 10  2500μm 98 10  1250μm 85 10  630μm 35 10  315μm 0 50  160μm 0 8  80μm 0 3  PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustmate ad				
WEIGHT           GRADATION           10000μm         100         10           5000μm         100         10           2500μm         98         10           1250μm         85         10           630μm         35         10           315μm         0         50           160μm         0         8           80μm         0         3           PAYMENT ADJUSTMENT (PERCENTAL PROPERTOR ADJUSTMENT (PERCENTAL PROPERTOR ADJUSTMENT WILL BE AD				
10000μm 100 10  5000μm 100 10  2500μm 98 100  1250μm 85 100  630μm 35 100  315μm 0 500  160μm 0 8  80μm 0 3  PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustment will be left payment will be COPIES TO: Rishi Adhikari, Albertano payment will be compared to the companyment will be companyment.				
5000μm   100   10     2500μm   98   10     1250μm   85   10     630μm   35   10     315μm   0   50     160μm   0   8     80μm   0   3     PAYMENT ADJUSTMENT (PERCENTER)  NOTE: If payment adjustment will be the solution of the payment adjustment will be the payment will be the payment adjustment will be the payment			<u> </u>	<u> </u>
2500μm   98   10   1250μm   85   10   10   10   10   10   10   10   1	00 100			
1250μm 85 100 630μm 35 100 315μm 0 500 160μm 0 8 80μm 0 3 PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustment will be If payment will be COPIES TO: Rishi Adhikari, Albertage (PERCE Note)	0 99.7	-0.3		
630μm 35 100 315μm 0 500 160μm 0 8 80μm 0 3 PAYMENT ADJUSTMENT (PERCENOTE: If payment adjustment will be lift payment adjustment will be lift payment will be COPIES TO: Rishi Adhikari, Albe	0 99.2			
315μm 0 50 160μm 0 8 80μm 0 3 PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustm adjustment will be  If payment adjustm no payment will be  COPIES TO: Rishi Adhikari, Albe	0 90.0			
160μm 0 8 80μm 0 3 PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustm adjustment will be  If payment adjustm no payment will be  COPIES TO: Rishi Adhikari, Albe	0 49.0			
80μm 0 3  PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustm adjustment will be  If payment adjustm no payment will be  COPIES TO: Rishi Adhikari, Albe	15.0			
PAYMENT ADJUSTMENT (PERCE NOTE: If payment adjustment will be If payment adjustment on payment will be COPIES TO: Rishi Adhikari, Albe	2.6			
NOTE: If payment adjustment will be  If payment adjustment will be  represented the payment will be	0.0000000000000000000000000000000000000			
adjustment will be  If payment adjustment op payment will be COPIES TO: Rishi Adhikari, Albe	ENT) = TOTAL C	OF ADJUSTMENT	POINTS	
If payment adjustm no payment will be COPIES TO: Rishi Adhikari, Albe	nent is 5% or le	ss, no payment	·	
no payment will be COPIES TO: Rishi Adhikari, Albe	assessed agair	st the lot.		
COPIES TO: Rishi Adhikari, Albe				
,		****		
iveison Schutz, NSC				3)
<b>,</b>	Minerals Ltd.	(nschutz@nscm	inerals.com)	
APPROVED FOR PA	YMENT		/A	REA MANAGER
Comments:			,,,	



Lot No.:	54001 - 54!	500	Lab No.:	54	Field No.:	109
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	7-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98	д				
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE			2 2			
CONTENT		1	0.09			
CN WATER SOLUBLE					·	
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						·
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	98.9			
1250μm	85	100	87.4			
630µm	35	100	46.5			
315μm	0	50	13.4			
160μm	0	8	3.1			
-80μm	0	3	0.4			
		•	TOTAL OF A		POINTS	
NOTE:		=	s 5% or less, i			
	adjustment	will be asses	sed against t	he lot.		
		adjustment is : will be mad	s 100% or mo	ore		
COPIES TO:				n (rishi.adhik	ari@gov.ab.c	a)
					inerals.com)	
APPROVED FOR PAYMENT /AREA MANAGER						
Comments:						

-		100 A
Tested by:	DL	Reviewed by: GM



V V V		•				
Lot No.:	54501 - 550		Lab No.:	55	Field No.:	110
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	7-Jan-20		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95	WA III				
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	90.3			
630μm	35	100	48.6			
315μm	0	50	15.4			
160μm	0	8	3.0			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
		•	s 100% or mo	ore		
		will be mad				
COPIES TO:		· ·	•	-	ari@gov.ab.c	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER
Comments:						

		· · · · · · · · · · · · · · · · · · ·	
Tested by:	DL	Reviewed by: GM	
			1



<b>*</b> * *						
Lot No.:	55001 - 55		Lab No.:	56	Field No.:	111
Manufacturer:	NSC Miner	als :	Salt Type		Alta. Trans. I	ine
Date Sampled:	8-Jan-20		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
				NUMBER		
TEST	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						-
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	88.0			
630μm	35	100	46.6			
315μm	0	50	12.5			
160μm	0	8	2.8			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	re		
		t will be mad		•		
COPIES TO:	<del></del>	<del></del>		rishi.adhik	ari@gov.ab.ca	a)
		utz, NSC Mine	•	•	· ·	
	APPROVED	FOR PAYMEN	NT		/△	REA MANAGER
Comments:	· · · · · · · · · · · · · · · · · · ·		****			
		····				

Tested by:	DL	Reviewed by: GM	$\mathcal{A}$
			70



VV						
Lot No.:	55501 - 56	000	Lab No.:	57	Field No.:	112
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	8-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA <sup>*</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE				·		
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT	·	77				
GRADATION	***************************************			<u> </u>		
10000μm				****		
5000μm	100	100	100			
2500µm	98	100	99.7			
1250μm	85	100	90.2			
630µm	35	100	49.2			
315μm	0	50	15.2			
160μm	0	8	2.9			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment		
	adjustment	will be asses	sed against t	he lot.		
	• •	adjustment is		ore		
		t will be mad				
COPIES TO:					ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
- 						
	APPROVED	FOR PAYMEN	NT ,		//	AREA MANAGER
Comments:						MEA WANAGEN
Comments.						
	***************************************					
			en o .			

Tested by:	DL	Reviewed by: GM	
	-		



Lot No.:	56001 - 565	500	Lab No.:	58	Field No.:	113
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	V. 4 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
Date Sampled:	9-Jan-20		Production I	ocation:	Vanscoy	
Date Received:	24-Feb-20		Date Tested		25-Feb-20	
TEST	SPECIFICATION LIMITS		l i	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	86.2			
630μm	35	100	42.6			
315μm	0	50	11.3			
160μm	0	8	2.5			
80μm	0	3	0.3			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
		=	s 100% or mo	ore		
		will be mad				
					ari@gov.ab.c	a)
	Nelson Schu	itz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT .		//	AREA MANAGER
Comments:						

	TATSWILLIAM		
Tested by:	DL	Reviewed by: GM	
			<b>/</b> ()



<b>* * *</b>						
Lot No.:	56501 - 57		Lab No.:	59	Field No.:	114
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	9-Jan-20		Production I	ocation:	Vanscoy	200
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100			
2500μm 1250μm	98 85	100	99.9 91.0			
1250μm 630μm	35	100	50.7			
315μm	0	50	16.0			
160μm	0	8	3.1			
80µm	0 DILISTMENT	(DERCENIT) -	0.3	DHICTMAENIT	DOINTS	
NOTE:	If payment	Γ (PERCENT) = adjustment is t will be asses	s 5% or less, ı	no payment	rollv13	
		adjustment is t will be mad		ore		
COPIES TO:	Rishi Adhik		ransportation		ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	NŤ		//	AREA MANAGER
Comments:						
	***************************************					-0

Tested by:	DL	Reviewed by: GM



Lot No.:	57001 - 575		Lab No.:	60	Field No.:	115
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	9-Jan-20	error or	Production L		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE		1	0.00			
CONTENT		1	0.00			
CN STRONG AGID						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm				<u> </u>		
5000μm	100	100	100			
2500μm	98	100	99.8			
1250µm	85	100	90.3			
630μm	35	100	50.3			
315μm	0	50	14.5			
160μm	0	8	3.3			
80μm	0	3	2.9			
			TOTAL OF A	DJUSTMENT	POINTS	
NOTE:			s 5% or less, r		· · · ·	L
		=	sed against t			
	,					
	If payment a	adjustment i	s 100% or mo	ore		
	no payment	will be mad	e for the lot.		.,	
COPIES TO:	Rishi Adhika	ri, Alberta Ti	ransportation	ı (rishi.adhik	ari@gov.ab.c	a)
	Nelson Schu	itz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	ADDDOVED		J.T			
	AFFRUVED	FOR PAYMEN	· · · · · · · · · · · · · · · · · · ·		/4	REA MANAGEI
Comments:						



Lot No.:	57501 - 580	000	Lab No.:	61	Field No.:	116
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Jan-20		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
				NUMBER		
TEST	SPECIFICAT	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		97.3			
INSOLUBLE MATTER		1	0.939			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			0.02	·		
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	89.7			
630μm	35	100	47.4			
315μm	0	50	13.7			
160μm	0	8	2.5			
80μm	0	3	0.2	100		
		-	TOTAL OF A		POINTS	
NOTE:		=	s 5% or less,	* *		
	adjustment	will be asses	sed against t	he lot.		
	16	- 41 4	- 1000/			
	• •	will be mad	s 100% or mo	ore		
COPIES TO:				ı (rishi adhik	ari@gov.ab.c	a)
CO1123 10.					inerals.com)	<b>~</b> /
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

Tested by:	DL	Reviewed by: <u>GM</u>	



Lot No.:	58001 - 58	500	Lab No.:	62	Field No.:	117
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Jan-20		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID			100			
DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION					•	
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	89.9			
630µm	35	100	47.7			
315µm	0	50	13.3			
160μm	0	8	2.9			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, r	no payment		
	adjustment	will be asses	sed against t	he lot.		
		adjustment is		ore		
<del>'''''''''''''''''''''''''''''''''''''</del>		t will be mad				
COPIES TO:		ari, Alberta Tı utz, NSC Mine			ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:		M. PANA				

· · · · · · · · · · · · · · · · · · ·				
T	D.I.			
Tested by:	DL	-	Reviewed by: <u>GM</u>	



Lot No.:	58501 - 590		Lab No.:	63	Field No.:	118
Manufacturer:	<b>NSC Minera</b>	ls	Salt Type		Alta. Trans. I	ine
Date Sampled:	10-Jan-20	-	Production I	ocation:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
ĆN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	90.0			
630µm	35	100	48.6			
315μm	0	50	15.3			
160μm	0	8	2.9			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	djustment is	s 5% or less, i	no payment		
	adjustment v	will be asses	sed against t	he lot.		
		=	s 100% or mo	ore		
·······	no payment					
		•		-	ari@gov.ab.ca ninerals.com)	a)
	APPROVED F	OR PAYMEN	VT		/4	IREA MANAGER
Comments:				-		



Lot No.:	59001 - 595	500	Lab No.:	64	Field No.:	119
Manufacturer:	NSC Minera	als	Salt Type		Alta, Trans. F	
Date Sampled:	10-Jan-20		Production I	ocation:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEW COM	17/114	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			-		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE		-				
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT					·	
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	91.1			
630μm	35	100	52.3			
315µm	0	50	16.6			
160µm	0	8	4.0			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
		adjustment is will be made	s 100% or mo	ore		
COPIES TO:				rishi.adhik	ari@gov.ab.ca	3)
		-	erals Ltd. (nsc	•	_	
	APPROVED FOR PAYMENT  /AREA MANAGER					
Comments:		-				
-						

		·	
Tested by:	DL	Reviewed by: GM	
			<del></del>



Lot No.:	59501 - 60	0000	Lab No.:	65	Field No.:	120
Manufacturer:	NSC Mine	rals	Salt Type		Alta. Trans. I	6/10/25/00/00/00/00/00/00/00/00/00/00/00/00/00
Date Sampled:	12-Jan-20		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT			(1891)			
GRADATION						
10000μm						
5000μm	100	100	100		·	
2500μm	98	100	99.5			
1250μm	85	100	91.0			
630μm	35	100	52.2			
315μm	0	50	17.4			
160μm	0	8	3.3			
80μm	0	3	0.3			
PAYMENT A	DJUSTMEN <sup>*</sup>	T (PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less,	no payment		
	adjustmen	t will be asses	sed against t	he lot.		
			4000/			
	• •	adjustment is		ore		
CODIFC TO:		t will be mad		المام الماماء	avi@aay ah a	~\
COPIES TO:			•	-	ari@gov.ab.ca	a)
	Neison Sch	utz, NSC Mine	erais Ltd. (nsc	cnutz@nscm	imerais.com)	
	APPROVED	FOR PAYMEN	NT		/^	AREA MANAGER
Comments:						MEA WANAGEN
comments.						

			WOMEN ASSESSMENT OF THE STREET	$\Omega$
Tested by:	DL		Reviewed by: GM	
		,		



		<b>#</b> 0				
Lot No.:	60001 - 60	500	Lab No.:	66	Field No.:	121
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	13-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			-
CN WATER SOLUBLE CN STRONG ACID						
DRY WEIGHT						·
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.3			
1250μm	85	100	89.4			
630μm	35	100	47.7			
315μm	. 0	50	12.9			
160μm	0	8	2.7			
80μm	0	3	0.3	5-7-55-2-4-2-7		
		(PERCENT) =			POINTS	
NOTE:		adjustment is				
	adjustment	will be asses	sed against t	he lot.		
		adjustment is t will be mad		ore		
COPIES TO:				rishi.adhik	ari@gov.ab.c	a)
		utz, NSC Mine		•	<del>-</del>	·
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	
			O



Lot No.:	60501 -610		Lab No.:	67	Field No.:	122	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	13-Jan-20		Production Location:		Vanscoy		
Date Received:	24-Feb-20		Date Tested:		25-Feb-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE		4	6.55				
CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY						<b>-</b>	
WEIGHT							
GRADATION						•	
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.4				
1250μm	85	100	89.5				
630μm	35	100	46.7				
315µm	0	50	13.2				
160μm	0	8	2.2				
80μm	0	3	0.3				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	If payment	adjustment i	s 5% or less, i	no payment			
	adjustment	will be asses	sed against t	he lot.			
		-	s 100% or mo	ore			
COPIES TO:				rishi adhib	ari@gov.ab.c	·a)	
COFILS TO.			=		inerals.com)	aj	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:							
	٠				·		

	-		
Tested by:	DL	Reviewed by: GM	



Manufacturer: Date Sampled: Date Received: 2 TEST :	51001 -615 NSC Minera L3-Jan-20 24-Feb-20 SPECIFICAT		Lab No.: Salt Type Production L Date Tested		Field No.: Alta. Trans. F Vanscoy 25-Feb-20	123 -ine
Date Sampled: 1 Date Received: 2 TEST	l3-Jan-20 24-Feb-20 SPECIFICAT		Production L		Vanscoy	-ine
Date Received: 2 TEST :	24-Feb-20 SPECIFICAT	TION LIMITS	******			
TEST 5	SPECIFICAT	ION LIMITS	Date Tested	***************************************	25-Feb-20	an enga entre page compressión (a 1970) en la fina (a 1
		ION LIMITS			1	T
·	MIN		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP		MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE	· · · · · · · · · · · · · · · · · · ·		0.00			
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						·
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	89.4			
630μm	35	100	47.2			
315µm	0	50	12.9			
160μm	0	8	2.7			
80μm	0	3	0.3			
PAYMENT AD.	JUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE: If	f payment a	adjustment is	s 5% or less, r	no payment		
a	djustment	will be asses	sed against t	he lot.		
If	navment :	adjustment is	s 100% or mo	re		
		will be mad				
				(rishi adhik	ari@gov.ab.ca	
			erals Ltd. (nsc			~1
А	PPROVED	FOR PAYMEN	NT		/A	IREA MANAGER
Comments:		***************************************	·····			



Lot No.:	C1F01 C20	200	1 - 1 - 81			
Manufacturer:	61501 - 620		Lab No.:	69	Field No.:	124 
Date Sampled:			Salt Type		Alta. Trans. Fine	
Date Sampled.  Date Received:	24-Feb-20		Production		Vanscoy	
Date Neceiveu.	24-reb-20		Date Tested	<b>:</b>	25-Feb-20	T
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIUR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		8 1 W.			
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE					WWW	
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	91.7			
630µm	35	100	53.0			
315μm	0	50	17.7			
160µm	0	8	3.2			<b></b>
80μm	0	3	0.3			
		. ,	TOTAL OF A		POINTS	
NOTE:			s 5% or less, sed against t			
	If navment :	adiustment is	s 100% or mo	nre		
		will be mad		J1 C		
COPIES TO:		<del></del>		ı (rishi adhik	ari@gov.ab.c	a)
CO1123 10.				•	inerals.com)	u,
			·		·····	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						
V						

·		
Tested by:	DL	Reviewed by: GM



Lot No.:	62001 - 62	500	Lab No.:	70	Field No.:	125		
Manufacturer:	NSC Minerals		Salt Type	7,4	Alta. Trans. I			
Date Sampled:	14-Jan-20		Production	Location:	Vanscoy	me		
Date Received:	24-Feb-20		Date Tested		25-Feb-20	100 mg		
TEST CHEM COMP	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF		
CHEW COWN	MIN	MAX		SPEC		POINTS		
SOLUBLE CHLORIDE	98		15.54					
SODIUM CHLORIDE	95				`			
INSOLUBLE MATTER MOISTURE		1						
CONTENT		1	0.00					
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT								
GRADATION 10000μm				T		· ·		
5000μm	100	100	100					
2500μm	98	100	99.6					
1250μm	85	100	91.1			<u> </u>		
630μm	35	100	52.8					
315µm	0	50	16.8					
160μm	0	8	4.2					
80µm	0	3	0.5					
<del></del>		Γ (PERCENT) =	A CONTRACTOR OF THE CONTRACTOR	DILISTMENT	POINTS			
NOTE:	If payment adjustment If payment	adjustment is t will be asses adjustment is t will be mad	s 5% or less, sed against t s 100% or mo	no payment he lot.				
	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)							
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER		
Comments:								



ot No.:	62501 - 63	000	Lab No.:	71	Field No.	
lanufacturer:	NSC Miner		Salt Type		Field No.:	126
ate Sampled:	15-Jan-20	uio	Production	Location	Alta. Trans.	Fine
ate Received:	24-Feb-20		Date Tester		Vanscoy 25-Feb-20	
TEST		TION LIMITS		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
OLUBLE CHLORIDE	98		98.7			
ODIUM CHLORIDE	95		97.4			
SOLUBLE MATTER MOISTURE		1	1.226	0.226		
CONTENT		1	0.00			
WATER SOLUBLE			<0.005		·	
N STRONG ACID DRY WEIGHT WEAK ACID DRY			0.02			
WEIGHT WEIGHT			0.02			
GRADATION						<u> </u>
10000μm						
5000μm	100	100	100		-	
2500μm	98	100	99.7	777		
1250μm	85	100	90.9			
630μm	35	100	50.1			
315μm	0	50	15.1			
160μm	0	8	2.6			
80μm	0	3	0.3			<u></u>
PAYMENT AD	JUSTMENT	(PERCENT) =		DJUSTMENT	POINTS	
		djustment is			L	
		will be assess				
		djustment is will be made		ore		
				(richi adhil-	ri@gov.ab.ca	,
		tz, NSC Minei				)
А	PPROVED F	OR PAYMEN	Т		/AI	REA MANAGER
nments:	PPROVED F	OR PAYMEN	Т			/AI

Tested by: DL

Reviewed by: GM





Tested by:

DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

V V V						
Lot No.:	63001 - 63		Lab No.:	72	Field No.:	127
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	15-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST CHEM COMP	SPECIFICA <sup>-</sup>	FION LIMITS MAX	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
				SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE		1				
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				<u> </u>		
10000μm	100	100	100			
5000μm	100	100	99.3	-0.7		
2500μm	98	100	98.9	0.,		
1250μm	85	100	89.0			
630μm	35	100	49.6			
315µm	0	50	13.9			
160μm	0	8	3.0			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	.DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, i sed against t s 100% or mo	he lot.		
	no payment	t will be mad	e for the lot.			
COPIES TO:	Rishi Adhika	ari, Alberta Ti	ransportation	n (rishi.adhik	ari@gov.ab.ca	a)
	Nelson Schu	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						
· · · · · · · · · · · · · · · · · · ·						
						0
						Ñ

Reviewed by: GM



<b>* * * *</b>					, · · · · · · · · · · · · · · · · · · ·	
Lot No.:	63501 - 64		Lab No.:	73	Field No.:	128
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	17-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm		T		<b>T</b>	<u> </u>	
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	92.7			
630µm	35	100	56.2			
315μm	0	50	20.2			
160μm	0	8	4.5			
80μm	0	3	0.5			
	· · · · · · · · · · · · · · · · · · ·	(PERCENT) =		DJUSTMENT	POINTS	
NOTE:		adjustment i				
		will be asses				
·	• •	adjustment i t will be mad		ore		
COPIES TO:	<u></u>			n (rishi adhik	ari@gov.ab.c	a)
COFFES TO.					ninerals.com)	
	APPROVED	FOR PAYMEI	NT		/4	AREA MANAGER
Comments:						



Lot No.:	64001 - 64	500	Lab No.:	74	Field No.:	129
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	19-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE			_			
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION	•					
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.4			
1250μm	85	100	91.1			
630μm	35	100	53.8			
315μm	0	50	17.5			
160μm	0	8	4.3			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, r	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	ore		
		t will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta Ti	ransportation	rishi.adhik	ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	
			/ 0



Lot No.:	64501 - 65	000	Lab No.:	75	Field No.:	130
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	20-Jan-20		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
				AUGABED		T
TEST	SPECIFICA.	TION LIMITS	İ	NUMBER	MULTIPLY	
СНЕМ СОМР	MIN	MAX	TEST	OF UNITS OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1			,	
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	89.7			·
630μm	35	100	48.2			
315µm	0	50	13.9			
160μm	. 0	8	2.2			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
			sed against t			
	If payment	adjustment is	s 100% or mo	re		
•	no payment	will be made	e for the lot.			
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ransportation	ı (rishi.adhik	ari@gov.ab.c	a)
	Nelson Sch	ıtz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



~ ~ ~		<b>*</b>				
Lot No.:	65001 -655	00	Lab No.:	76	Field No.:	131
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	20-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT			0.00			
CN WEAK ACID DRY					W. C.	
WEIGHT						
GRADATION 10000μm	·				· .	
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	90.5			
630μm	35	100	51.7			
315μm	0	50	15.2	·	· · · · · · · · · · · · · · · · · · ·	
160μm	0	8	3.1			
80μm	0	3	0.3			
			TOTAL OF A	DIUSTMENT	POINTS	
NOTE:			s 5% or less, i		. 011113	
NOTE.		-	s 3% of less, i			
		20 0000	ood abanist t	1011		
	If navment	adiustment is	s 100% or mo	re		
		will be mad		,,,,		
COPIES TO:				rishi adhib	ari@gov.ab.c	a)
CO, 123 TO.			erals Ltd. (nsc			· · · · · · · · · · · · · · · · · · ·
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						
			***************************************			

	,		
Tested by:	DL	Reviewed by: GM	<del>//</del>
			$\circ$



Lot No.:	65501 - 66	5000	Lab No.:	77	Field No.:	132
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Jan-20		Production Location:		Vanscoy	
Date Received:	ceived: 24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	91.4			
630µm	35	100	55.2			
315µm	00	50	20.3			
160μm	0	8	4.6			
80μm	0	3	0.4			
	DJUSTMEN	Γ (PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
		adjustment is	•	, ,		
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	100% or mo	ore		
	no paymen	t will be made	e for the lot.			
			-	-	ari@gov.ab.ca	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	ΙΤ		/A	REA MANAGER
Comments:						
						***************************************



<b>* * *</b>						
Lot No.:	66001 - 66		Lab No.:	78	Field No.:	133
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	-ine
Date Sampled:	22-Jan-20		Production I	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
				NUMBER		
TEST	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	148			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT				·		
CN WEAK ACID DRY WEIGHT						
GRADATION	¥					
10000μm					***************************************	
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	88.7			
630μm	35	100	48.8			
315µm	0	50	15.4			
160μm	0	8	4.0			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If navment:	adiustment is	s 100% or mo	)re		
i. Na a		will be mad				·
COPIES TO:				ı (rishi.adhik	ari@gov.ab.ca	a)
33,123,131					inerals.com)	-,
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:					······································	
· .		***********				
			4			

		×	
Tested by:	DL	Reviewed by: GM	X
		-	70



Lot No.:	66501 - 670	000	Lab No.:	79	Field No.:	134
Manufacturer:	NSC Minerals		Salt Type			ine
Date Sampled:	22-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	***************************************	25-Feb-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	(2)			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						<u> </u>
5000μm	100	100	100			
2500μm	98	100	99.2			
1250μm	85	100	88.8			
630μm	35	100	47.8			
315µm	0	50	15.0			
160μm	0	8	3.1			
80μm	0	3	0.3			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, i sed against t	he lot.		
		adjustment is will be mad	s 100% or mo e for the lot	ore		
COPIES TO:				n (rishi.adhik	ari@gov.ab.c	a)
			-		inerals.com)	•
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Tested by:

DL

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

V V V		•		V	0	201140000000000000000000000000000000000
Lot No.:	67001 - 67		Lab No.:	80	Field No.:	135
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	23-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested:		25-Feb-20	<del></del>
TEST CHEM COMP	SPECIFICA <sup>*</sup>	MAX	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
				SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE	·	1	Programme and the second			
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	89.6			
630µm	35	100	50.2			
315µm	0	50	15.7			
160μm	0	8	4.2			
80µm	0	3	0.5			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:			s 5% or less,			
		•	ssed against t	• •		
	If payment	adiustment i	s 100% or mo	ore		
	• •	-	e for the lot.			
COPIES TO:					ari@gov.ab.c	a)
					ninerals.com)	,
		,	(	<b>3</b> · · · · · ·	,	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					<u> </u>	
						0

Reviewed by: <u>GM</u>



**		<b>***</b>				
Lot No.:	67501 - 680		Lab No.:	81	Field No.:	136
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.3			
SODIUM CHLORIDE	95		97.1			
INSOLUBLE MATTER		1	1.608	0.608		
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID			0.02			
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT			0.02			
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	90.7		****	
630μm	35	100	52.6			
315μm	0	50	18.8			
160μm	0	8	4.7			· · · · · · · · · · · · · · · · · · ·
80μm	0	3	0.8			· · · · · · · · · · · · · · · · · · ·
		(PERCENT) =			POINTS	
NOTE:		adjustment is		• •		
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	ore		
		t will be mad				
COPIES TO:				n (rishi.adhik	ari@gov.ab.c	a)
		-	•	=	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	DL	Reviewed by: GM	



Tested by:

DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	68001 - 68!	500	Lab No.:	82	Field No.:	137
Manufacturer:	NSC Minera		Salt Type	02	Alta. Trans. I	
Date Sampled:	24-Jan-20		Production Location:			-ine
Date Received:	24-Feb-20		Date Tested		Vanscoy 25-Feb-20	
	L-1-00 20		Date resteu	<u> </u>	25-FED-20	T
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.3			
1250μm	85	100	89.6			
630μm	35	100	52.5			
315µm	0	50	18.4			
160µm	0	8	5.5			***************************************
80μm	0	3	0.8			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
	adjustment If payment a	will be asses	s 5% or less, i sed against t s 100% or mo e for the lot.	he lot.		
					ari@gov.ab.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						
				***************************************		
			***			

Reviewed by: GM



I at Nice	_		1 - L. A.		P* 11:	
Lot No.:	68501 - 69		Lab No.:	83	Field No.:	138
Manufacturer:			Salt Type		Alta. Trans. I Vanscoy	Fine
Date Sampled:	25-Jan-20		<u> </u>	Production Location:		
Date Received:	24-Feb-20		Date Tested	: !	25-Feb-20	<del>T</del>
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	90.8			
630µm	35	100	51.3			
315µm	0	50	17.6			
160μm	0	8	3.8			
80μm	0	3	0.4			
		T (PERCENT)		DJUSTMEN'	T POINTS	
NOTE:		adjustment i				
		t will be asse				
		adjustment				
		nt will be mad				
COPIES TO:					kari@gov.ab.o	
	Nelson Sch	iutz, NSC Min	erals Ltd. (ns	chutz@nscn	ninerals.com)	
	A DDD OVED	FOR PAYME	NT			
	AFFRUVEL					AREA MANAGEF
Comments:						

Tested by:	DL	Reviewed by: GM	
			70



V V W	- <b> </b>					
Lot No.:	69001 - 69		Lab No.:	84	Field No.:	139
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	27-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	:	25-Feb-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION		<b>,</b>		<b>.</b>		
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	90.5			
630μm	35	100	51.9			
315μm	0	50	17.1			
160μm	0	8	4.5		·	
80μm	0	3	0.4		·	
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	\DJUSTMEN <sup>-</sup>	POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment		
	adjustment	will be asses	ssed against t	the lot.		
	If payment	adjustment i	s 100% or mo	ore		
	no paymen	t will be mad	e for the lot.			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	ari@gov.ab.c	a)
					ninerals.com)	
-	APPROVED	FOR PAYMEI	NT			
					//	AREA MANAGER
Comments:						
	,					

Tested by:	DL	Reviewed by: GM	



A A 4						
Lot No.:	69501 - 70		Lab No.:	85	Field No.:	140
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	27-Jan-20		Production I	Location:	Vanscoy	e guil.
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICA <sup>*</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			·		
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT					·	
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	90.8		<u> </u>	
630μm	35	100	50.2	W		
315μm	0	50	16.1			
160μm	0	8	3.2			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
		adjustment is		ore		•
	<del></del>	t will be mad				
COPIES TO:					ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		1.	AREA MANAGER
Comments:						

		NACON MANAGEMENT OF THE STATE O	
		E CARACTERISTIC	-0
Tested by:	DL	Reviewed by: GM	



_ V V -	<i>-</i>					
Lot No.:	70001 - 705	500	Lab No.:	86	Field No.:	141
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	27-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		and the second			-
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT		,				<u></u>
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	90.2			
630μm	35	100	50.5			
315μm	0	50	15.0			
160μm	0	8	3.4			
80μm	0	3	0.4			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is	s 5% or less,	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If payment a	adjustment is	s 100% or mo	ore		
	no payment	will be made	e for the lot.			
COPIES TO:	Rishi Adhika	ri, Alberta Tı	ransportation	n (rishi.adhik	ari@gov.ab.ca	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (nso	chutz@nscm	inerals.com)	
	APPROVED FOR PAYMENT  /AREA MANAGER					
Comments:			-			

			0
Tested by:	DL	Reviewed by: GM	



V V	-			T037/37 153,555-8178-55-9-7		
Lot No.:	70501 - 71		Lab No.:	87	Field No.:	142
Manufacturer:	Annual Control of the Control of Control of the Con		Salt Type		Alta. Trans. Fine	
Date Sampled:	29-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	: I	25-Feb-20	<del></del>
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE		<i>a</i>				
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	92.1			
630µm	35	100	45.8			
315µm	0	50	10.7			
160μm	0	8	1.5			
80μm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less, i	no payment		
	adjustment	will be asses	sed against t	he lot.		
	If payment	adjustment is	s 100% or mo	ore		
		t will be mad				
COPIES TO:				ı (rishi.adhik	ari@gov.ab.c	а)
		utz, NSC Mine				
	ADDROVED	FOR PAYMEN	JT			
	AFFNUVEU	TON FATIVIEI	N 1		//	REA MANAGER
Comments:						
					······································	
	· · · · · · · · · · · · · · · · · · ·					· .

Tested by:	DL	Reviewed by: GM	$\longrightarrow$



Lot No.:	71001 - 71	500	Lab No.:	88	Field No.:	143	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	29-Jan-20		Production Location:		Vanscoy		
Date Received:	24-Feb-20		Date Teste	d:	25-Feb-20		
TEST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF		
CHEM COMP	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95		1/2				
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.9				
1250μm	85	100	93.7				
630µm	35	100	56.3				
315µm	0	50	16.4				
160μm	0	8	3.1				
80μm	0	. 3	0.2				
PAYMENT A	DJUSTMEN	T (PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	If payment	adjustment is	s 5% or less,	no payment			
	adjustmen	t will be asses	sed against	the lot.			
		adjustment is					
COPIES TO:		ari, Alberta Tı			ari@gov.ab.c	a)	
		utz, NSC Mine		-		,	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:	-						

***************************************		
Tested by:	DL	Reviewed by: GM



AA C							
Lot No.:	71501 - 720	000	Lab No.:	89	Field No.:	144	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	29-Jan-20		Production I	Production Location:		Vanscoy	
Date Received:	24-Feb-20	orașilor.	Date Tested	•	25-Feb-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACION	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE					****		
CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID					-		
DRY WEIGHT CN WEAK ACID DRY							
WEIGHT					•		
GRADATION							
10000μm					<u></u>		
5000μm	100	100	100				
2500μm	98	100	100				
1250μm	85	100	93.6				
630μm	35	100	54.9				
315µm	0	50	16.9				
160μm	0	8	2.7				
80μm	0	3	0.2				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	If payment	adjustment is	s 5% or less,	no payment			
	adjustment	will be asses	sed against t	he lot.			
	If payment:	adiustment i	s 100% or mo	ore			
		t will be mad		. <del>-</del>			
COPIES TO:		······································		ı (rishi adhik	ari@gov.ab.c	a)	
001.120.101			-		inerals.com)		
	ADDDOVED	EOD DAVAGA	JT				
	AFFRUVED	FOR PAYMEN	V I		//	AREA MANAGER	
Comments:							
				··· ···			



V V						
Lot No.:	72001 -725		Lab No.:	90	Field No.:	145
Manufacturer:	NSC Minera	ils	Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Jan-20	and the second	Production I		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95	<b>3.</b>	- 10 m 10			
INSOLUBLE MATTER	,	1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						<u> </u>
WEIGHT						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	87.8			
<u>630μm</u>	35	100	45.2			
315µm	0	50	12.2			
160μm	0	8	2.6			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT)	= TOTAL OF A	ADJUSTMEN <sup>-</sup>	T POINTS	
NOTE:		•	s 5% or less, ssed against			
		-	s 100% or m le for the lot.			
COPIES TO:					kari@gov.ab.o	ca)
					ninerals.com)	
	APPROVED	FOR PAYME	NT		/	AREA MANAGER
Comments:						, oppositely

			A
Tested by:	DL	Reviewed by: GM	
•			/ 0



Tested by:

DL

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			_			
Lot No.:	72501 - 730		Lab No.:	91	Field No.:	146
Manufacturer:	NSC Minera	ils	Salt Type		Alta. Trans.	<u>Fine</u>
Date Sampled:	30-Jan-20 24-Feb-20		Production I		Vanscoy	
Date Received:	24-reb-20		Date Tested	: -	25-Feb-20	<u> </u>
TECT	CDECIFICAT			NUMBER	 	.
TEST	SPECIFICA	TON LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98	***				
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				-		
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5			
1250μm	85	100	92.8			
630µm	- 35	100	55.2			
315μm	0	50	18.2			
160μm	0	8	4.2			
80μm	0	3	0.7			
PAYMENT A		•	= TOTAL OF A			
NOTE:			s 5% or less, ssed against t		,	
	, ,	=	s 100% or mole for the lot.	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation erals Ltd. (ns			
	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:						
·						

Reviewed by: GM



Tested by:

DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	73001 - 73	500	Lab No.:	92	Field No.:	147
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	533.55
Date Sampled:	30-Jan-20		Production I	ocation:	Vanscoy	
Date Received:	24-Feb-20		Date Tested:		25-Feb-20	
TEST CHEM COMP	SPECIFICA <sup>*</sup>	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	1340			
MOISTURE CONTENT		1	0.00			·
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			·
2500μm	98	100	99.6			
1250μm	85	100	91.9			
630μm	35	100	52.4			
315μm	0	50	14.8			
160μm	0	8	3.9		·	
80μm	0	3	0.6			
PAYMENT A NOTE:	If payment	adjustment is	TOTAL OF A 5 5% or less, i sed against t	no payment	POINTS	
		adjustment is t will be mad	s 100% or mo e for the lot.	ore		
COPIES TO:		-	ransportatior erals Ltd. (nsc	-	ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

Reviewed by: GM



Lot No.:	73501 - 740		Lab No.:	93	Field No.:	148
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Jan-20		Production Location:		Vanscoy	
Date Received:	24-Feb-20		Date Tested	•	25-Feb-20	
				NUMBER		
TEST	SPECIFICAT	TION LIMITS		OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100		-	
2500μm	98	100	99.6			
1250μm	85	100	92.7			
630µm	35	100	54.6			
315µm	0	50	17.7			
160μm	0	8	4.0			
80μm	0	3	0.6			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		adjustment is will be asses	•			
	, -	adjustment is t will be mad		ore		
COPIES TO:	<del></del>			n (richi adhik	ari@gov.ab.c	<u> </u>
COFILS TO:			-		inerals.com)	<b></b>
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						



Lot No.:	74001 - 74	500	Lab No.:	94	Field No.:	149
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	31-Jan-20		Production	Location:	Vanscoy	
Date Received:	24-Feb-20		Date Tested	l:	25-Feb-20	- Control of the Cont
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	90.1			
630μm	35	100	49.2			
315μm	0	50	13.8			
160μm	0	8	2.9			
80μm	0	3	0.3			
PAYMENT AL	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
		ndjustment is will be assess				
		idjustment is will be made		ore		
				rishi.adhik	ari@gov.ab.ca	1)
		tz, NSC Mine	· ·	=		
	APPROVED I	FOR PAYMEN	Т		/A	REA MANAGER
Comments:						***************************************

			***************************************
***************************************			
Tested by:	DL	Reviewed by: GM	
		<del></del>	



Manufacturer: NSC Date Sampled: 3-Fc Date Received: 25-	601 - 75000 C Minerals eb-20 May-20			95 ocation:	Field No.: Alta. Trans. F	150 ine	
Date Sampled: 3-Fe Date Received: 25-  TEST SPE CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT	eb-20		Production I	ocation:		ine	
TEST SPE  CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT				ocation:	Vanscov		
TEST SPE  CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE  CONTENT  CN WATER SOLUBLE  CN STRONG ACID  DRY WEIGHT  CN WEAK ACID DRY  WEIGHT	May-20			Production Location:		Vanscoy	
CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT			Date Tested	:	1-Jun-20		
SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT	CIFICATIO	N LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT	MIN	MAX		OUT OF SPEC	IACION	ADJUSTMENT POINTS	
INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT	98		98.7				
MOISTURE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT	95		97.0				
CONTENT  CN WATER SOLUBLE  CN STRONG ACID  DRY WEIGHT  CN WEAK ACID DRY  WEIGHT		1	1.34	0.34			
CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT		1	0.00				
DRY WEIGHT CN WEAK ACID DRY WEIGHT			<0.005				
WEIGHT			<0.02				
GRADATION			<0.02				
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.8				
1250μm	85	100	85.1				
630µm	35	100	51.6				
315μm	0	50	20.3				
160μm	0	8	5.7				
80µm	0	3	0.4				
PAYMENT ADJUS	STMENT (PI	ERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
adju	ıstment wil	ll be asses	s 5% or less, i sed against t s 100% or mo	he lot.			
	-		e for the lot.				
COPIES TO: Rish	i Adhikari,	Alberta Tı	ransportation		ari@gov.ab.ca inerals.com)	a)	
APP	ROVED FO	R PAYMEN	NT		/Δ	REA MANAGER	
Comments:						HEY MYNAGEN	



Lot No.:	75001 -755	inn	Lab No.:	96	Field No.:	151	
Manufacturer:	NSC Minerals		Salt Type	30	Alta. Trans.		
Date Sampled:	3-Feb-20	ais	Production	Location:	Vanscoy		
Date Received:	25-May-20			Date Tested:			
Date Neceivea.	25-1418y-20		Date reste	T	1-Jun-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95		Spile V				
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY							
WEIGHT  GRADATION  10000μm							
5000μm	100	100	100				
2500μm	98	100	99.6	. 0			
1250μm	85	100	83.7	-1.3			
630µm	35	100	46.9				
315µm	0	50	16.0				
160µm	0	8	3.9	0			
80µm	0	3	0.3				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment If payment	adjustment is will be asses adjustment is t will be mad	sed against s 100% or m	ore			
COPIES TO:			-	on (rishi.adhik schutz@nscm		•	
	APPROVED	FOR PAYMEN	NT		/	AREA MANAGEF	
Comments:							
						1	

Tested by:	DL	Reviewed by: GM



Lot No.:	75501 -760	00	Lab No.:	97	Field No.:	152
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	
Date Sampled:	3-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20	
TEST				NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.05			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100	11 0 1		
2500μm	98	100	99.4			
1250μm	85	100	79.7	-5.3		
630µm	35	100	40.5			
315µm	0	50	11.8			
160µm	0	8	2.8			
80μm	0	3	0.3	N. LAND -		
PAYMENT A NOTE:	If payment a adjustment	djustment i will be asses djustment i	TOTAL OF A s 5% or less, ssed against t s 100% or mo e for the lot.	no payment he lot.		
COPIES TO:				-	cari@gov.ab.com)	a)
	APPROVED I	OR PAYME	NT		//	AREA MANAGER
Comments:						



Lot No.:	76001 -765		Lab No.:	98	Field No.:	153	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	fine	
Date Sampled:	4-Feb-20		Production		Vanscoy		
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	Harris March	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	- TACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	1.75				
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500µm	98	100	99.5	Ą			
1250µm	85	100	79.2	-5.8			
630µm	35	100	40.7				
315µm	0	50	12.4				
160µm	0	8	2.8				
80µm	0	3	0.2				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>®</sup>	POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment is t will be mad	ssed against	iore			
COPIES TO:						- \	
COPIES TO:					cari@gov.ab.c ninerals.com)	a <i>)</i>	
	APPROVED FOR PAYMENT /AREA MANAGER						
Comments:							

Tested by:	DL	Reviewed by: GM



1 - 4 NI - 1	70504 77	200			e			
Lot No.:	76501 - 770		Lab No.:	99	Field No.:	154		
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine			
Date Sampled:	4-Feb-20			Production Location:		Vanscoy		
Date Received:	25-May-20		Date Tested		1-Jun-20			
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1	1 10					
MOISTURE CONTENT		1	0.04					
CN WATER SOLUBLE								
CN STRONG ACID DRY WEIGHT								
CN WEAK ACID DRY WEIGHT								
GRADATION					·			
10000μm								
5000μm	100	100	100	1 1				
2500μm	98	100	99.2					
1250μm	85	100	77.3	-7.7				
630µm	35	100	40.5					
315μm	0	50	13.7					
160µm	0	8	3.6					
80μm	0	3	0.4					
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS			
NOTE:			s 5% or less, i ssed against t					
		•	s 100% or mo	ore				
COPIES TO:				rishi.adhik	ari@gov.ab.ca	a)		
			erals Ltd. (nsc	•	- •	,		
	APPROVED FOR PAYMENT /AREA MANAGER							
Comments:					•			

Tested by:	DL	Reviewed by: GM



		27 F2				
Lot No.:	77001 - 775	00	Lab No.:	100	Field No.:	155
Manufacturer:	<b>NSC Minera</b>	ıls	Salt Type		Alta. Trans. F	ine
Date Sampled:	4-Feb-20		Production L	ocation:	Vanscoy	
Date Received:	25-May-20		Date Tested:		1-Jun-20	
				AULINADED		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	L/ In		
2500μm	98	100	99.7			
1250μm	85	100	84.1	-0.9		
630µm	35	100	47.7			
315µm	0	50	16.2			
160μm	0	8	3.9			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment i	s 5% or less, r	no payment		
			sed against t			
		_	s 100% or mo	re		
000150 70			e for the lot.		10	
COPIES TO:			•	-	ari@gov.ab.ca	3)
	Nelson Schu	itz, NSC Mine	erals Ltd. (nsc	hutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		/^	DEA MANACED
Comments:						REA MANAGER



Lot No.:	77501 - 78	000	Lab No.:	101	Field No.:	156	
Manufacturer: NSC Minerals		Salt Type		Alta. Trans. I			
Date Sampled:	d: <b>4-Feb-20</b>			Production Location:		Vanscoy	
Date Received:	25-May-20		Date Teste		1-Jun-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID  DRY WEIGHT			ay out				
CN WEAK ACID DRY							
WEIGHT							
GRADATION				20			
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.5				
1250μm	85	100	82.9	-2.1			
630µm	35	100	46.1				
315µm	0	50	15.4				
160µm	0	8	3.6	0			
80µm	0	3	0.3				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	If payment	adjustment i	s 5% or less	, no payment			
	adjustment	will be asses	ssed against	the lot.			
		adjustment i t will be mad					
COPIES TO:					ari@gov.ab.c	2)	
COFIES TO:				schutz@nscm	-	aj	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:					,.		



Las Name	70004 70	500	L.L.N.	400	E. 1141	
Lot No.:	78001 - 78		Lab No.:	102	Field No.:	157
Manufacturer:			Salt Type	1 1' -	Alta. Trans. i	ine
Date Sampled:	5-Feb-20		Production Location: Date Tested:		Vanscoy	
Date Received:	25-May-20		Date Teste	a: T	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000µm						
5000μm	100	100	100	A COLOR		
2500μm	98	100	99.3	4		
1250μm	85	100	76.9	-8.1		
630μm	35	100	42.2			
315µm	0	50	15.7			
160μm	0	8	4.3			
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	Γ POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						



Lot No.:	78501 - 79	200	1 - I- NI - (70)	400	C'. LLM	450
	NSC Miner		Lab No.:	103	Field No.:	158
	5-Feb-20	ais	Salt Type Production Location:		Alta. Trans. Fine	
	25-May-20		Date Teste		Vanscoy 1-Jun-20	
Date Neceived.	23-Way-20		Date Tester	и. Т	1-3411-20	T
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	EL T			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100	0.00		
2500μm	98	100	99.6	4,00		
1250μm	85	100	83.6	-1.4		
630µm	35	100	50.3			
315µm	0	50	20.1			
160µm	0	8	5.7			
80μm	0	3	0.5			
PAYMENT AD	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS	
	adjustment If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
					kari@gov.ab.c	a)
		Ē.	•	•	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						ETTHICHAULI

Tested by:

DL

Reviewed by: GM





Let No.	70004 701	-00	Lab Na 3	404	FI-1-LAI	450
Lot No.:			Lab No.:	104	Field No.:	159
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Feb-20		Production I		Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.4			
1250μm	85	100	79.4	-5.6		
630µm	35	100	40.7			
315μm	0	50	12.5			
160µm	0	8	2.9			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	adjustment  If payment	will be asses	s 5% or less, is sed against to see a see	he lot.		
COPIES TO:				a (richi adbil	ari@gov.ab.c	2)
COPIES TO.					inerals.com)	a)
ļ	APPROVED	FOR PAYMEI	NT		/4	AREA MANAGER
Comments:						



1 - L M	70504 000	200		405	e	
Lot No.:	79501 - 800		Lab No.:	105	Field No.:	160
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine	
Date Sampled: Date Received:	6-Feb-20		Production		Vanscoy	Y
Date Received:	25-May-20		Date Tested		1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.8			
SODIUM CHLORIDE	95		97.0			
INSOLUBLE MATTER		1	1.25	0.25		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION		100				
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5	- 0		
1250μm	85	100	82.5	-2.5		
630μm	35	100	47.8			
315µm	0	50	18.0			
160μm	0	8	4.9	- 0		
80µm	0	3	0.3	M. C. Lett.		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	Γ POINTS	
NOTE:	If payment a	adiustment i:	s 5% or less,	no payment		
		-	sed against t			
		=	s 100% or mo	ore		
CODIES TO			e for the lot.			
COPIES TO:			-	-	ari@gov.ab.c	a)
	Nelson Schu	itz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)	
APPROVED FOR PAYMENT /AREA MANAGER						
Comments:					,-	




Lot No.:	80001 - 805	500	Lab No.:	106	Field No.:	161	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	6-Feb-20		Production Location:		Vanscoy		
Date Received:	25-May-20		Date Tested	:	1-Jun-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION					W.		
10000μm							
5000μm	100	100	100	1 1			
2500μm	98	100	99.5	TO THE			
1250μm	85	100	82.2	-2.8			
630µm	35	100	45.1				
315μm	0	50	14.8				
160μm	0	8	3.4				
80µm	0	3	0.2				
PAYMENT A NOTE:	ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					a)	
	APPROVED	FOR PAYMEN	NT		/_	AREA MANAGER	
Comments:							

- 25

Tested by:

DL

Reviewed by: GM





Lot No.:	80501 - 81000 er: NSC Minerals		Lab No.:	107	Field No.:	162	
Manufacturer:			Salt Type		Alta. Trans. Fine		
Date Sampled: <b>7-Feb-20</b>			Production Location:		Vanscoy		
Date Received:	25-May-20		Date Teste	d:	1-Jun-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95			Į.			
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID							
DRY WEIGHT			COLL LE	_			
CN WEAK ACID DRY WEIGHT	1 1		- 12				
WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.3				
1250μm	85	100	79.0	-6			
630µm	35	100	40.1				
315µm	0	50	11.7				
160μm	0	8	2.5	0			
80µm	0	3	0.1				
	DJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN'	T POINTS		
NOTE:				, no payment			
	adjustment	-					
	<b>,</b>						
	If payment a	diustment i	s 100% or m	nore			
	no payment	-					
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
					ninerals.com)	•	
	ADDROVES !	TOD DAYAST	NT.				
	APPROVED I	OK PAYME	N I		,		
					//	AREA MANAGEF	

		9411



Lot No.:	21001 - 01E	:00	Lab No.:	108	Field No.:	163
Manufacturer:	81001 - 81500 NSC Minerals		Salt Type			
Date Sampled:	7-Feb-20		Production Location:		Alta. Trans. Fine	
Date Received:	7-Feb-20 25-May-20		Date Tested:		Vanscoy 1-Jun-20	
Date Neceived.	25-1418Y-20		Date resteu		1-3411-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION				0.5		
10000μm						
5000µm	100	100	100	0		
2500μm	98	100	99.5			
1250μm	85	100	82.9	-2.1		
630µm	35	100	46.1			
315µm	0	50	15.4			
160μm	0	8	3.9	0		
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	If payment a	adjustment i	s 5% or less,	no payment		•
		=	ssed against t			
		_	s 100% or mo			
			e for the lot.			
COPIES TO:			•	-	kari@gov.ab.c	a)
	Nelson Schu	ıtz, NSC Min	erals Ltd. (ns	chutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEI	NT			DEA AAANACES
Communicates					//	AREA MANAGER
Comments:						



Lot No.:	81501 - 820	000	Lab No.:	109	Field No.:	164
Manufacturer:	NSC Minerals		Salt Type Alta. Trans. Fine		ine	
Date Sampled:	10-Feb-20	100	Production Location:		Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST CHEM COMP			TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
				SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				1	
INSOLUBLE MATTER		1	53,00			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT				di di		
CN WEAK ACID DRY WEIGHT						
GRADATION	l;γ					I.
10000μm						
5000μm	100	100	100	ing i		
2500μm	98	100	99.3	6		
1250μm	85	100	80.4	-4.6		
630µm	35	100	41.5			
315μm	0	50	12.2			
160μm	0	8	2.6			
80µm	0	3	0.2	PIN		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. nore		
COPIES TO:			·='	="	kari@gov.ab.c ninerals.com)	a)
ll l	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Tested by:	DL	Reviewed by: GM	B
	*		



Lat Na	00004 000	00	Tab M 750	444	E' 118'	44-
Lot No.:	82001 - 825		Lab No.:	110	Field No.:	165
Manufacturer:	NSC Minera	IIS	Salt Type		Alta. Trans. I	-ine
Date Sampled:	10-Feb-20		Production I		Vanscoy	
Date Received:	25-May-20		Date Tested	: -	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	3 1			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
WEIGHT						
GRADATION						
10000μm			4,415			
5000μm	100	100	100			
2500μm	98	100	99.1	6		5
1250μm	85	100	73.8	-11.2		
630µm	35	100	34.6	-0.4		
315µm	0	50	10.3			
160µm	0	8	2.8			
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	adjustment	will be asses	s 5% or less, ssed against t s 100% or mo	the lot.		
		-	e for the lot.			
COPIES TO:					cari@gov.ab.c	a)
COVIES TO:			-	•	ninerals.com)	u,
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						



Lot No.:	82501 -830		Lab No.:	111	Field No.:	166
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				-		
10000μm						
5000μm	100	100	100	100		
2500μm	98	100	98.8	0		
1250μm	85	100	70.4	-14.6		
630µm	35	100	30.8	-4.2		
315µm	0	50	7.6			
160μm	0	8	1.7	-0 1		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, ssed against s 100% or m le for the lot	the lot.		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
Comments:	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
comments.						



Manufacturer: NSC Minerals Salt Type Alta. Trans. Fine  Date Sampled: 11-Feb-20 Production Location: Vanscoy  Date Received: 25-May-20 Date Tested: 1-Jun-20  TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  Salt Type Alta. Trans. Fine  Number Of Units OUT OF UNITS OUT OF	Lot No.:	83001 - 83	500	Lab No.:	112	Field No.:	167
Date Sampled:   11-Feb-20							
Date Received:         25-May-20         Date Tested:         1-Jun-20           TEST         SPECIFICATION LIMITS         TEST         NUMBER OF UNITS OUT OF SPEC         MULTIPLY FACTOR         NUMBER ADJUST POIN           SOLUBLE CHLORIDE         98         Image: Character of the point of							
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OUT OF SPEC   S			A-1 6 2				1000
CHEM COMP  MIN  MAX  SPEC  POIN  SPEC  POIN  SOLUBLE CHLORIDE  98  SODIUM CHLORIDE  95  INSOLUBLE MATTER  1  O.00  CN WATER SOLUBLE CONTENT  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT  CN WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100 100 100 99.1 1250µm 85 100 76.5 630µm 35 100 38.2 315µm 0 50 12.2 160µm 0 8 3.3 80µm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	TEST			TEST			NUMBER OF
SODIUM CHLORIDE   95	СНЕМ СОМР	MIN	MAX			FACTOR	ADJUSTMENT POINTS
INSOLUBLE MATTER   1	SOLUBLE CHLORIDE	98					
MOISTURE   CONTENT   1	SODIUM CHLORIDE	95					
CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  2500µm  98  100  99.1  1250µm  85  100  76.5  630µm  35  100  38.2  315µm  0  500  100  100  100  100  100  100			1				
CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  100  2500µm  98  100  99.1  1250µm  85  100  76.5  -8.5  630µm  35  100  38.2  315µm  0  500 12.2  160µm  0  8  3.3  80µm  0  3  0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)			1	0.00			
10000μm	CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY				10		
5000μm   100   100   100   2500μm   98   100   99.1							
2500μm 98 100 99.1  1250μm 85 100 76.5 -8.5  630μm 35 100 38.2  315μm 0 50 12.2  160μm 0 8 3.3  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	10000μm						
1250μm 85 100 76.5 -8.5  630μm 35 100 38.2  315μm 0 50 12.2  160μm 0 8 3.3  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	5000μm	100	100	100			
630μm 35 100 38.2  315μm 0 50 12.2  160μm 0 8 3.3  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	2500μm	98	100	99.1			
315μm 0 50 12.2  160μm 0 8 3.3  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	1250μm	85	100	76.5	-8.5		
160μm 0 8 3.3  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	630µm	35	100	38.2			
160μm 0 8 3.3  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	315µm	0	50	12.2			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)		0	8	3.3	. 0		
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	80µm	0	3	0.2			
COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)	PAYMENT A	If payment adjustment	adjustment t will be asse adjustment	is 5% or less ssed against is 100% or m	, no payment the lot. nore		
	COPIES TO:	Rishi Adhik	ari, Alberta T	ransportation	on (rishi.adhi		:a)
APPROVED FOR PAYMENT /AREA MAI		APPROVED	FOR PAYME	NT		//	AREA MANAGER

Tested by: DL



Lot No.:	83501 - 840		Lab No.:	113	Field No.:	168
Manufacturer:	NSC Minera	als		Salt Type		ine
Date Sampled:	12-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Testeo	:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	98.8			
1250μm	85	100	72.5	-12.5		
630µm	35	100	31.3	-3.7		
315µm	0	50	7.5			
160µm	0	8	1.6			
80µm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					·	

(0			0
Tested by:	DL	Reviewed by: GM	8.



Lot No.:	84001 - 845		Lab No.:	114	Field No.:	169
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	12-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	l:	1-Jun-20	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	ración	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.3			
1250μm	85	100	75.7	-9.3		
630µm	35	100	37.1			
315µm	0	50	11.4			
160µm	0	8	2.8	0		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:		•	s 5% or less, ssed against t			
	• •	-	s 100% or mo			
COPIES TO:					kari@gov.ab.c	:a)
			=		ninerals.com)	•
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by:	DL	Reviewed by: GM



Lot No.:	84501 - 850	000	Lab No.:	115	Field No.:	170
Manufacturer:	NSC Minera		Salt Type		Alta. Trans. I	
Date Sampled:	13-Feb-20		Production L	ocation:	Vanscoy	
Date Received:	25-May-20		Date Tested:		1-Jun-20	
				NUMBER		
TEST	SPECIFICAL	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.1			
SODIUM CHLORIDE	95		97.4			
INSOLUBLE MATTER		1	0.91			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION	···		-			
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.0			
1250μm	85	100	74.0	-11		
630µm	35	100	34.3	-0.7		
315µm	0	50	9.4			
160µm	0	8	2.4	8		
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	F POINTS	
NOTE:			s 5% or less, r ssed against t			
		_	s 100% or mo	ore		
COPIES TO:				(rishi.adhik	kari@gov.ab.c	a)
			erals Ltd. (nsc	-	- •	
	APPROVED	FOR PAYMEI	NT			AREA MANAGER
Comments:						TILA WANAGER
comments.						

0
y: GM
Y



Lot No.:	85001 - 85500		Lab No.:	116	Field No.:	171
Manufacturer:			Salt Type		Alta. Trans. I	Fine
Date Sampled:	13-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	;	1-Jun-20	
TEST	SPECIFICATIO	N LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE		1	0.00			
CONTENT			0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT	1					
CN WEAK ACID DRY WEIGHT						
WEIGHT						
GRADATION			_			
10000μm						
5000μm	100	100	100	0 - 3.		
2500μm	98	100	99.0			
1250µm	85	100	77.3	-7.7		
630μm	35	100	38.9			
315µm	0	50	12.5			
160μm	0	8	3.4			
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT (P	ERCENT) :	TOTAL OF	ADJUSTMEN'	T POINTS	
NOTE:	If payment adj adjustment wi					
	If payment adj	ustment i	s 100% or m	ore		
	no payment w	ill be mad	e for the lot			
COPIES TO:	Rishi Adhikari,	Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	a)
	Nelson Schutz	NSC Min	erals Ltd. (ns	chutz@nscn	ninerals.com)	
	APPROVED FO	R PAYME	NT			
					//	AREA MANAGER

Tested by:	DL	Reviewed by: GM
rested by.		neviewed by. divi



Lot No.:	85501 - 86	000	Lab No.:	117	Field No.:	172
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	13-Feb-20		Production Location: Va		Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.2	- 1		
1250μm	85	100	74.3	-10.7		
630µm	35	100	34.7	-0.3		
315µm	0	50	10.6			
160μm	0	8	3	0		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT)	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment		
	adjustment	will be asses	ssed against	the lot.		
	If payment	adjustment i	s 100% or m	ore		
	no paymen	t will be mad	le for the lot	•		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	:a)
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYME	NT		,	
Comments:					//	AREA MANAGER



V V 🥌						
Lot No.:	86001 - 86		Lab No.:	118	Field No.:	173
Manufacturer:			Salt Type	Salt Type		Fine
Date Sampled:	14-Feb-20	100	Production Location:		Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	. 2			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION			ii			
10000μm						
5000μm	100	100	100	0.13		
2500µm	98	100	99.2	1		
1250µm	85	100	70.7	-14.3		-
630µm	35	100	32.8	-2.2		
315µm	0	50	10.7			
160µm	0	8	3.2	3.1-3		
80µm	0	3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

		0
Tested by:	DL	Reviewed by: GM



	0 0000					
Lot No.:	86501 - 870		Lab No.:	119	Field No.:	174
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled: 15-Feb-20		Production Location:		Vanscoy		
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	n's L			
MOISTURE CONTENT		1	0.05			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm						
5000μm	100	100	100			
2500μm	98	100	99.1			
1250μm	85	100	75.8	-9.2		
630µm	35	100	38.1			
315µm	0	50	12.2			
160µm	0	8	3.0			
80µm	0	3	0.3			
	DJUSTMENT	(PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					,	


		P
Tested by:	DL	Reviewed by: GM



Date Sampled: 16-Feb-20 Production Location: Vanscoy Date Received: 25-May-20 Date Tested: 1-Jun-20  TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1 0.00  CN WATER SOLUBLE CONTENT 1 0.00  CN WATER SOLUBLE CN WEIGHT  GRADATION  10000µm 100 100 100 100 100 100 1250µm 85 100 80.7 -4.3 630µm 35 100 43.4 315µm 0 50 14.9 160µm 0 8 4.2 80µm 0 3 0.5 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	Lot No.:	87001 - 875		Lab No.:	120	Field No.:	175
Date Received: 25-May-20   Date Tested: 1-Jun-20	Manufacturer:	r: NSC Minerals		Salt Type		Alta. Trans. Fine	
TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  SOLUBLE CHLORIDE 98  SOLUBLE CHLORIDE 95  INSOLUBLE MATTER 1  MOISTURE CONTENT 1  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WATER SOLUBLE CN STRONG ACID DRY WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WATER SOLUBLE CN STRONG ACID DRY WATER SOLUBLE CN SOLUBLE CN STRONG ACID DRY WAT		16-Feb-20					
TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  SOLUBLE CHLORIDE  98  SODIUM CHLORIDE  95  INSOLUBLE MATTER  1  O.00  CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT  GRADATION  10000  GRADATION  10000  1000  98  100  99.2  1250µm  98  100  99.2  1250µm  98  100  99.2  1250µm  35  100  43.4  315µm  0  50  14.9  160µm  0  80,7  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER 1 0.00  CN WATER SOLUBLE CONTENT 1 0.00  CN WATER SOLUBLE CONTENT DRY WEIGHT CN WEIGHT CN WEIGHT CN WEIGHT CN WEIGHT CN WEIGHT CN WEAK ACID DRY WEIGHT CN WEIGHT CONTENT CON	TEST	SPECIFICAT	TION LIMITS	TEST			NUMBER OF
SODIUM CHLORIDE   95	СНЕМ СОМР	MIN	MAX			FACTOR	ADJUSTMENT POINTS
INSOLUBLE MATTER   1	SOLUBLE CHLORIDE	98					
MOISTURE   CONTENT   1   0.00	SODIUM CHLORIDE	95		4			
CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000μm  1000 100 100  2500μm 98 100 99.2  1250μm 85 100 80.7 -4.3  630μm 35 100 43.4  315μm 0 50 14.9  160μm 0 8 4.2  80μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	INSOLUBLE MATTER		1				
CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  100  100  2500µm  98  100  99.2  1250µm  85  100  80.7  -4.3  630µm  35  100  43.4  315µm  0  50  14.9  160µm  0  8  4.2  80µm  0  3  0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)			1	0.00			
DRY WEIGHT							
GRADATION   10000μm   100   100   100   2500μm   98   100   99.2   1250μm   85   100   80.7   -4.3   630μm   35   100   43.4   315μm   0   50   14.9   160μm   0   8   4.2   80μm   0   3   0.5   PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS   NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.    If payment adjustment is 100% or more no payment will be made for the lot.    COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)   Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	DRY WEIGHT						
10000μm 100 100 100 2500μm 98 100 99.2 1250μm 85 100 80.7 -4.3 630μm 35 100 43.4 315μm 0 50 14.9 160μm 0 8 4.2 80μm 0 3 0.5 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)							
5000μm 100 100 100 100 2500μm 98 100 99.2 1250μm 85 100 80.7 -4.3 630μm 35 100 43.4 315μm 0 50 14.9 160μm 0 8 4.2 80μm 0 3 0.5 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	GRADATION						
2500μm 98 100 99.2  1250μm 85 100 80.7 -4.3  630μm 35 100 43.4  315μm 0 50 14.9  160μm 0 8 4.2  80μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	10000μm						
1250μm 85 100 80.7 -4.3 630μm 35 100 43.4 315μm 0 50 14.9 160μm 0 8 4.2 80μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	5000µm	100	100	100	0		
630μm 35 100 43.4  315μm 0 50 14.9  160μm 0 8 4.2  80μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	2500μm	98	100	99.2	0.1		
315μm 0 50 14.9  160μm 0 8 4.2  80μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	1250μm	85	100	80.7	-4.3		
160μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	630µm	35	100	43.4			
80μm 0 3 0.5  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT	315µm	0	50	14.9			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT	160µm	0	8	4.2	0_1		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT	80µm	0	3	0.5			
adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT	PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT	NOTE:	If payment	adjustment i	s 5% or less	, no payment		
no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT							
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT			-				
	COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	=	a)
/AREA MAI		APPROVED	FOR PAYME	NT			
Comments:	C					//	AREA MANAGER

Comments:

Tested by: DL





Lot No.:	87501 - 880		Lab No.:	121	Field No.:	176
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	17-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT		_				
GRADATION						
5000μm	100	100	100	0.0		
2500µm	98	100	98.7			
1250µm	85	100	74.2	-10.8		
630µm	35	100	34.2	-0.8		
315μm	0	50	9.6			
160μm	0	8	2.2			
80μm	0	3	0.2			-
				ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					•	

Tested by: DL\_\_\_\_\_



Lat Na	00004 000		1 - L N - ×	400	E. 145.	
Lot No.:	88001 - 885		Lab No.:	122	Field No.:	177
Manufacturer:			Salt Type		Alta. Trans. I	ine
Date Sampled:	17-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	d: -	1-Jun-20	The same and the same
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		100			
INSOLUBLE MATTER		1	E VYY			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID				3		
DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION		<u> </u>				
10000μm			75,15-5,			
5000μm	100	100	100			
2500μm	98	100	98.9	. 0		
1250μm	85	100	76.3	-8.7		
630µm	35	100	37.1			
315µm	0	50	10.8			
160μm	0	8	2.6			
80µm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

<b>N</b>	Paviawad by: GM	
	DI.	DL Reviewed by: GM



Lot No.:	88501 - 890	00	Lab No.:	123	Field No.:	178
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	19-Feb-20		Production	Location:	Vanscoy	THE PARTY
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			2		
SODIUM CHLORIDE	95		4 A			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION		_				
10000μm						
5000μm	100	100	100	WY COL		
2500μm	98	100	98.9	100		
1250μm	85	100	65.1	-19.9		
630µm	35	100	26.5	-8.5		
315µm	0	50	7.3			
160µm	0	8	2.0	0		
80μm	0	3	0.2			
	DJUSTMENT (	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	If payment a adjustment v	-			33	
	If payment a	-				
COPIES TO:					ari@gov.ab.c	a)
001120101			-	-	inerals.com)	-,
	APPROVED F	OR PAYME!	NT			

Comments:

Tested by: DL





Lot No.:	89001 - 895		Lab No.:	124	Field No.:	179
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	19-Feb-20		Production I		Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	,	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION	· ·					
10000μm						
5000μm	100	100	100	29. 7		
2500μm	98	100	98.7	*1.00		
1250μm	85	100	75.7	-9.3		
630μm	35	100	35.2			
315µm	0	50	9.4			
160μm	0	8	2.1			
80μm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:		•	s 5% or less, i sed against t			
		adjustment is will be mad	s 100% or mo	ore		
COPIES TO:				ı (rishi.adhik	ari@gov.ab.ca	a)
			-	· ·	inerals.com)	,
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						



	00001 000			4	F1 114	
Lot No.:	89501 -900		Lab No.:	125	Field No.:	180
Manufacturer:	NSC Minera	ais		Salt Type		line
Date Sampled:	19-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	d: 	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.2			
SODIUM CHLORIDE	95		98.1			
INSOLUBLE MATTER		1	0.83			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.0	0		
1250µm	85	100	79.0	-6		
630µm	35	100	41.1			
315µm	0	50	12.6			
160µm	0	8	3.0			
80µm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i will be mad	ssed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

	1

Tested by:

DL



W. W						
Lot No.:	90001 - 905		Lab No.:	126	Field No.:	181
Manufacturer:	NSC Minera	ıls	Salt Type		Alta. Trans. I	Fine
Date Sampled:	19-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		X=1			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.0	0		
1250μm	85	100	77.6	-7.4		
630µm	35	100	38.7			
315µm	0	50	11.1			
160µm	0	8	2.5	A STORY		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	Γ POINTS	
NOTE:		-	s 5% or less, i ssed against t			
		<del>-</del>	s 100% or mo	ore		
COPIES TO:				n (rishi.adhil		a)
				=	ninerals.com)	,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						



2 (8) >==	-					
Lot No.:	90501 - 910		Lab No.:	127	Field No.:	182
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	19-Feb-20		Production I	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CONTENT						1
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	98.8			
1250μm	85	100	76.9	-8.1		
630µm	35	100	39.6			
315µm	0	50	13.2			
160μm	0	8	3.5	1 8 2		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	POINTS	
NOTE:	If payment a	adjustment i	s 5% or less,	no payment		
			sed against t			
	- •	-	s 100% or mo	ore		
COPIES TO:				a (richi adhil	kari@gov.ab.c	2)
COPILS TO		•	•	•	ninerals.com)	a j
	APPROVED	FOR PAYMEI	NT		/4	AREA MANAGER
Comments:						



Lot No.:	91001 - 9150	0	Lab No.:	128	Field No.:	183
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	19-Feb-20		Production	Location:	Vanscoy	11/2 E
Date Received:	25-May-20	35-1-5	Date Teste	d:	1-Jun-20	
TEST	SPECIFICATION	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			I STORE			
5000μm	100	100	100			
2500μm	98	100	98.5	ing to Li		
1250μm	85	100	73.2	-11.8		
630µm	35	100	36.4			
315µm	0	50	12.5			
160μm	0	8	3.4	0		
80µm	0	3	0.3			
	DJUSTMENT (F	PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	r points	
NOTE:	If payment ad adjustment w  If payment ad	ill be asses	ssed against	the lot.		
	no payment w					
COPIES TO:	Rishi Adhikari, Nelson Schutz	, Alberta T	ransportatio	n (rishi.adhil	_	a)
	APPROVED FO	R PAYMEI	NT			
					//	AREA MANAGER

Comments:

Tested by: DL





Lot No.:	91501 - 920	000	Lab No.:	129	Field No.:	184
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	
Date Sampled:	19-Feb-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT			1917			
GRADATION						ye
10000μm			200			
5000μm	100	100	100			
2500μm	98	100	98.7	0		
1250μm	85	100	77.5	-7.5		
630µm	35	100	40.9			
315µm	0	50	13.9			
160μm	0	8	3.5	U U		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	• •	adjustment i will be asses	•			
		adjustment i t will be mad				
COPIES TO:					ari@gov.ab.c	a)
33712373					ninerals.com)	<i>-</i> ,
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						THE WANTOUT

		1
Tested by:	DL	Reviewed by: GM



Lot No.:	92001 - 92		Lab No.: Salt Type	130	Field No.:	185
Manufacturer:		NSC Minerals			Alta. Trans. Fine	
Date Sampled:	20-Feb-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	98.9	0.		
1250µm	85	100	76.0	-9		
630μm	35	100	36.5			
315µm	0	50	10.8			
160µm	0	8	2.6			
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	POINTS	
NOTE:	adjustment  If payment	will be asses adjustment i	ssed against s 100% or m	iore		
		t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		/#	AREA MANAGER
Comments:						



Lot No.:	92501 - 930		Lab No.:	131	Field No.:	186
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	20-Feb-20		Production		Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	98.4			
1250µm	85	100	72.7	-12.3		
630µm	35	100	34.9	-0.1		
315µm	0	50	10.9			
160µm	0	8	2.8			-
80μm	0	3	0.3			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment adjustment	adjustment is will be asses adjustment is will be mad	s 5% or less, sed against t s 100% or mo	no payment he lot.		
COPIES TO:					ari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/4	REA MANAGER
Comments:					,	



Lot No.:	93001 - 935	500	Lab No.:	132	Field No.:	187
Manufacturer:	NSC Minera		Salt Type	132	Alta. Trans. I	
Date Sampled:	21-Feb-20	315	Production I	ocation:	Vanscoy	ille .
Date Received:	25-May-20		Date Tested		1-Jun-20	
TEST		TION LIMITS	NUM	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT GRADATION 10000µm						
5000μm	100	100	100			
2500μm	98	100	98.8			
1250μm	85	100	77.7	-7.3		
630µm	35	100	39.4			
315µm	0	50	11.9			
160µm	0	8	2.9	7		
80µm	0	3	0.3	N. Fra		
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:						a)
	APPROVED	FOR PAYMEN	NT		/4	REA MANAGER
Comments:						


			0
Tested by:	DL	Reviewed by: GM	1



Lot No.:	93501 - 940		Lab No.:	133	Field No.:	188
Manufacturer:			Salt Type		Alta. Trans. I	Fine
Date Sampled:	21-Feb-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	1 1		
2500μm	98	100	98.9	7		
1250μm	85	100	78.7	-6.3		
630µm	35	100	41.0			
315µm	0	50	13.2			
160μm	0	8	3.5	()		
80μm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment	adjustment i will be asses	s 5% or less, sed against s 100% or m	ore		
COPIES TO:					ari@gov.ab.c	a)
			-	-	ninerals.com)	-,
	APPROVED	FOR PAYMEI	NT			AREA MANAGER

Comments:

Tested by: DL





Lot No.:	94001 - 94	500	Lab No.:	134	Field No.:	189
Manufacturer:			Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:						
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		151			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.3			
1250μm	85	100	81.1	-3.9		
630µm	35	100	45.5			
315µm	0	50	16.0			
160μm	0	8	4.2	-0		
80μm	0	3	0.3			
	DJUSTMENT	(PERCENT) =		ADJUSTMEN	T POINTS	
NOTE:	If payment adjustment	adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			AREA MANAGER
Comments:						WEU MUNUALI

Tested by:

DL



Lot No.:	94501 - 950	000	Lab No.:	135	Field No.:	190
Manufacturer: NSC Minerals		als	Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Feb-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		97.6			
INSOLUBLE MATTER		1	1.00	0.00		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION			-			
10000μm						
5000µm	100	100	100			
2500μm	98	100	98.9	0		
1250μm	85	100	77.4	-7.6		
630µm	35	100	38.2			
315µm	0	50	11.5			
160µm	0	8	2.9			
80µm	0	3	0.2			
	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	F POINTS	
NOTE:		adjustment i will be asses				
		adjustment i t will be mad				
COPIES TO:						a)
20112310.					ninerals.com)	u j
	APPROVED	FOR PAYMEI	NT			AREA MANAGER

1
P

Tested by: DL Reviewed by: GM

Comments:



Lot No.:	95001 - 95	500	Lab No.:	136	Field No.:	191	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	24-Feb-20		Production	Location:	Vanscoy		
Date Received:	25-May-20	E FEAR	Date Teste	d:	1-Jun-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	IESI	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000µm	100	100	100	- G			
2500μm	98	100	98.8				
1250μm	85	100	77.3	-7.7			
630µm	35	100	38.4				
315µm	0	50	11.6				
160µm	0	8	2.8				
 80μm	0	3	0.2				
PAYMENT A NOTE:	If payment adjustment If payment	(PERCENT) = adjustment is will be asses adjustment is t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore	POINTS		
COPIES TO:	Rishi Adhik		ransportatio	n (rishi.adhik	ari@gov.ab.ca inerals.com)	a)	
Comments:	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER	
Comments.							



Lot No.: 95501 - 96000		Lab No.:	137	Field No.:	192	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	24-Feb-20		Production	Location:	Vanscoy	
Date Received:	25-May-20	1,167.50	Date Teste	d:	1-Jun-20	Maria de la compansión de
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		, IV-2			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100	1 10		
2500μm	98	100	99.2			
1250μm	85	100	82.2	-2.8		
630µm	35	100	44.6			
315µm	0	50	16.7			
160μm	0	8	4.5	i de la		
80µm	0	3	0.3			
PAYMENT A NOTE:		adjustment i	s 5% or less	ADJUSTMEN  , no payment  the lot.		
	If payment a	adjustment i	s 100% or n	nore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportation	on (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER

A.
- //

Tested by:


Comments:


DL



Lot No.:	96001 - 965		Lab No.:	138	Field No.:	193
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	25-May-20	A Page	Date Tested	1:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				•		
10000μm						
5000μm	100	100	100	1 7		
2500μm	98	100	99.3	- 0 -		
1250μm	85	100	81.2	-3.8		
630µm	35	100	44.5			
315µm	0	50	15.2			
160μm	0	8	4.0	JUL 192		ļ
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	T POINTS	
NOTE:	adjustment  If payment a	adjustment is will be asses adjustment is will be mad	sed against s s 100% or m	ore	ii.	
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ransportatio	n (rishi.adhik	kari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						


Tested by: DL





Lot No.:	96501 - 970	00	Lab No.:	139	Field No.:	194
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled:	25-Feb-20	The state of the	Production Location:			
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				=	T	
10000μm	100	100	100			<u> </u>
5000μm	100	100	100 99.3			
2500μm 1250μm	98 85	100	82.7	-2.3		
630μm	35	100	45.9	-2.5		
315μm	0	50	16.1			
160μm	0	8	4.6			
80μm	0	3	0.5			
	DJUSTMENT	(PERCENT) = djustment i vill be asses djustment i	= TOTAL OF s 5% or less ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYME	NT		11	AREA MANAGER

			-
Tested by:	DL	Reviewed by: GM	



Lot No.:	97001 - 975	00	Lab No.:	140	Field No.:	195
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:					Vanscoy	scoy
Date Received:	25-May-20		Date Tester	d:	1-Jun-20	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.2	0		
1250μm	85	100	81.3	-3.7		
630µm	35	100	43.4			
315µm	0	50	14.5			
160μm	0	8	4.0			
80μm	0	3	0.4			
PAYMENT A NOTE:	If payment a adjustment with the payment a no payment	djustment i will be asses djustment i	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYMEI	NT			AREA MANAGER

	8

Tested by: DL



Lot No.:	97501 - 980	200	Lab No.:	141	Field No.:	196
Manufacturer:	facturer: NSC Minerals		Salt Type Production Location:		Alta. Trans. Fine	
Date Sampled: Date Received:			Date Teste		Vanscoy	
Date Received:	25-May-20		Date reste	u:	1-Jun-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID  DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.2			
1250μm	85	100	82.7	-2.3		
630µm	35	100	46.3			
315μm	0	50	16.3			
160µm	0	8	4.3			
80µm	0	3	0.3			
	DJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:		adjustment i will be asses		, no payment		
	aujustinent	Will be asses	sseu against	tile lot.		
	If payment	adjustment i	s 100% or m	nore		
	no payment	t will be mad	e for the lot			
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)					
	Nelson Schu	utz, NSC Min	erals Ltd. (n	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYME	NT			
					//	AREA MANAGER
Comments:						

	0

Tested by: DL



Manufacturer:	98001 - 985 NSC Minera 27-Feb-20		Lab No.: Salt Type	142	Field No.:	197	
		112			Alta Trans	ino	
	//-FED-/U					Alta. Trans. Fine	
	25-May-20		Production Location: Date Tested:		Vanscoy 1-Jun-20		
Date Received.	23-IVIAY-20		Date restet	T T	1-Jun-20		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		1.00				
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION 10000μm							
5000μm	100	100	100	W R T			
2500µm	98	100	99.3				
1250μm	85	100	79.6	-5.4			
630µm	35	100	41.6				
315µm	0	50	13.8				
160µm	0	8	3.9				
80μm	0	3	0.5				
PAYMENT AD	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	F POINTS		
NOTE:	If payment a adjustment If payment a		s 5% or less, sed against s 100% or m	no payment the lot. ore			
					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		/#	AREA MANAGER	
Comments:					•		



Manufacturer:							
vialialiacturer.	NSC Minerals		Salt Type		Alta. Trans. I	Fine	
Date Sampled: 27-Feb-20		Production	Location:	Vanscoy			
Date Received:	25-May-20		Date Tested	l:	1-Jun-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT			11,313				
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	2 2 0 2			
2500μm	98	100	99.4	0			
1250μm	85	100	80.3	-4.7			
630µm	35	100	42.7				
315µm	0	50	14.9				
160µm	0	8	4.2				
80µm	0	3	0.4				
	DJUSTMENT (	PERCENT) :	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	If payment adjustment v	-					
	If payment a	-					
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
	Nelson Schut	z, NSC Min	erals Ltd. (ns	chutz@nscm	ninerals.com)		

Tested by: DL

Comments:



Lot No.:	99001 - 99	500	Lab No.:	144	Field No.:	199
Manufacturer:	NSC Miner		Salt Type	174	Alta. Trans.	
Date Sampled:	28-Feb-20		Production Location:			
Date Sampled:	25-May-20		Date Tested:		Vanscoy 1-Jun-20	
TEST			TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	100	100	100			
5000μm						
2500μm	98	100	99.2	7.0	ļ	
1250μm	85	100	77.1	-7.9		
630µm	35	100	37.8			
315μm	0	50	12.0			
160μm	0	8	3.3			
80µm	0	3	0.4			
NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:					kari@gov.ab.c	a)
			•	=	ninerals.com)	,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

		1
ested by:	DL	Reviewed by: GM



***						
Lot No.:	99501 - 100	99501 - 100000		145	Field No.:	200
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Alta. Trans. Fine		Fine
Date Sampled:	2-Mar-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		97.4			
INSOLUBLE MATTER		1.	1.03	0.03		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID  DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.3	0		
1250μm	85	100	81.7	-3.3		
630µm	35	100	44.0			
315µm	0	50	14.8			
160µm	0	8	4.1	0 :		
80µm	0	3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i	ssed against s 100% or m	the lot.		
		t will be mad				
COPIES TO:		•	•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED FOR PAYMENT  /AREA MANAGER					

Comments:

Tested by: DL





Lot No.:	100001 - 10	00500	Lab No.:	146	Field No.:	201
Manufacturer:		NSC Minerals			Alta. Trans. Fine	
Date Sampled:	28-Feb-20		Salt Type Production	Location:	Vanscoy	A 10
Date Received:	25-May-20		Date Tested:		1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST   OF DIVITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	- 1		
2500µm	98	100	99.3	0		
1250μm	85	100	79.8	-5.2		
630µm	35	100	41.2			
315μm	0	50	13.2			
160μm	0	8	3.5	0		
80μm	0	3	0.5			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:						
	APPROVED	FOR PAYME	NT		//	REA MANAGER
Comments:						



			Lot No.: 100501 - 101000 Lab No.: 147 Field No.: 202					
Lot No.:				147	Field No.:	202		
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans. Fine			
Date Sampled:	2-Mar-20		Production Location:		Vanscoy			
Date Received:	25-May-20		Date Tested	:	1-Jun-20			
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.00					
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT								
GRADATION	ļ			1				
10000μm	100							
5000μm	100	100	100					
2500μm	98	100	99.3	0.1				
1250μm	85	100	83.0	-2				
630µm	35	100	45.6					
315µm	0	50	16.0					
160µm	0	8	4.7	1 -0				
80µm	0	3	0.7					
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS			
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.								
COPIES TO:					cari@gov.ab.com)	a)		
	APPROVED FOR PAYMENT  /ARFA MANAGER					REA MANAGER		
Comments:					·	-		

Tested by:

DL



Lot No.:	101001 - 1	01500	Lab No.:	148	Field No.:	203
Manufacturer:	NSC Miner		Salt Type	170	Alta. Trans. I	
Date Sampled:				ocations		-iiie
Date Received:	25-May-20		Production L Date Tested		Vanscoy 1-Jun-20	
Date Received.	25-1VIAY-20		Date rested		1-Jun-20	1 1 1 2 2 1
TEST	SPECIFICA	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	1 - 2 - 4			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID  DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION					7	
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.3	11 (8)		
1250µm	85	100	79.1	-5.9		
630µm	35	100	43.2			
315µm	0	50	15.0			
160μm	0	8	4.0	1871		
80μm	0	3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:	If payment	adjustment i	s 5% or less, r	no payment		***
F	adjustment	will be asses	sed against t	he lot.		
		adjustment i	s 100% or mo	ore		
COPIES TO:				/richi adhib	rari@gay.ab.a	2)
COPIES TO.			erals Ltd. (nsc		cari@gov.ab.com)	a)
	APPROVED	FOR PAYME	NT			
					/A	REA MANAGER
Comments:						



Lot No.:	101501 - 1	02000	Lab No.:	149	Field No.:	204
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	3-Mar-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	ed: <b>1-Jun-20</b>		
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000µm						
5000μm	100	100	100			
2500μm	98	100	99.4	0		
1250μm	85	100	77.5	-7.5		
630µm	35	100	40.4			
315μm	0	50	13.5			
160μm	0	8	3.5			
80μm	0	3	0.3			
PAYMENT A	DJUSTMEN <sup>-</sup>	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses	•			
		adjustment is t will be mad				
COPIES TO:					ari@gov.ab.c	a)
		utz, NSC Mine			_	,
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	102001 - 1	02500	Lab No.:	150	Field No.:	205
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	
Date Sampled:	4-Mar-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Teste		1-Jun-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		HTH			
SODIUM CHLORIDE	95		187			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			1.11.11			
5000μm	100	100	100	7		
2500μm	98	100	98.9	0		
1250μm	85	100	75.4	-9.6		
630µm	35	100	36.5			
315µm	0	50	10.3			
160μm	0	8	2.2	1. S.O. M.		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against	ore		
COPIES TO:					(ari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						



Lat Na	400=04	02000	1 - 1- 51	40.	F1 1 1 1 1	200	
Lot No.:	102501 - 10		Lab No.:	151	Field No.:	206	
Manufacturer:	NSC Miner	als	Salt Type			Alta. Trans. Fine	
Date Sampled:	5-Mar-20					Vanscoy	
Date Received:	25-May-20		Date Tested	<u>l:</u>	1-Jun-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	Ω.			
2500μm	98	100	98.9	0			
1250μm	85	100	73.3	-11.7			
630µm	35	100	33.3	-1.7			
315µm	0	50	9.0				
160μm	0	8	2.0	0			
80μm	0	3	0.2				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	adjustment	adjustment is will be asses adjustment is	sed against t	the lot.			
	no paymen	t will be mad	e for the lot.				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	ari@gov.ab.c	a)	
	Nelson Schi	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)		
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:					·		



Lot No.:	103001 - 10	3500	Lab No.:	152	Field No.:	207
Manufacturer:	NSC Minera		Salt Type	172	Alta. Trans. I	
Date Sampled:	5-Mar-20	113	Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tester		1-Jun-20	
TEST		SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT			de la composición de			
CN WEAK ACID DRY			THE S			
WEIGHT					<u></u>	
GRADATION					,,	
10000μm						
5000µm	100	100	100	0		
2500µm	98	100	99.3			
1250μm	85	100	77.2	-7.8		
630µm	35	100	38.0			
315µm	0	50	10.8			
160μm	0	8	2.5			
80µm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:		adjustment i will be asses		no payment the lot.		
		adjustment i : will be mad				
COPIES TO:					kari@gov.ab.c	a)
					ninerals.com)	,
	APPROVED	FOR PAYMEI	NT		14	AREA MANAGER
Comments:					, , , , , , , , , , , , , , , , , , ,	

Tested by: DL





1	400504 44	14000	1 1 1		e	
Lot No.:	103501 - 10		Lab No.:	153	Field No.:	208
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Mar-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	i:	1-Jun-20	to Anni di
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500µm	98	100	99.2	1		
1250µm	85	100	75.2	-9.8		
630μm	35	100	35.9	3.0		
	0	50	10.2			
315μm 160μm	0	8	2.2			
80μm	0	3	0.1			
				I ADJUSTMENT	I	
NOTE:	If payment adjustment		s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	iri, Alberta Ti	ransportatio	n (rishi.adhik	kari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT			AREA MANAGER
Comments:						


Tested by:

DL



Lot No.:	104001 - 10		Lab No.:	154	Field No.:	209
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Mar-20		Production	Production Location: Vanscoy		Marin W. Sin
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	I ACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1_				
MOISTURE		1	0.00			
CONTENT			0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION				1	r	r
10000μm						
5000μm	100	100	100	- 0		
2500µm	98	100	99.5	9		
1250μm	85	100	78.0	-7		
630µm	35	100	40.0			
315µm	0	50	13.0			
160µm	0	8	3.1			
80μm	0	3	0.3	2 40		
	DJUSTMENT	(PERCENT) =		ADJUSTMEN1	POINTS	
NOTE:	If payment adjustment If payment	adjustment is will be asses adjustment is	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
000150-0		t will be mad				
COPIES TO:					ari@gov.ab.c	a)
	Nelson Schi	utz, NSC Mine	erals Ltd. (ns	schutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

			P
Tostod b	D	Davisoned by CNA	
Tested by:	DL	Reviewed by: GM	//



Lot No.:	104501 - 10	35000	Lab No.:	155	Field No.:	210
Manufacturer:	NSC Minera		Salt Type	133	Alta. Trans. I	
Date Sampled:	9-Mar-20	213	Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20	
Dute Necelveu.	25 May 25		Dute rester	NUMBER	13411 20	
TEST	SPECIFICAT	ION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.1			
SODIUM CHLORIDE	95		97.2			
INSOLUBLE MATTER		1	0.94			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.1	12		
1250μm	85	100	77.1	-7.9		
630µm	35	100	39.2			
315μm	0	50	12.3			
160μm	0	8	3.0	e e		
80µm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	F POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i will be mad	ssed against s 100% or m	the lot. ore		
COPIES TO:			-	•	cari@gov.ab.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					7.	

DL	Reviewed by: GM
	DL



Lot No.:	105001 - 10	nssno	Lab No.:	156	Eigld No.	211
Manufacturer:	NSC Miner			120	Field No.: Alta. Trans. I	
Date Sampled:	9-Mar-20	dis	Salt Type Production Location:			-ine
Date Received:	25-May-20		Date Tested		Vanscoy 1-Jun-20	
Date Necewea.	25-141ay-20		Date rester	T .	1-3411-20	_
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm			. 4,29			
5000μm	100	100	100			
2500μm	98	100	98.8			
1250μm	85	100	73.2	-11.8		
630µm	35	100	32.8	-2.2		
315µm	0	50	8.8			
160μm	0	8	2.0	6		
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMEN	Γ POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	sed against	the lot.		
COPIES TO:					cari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYME	NT		/A	AREA MANAGER
Comments:						



* * *						
Lot No.:	105501 - 1		Lab No.:	157	Field No.:	212
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	28-Feb-20		Production		Vanscoy	NO HAND
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	Marie I			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				1		
10000μm						
5000μm	100	100	100			
2500μm	98	100	98.9	. 0		
1250μm	85	100	74.1	-10.9		
630µm	35	100	33.6	-1.4		
315µm	0	50	9.1			
160μm	0	8	2.1	0		
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	Γ POINTS	
NOTE:	adjustment  If payment	adjustment is will be asses adjustment is t will be mad	sed against to	the lot.		
COPIES TO:		ari, Alberta Tı utz, NSC Mine			cari@gov.ab.com)	a)
	APPROVED	FOR PAYMEN	ΝΤ		/4	IREA MANAGER
Comments:						



_								
Lot No.:	106001 - 1	06500	Lab No.:	158	Field No.:	213		
Manufacturer:	NSC Minerals Salt Type				Alta. Trans.	Fine		
Date Sampled:	11-Mar-20	PANN RE	Production	Location:	Vanscoy			
Date Received:	25-May-20		Date Teste	d;	1-Jun-20			
TEST	SPECIFICA	TION LIMITS	NUMBER OF UNITS MULTIPLY NUM					
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.00					
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT								
GRADATION								
10000μm								
5000μm	100	100	100					
2500μm	98	100	99.3					
1250μm	85	100	79.4	-5.6				
630µm	35	100	45.3					
315µm	0	50	17.0					
160μm	0	8	4.8	1				
80μm	0	3	0.4					
PAYMENT A	DJUSTMEN <sup>*</sup>	Γ (PERCENT) =	TOTAL OF	ADJUSTMEN <sup>®</sup>	T POINTS			
NOTE:	adjustment	adjustment i t will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		-		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)		
	APPROVED	FOR PAYMEI	NT			AREA MANAGER		
Comments:								

-		
*		· · · · · · · · · · · · · · · · · · ·
Tested by:	DL	Reviewed by: GM



Lot No.:	106501 - 10	7000	Lab No.:	159	Field No.:	214
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	12-Mar-20		Production I	ocation:	Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						-
GRADATION						
10000μm						
5000μm	100	100	100	•		
2500μm	98	100	99.5	0		
1250μm	85	100	78.7	-6.3		
630µm	35	100	43.0			
315µm	0	50	15.2			
160µm	0	8	4.2			
80μm	0	3	0.6			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adiustment i	s 5% or less,	no pavment		UI.
		-	sed against t			
		adjustment i : will be mad	s 100% or mo	ore		
COPIES TO:				ı (rishi.adhik	ari@gov.ab.c	 a)
			•	-	ninerals.com)	,
	APPROVED	FOR PAYME!	NT		//	AREA MANAGER
Comments:						MEA MANAGEN
Comments.						

.\_\_\_\_

Tested by:

DL



Lot No.:	107001 - 107	7500	Lab No.:	160	Field No.:	215
Manufacturer:	NSC Minerals Salt Type				Alta. Trans. I	Fine
Date Sampled:	13-Mar-20		Production I	ocation:	Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		Manual F			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT			100			
CN WEAK ACID DRY						
WEIGHT						
GRADATION	1					
10000μm	100	100	100		i	
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.4	0		
1250μm	85	100	79.1	-5.9		
630µm	35	100	43.7			
315μm	0	50	15.8			
160µm	0	8	4.3	0.7		
80µm	0	3	0.5			
PAYMENT A	DJUSTMENT (	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	If payment a adjustment v	=	s 5% or less, ssed against t			
	If payment a	djustment i	s 100% or mo	ore		
	no payment	will be mad	e for the lot.			
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportation	n (rishi.adhil	kari@gov.ab.c	:a)
	Nelson Schut	tz, NSC Min	erals Ltd. (ns	chutz@nscn	ninerals.com)	
	APPROVED F	OR PAYMEI	NT			
					1	AREA MANAGER



					,	
Lot No.:	107501 -10		Lab No.:	161	Field No.:	216
Manufacturer:			Salt Type		Alta. Trans.	ine
Date Sampled:	16-Mar-20		Production		Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		13.50			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	ij		
2500μm	98	100	99.1	0.7		
1250μm	85	100	75.5	-9.5		
630µm	35	100	36.4			
315µm	0	50	10.3			
160µm	0	8	2.3	0		
80µm	0	3	0.3	The state of		
PAYMENT A	DJUSTMEN	Γ (PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	Γ POINTS	
NOTE:		adjustment i t will be asses				
	If payment	adjustment i	s 100% or m	ore		
		t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NΤ			
Commonts					//	AREA MANAGER
Comments:						

Tested by:

DL



Lot No.:	108001 - 10	08500	Lab No.:	162	Field No.:	217
Manufacturer:	NSC Minera	inerals Salt Type Alta. Tra				Fine
Date Sampled:	16-Mar-20		Production	Location:	Vanscoy	The state of the s
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000µm						
5000µm	100	100	100	1.1.41		
2500μm	98	100	99.2			
1250µm	85	100	75.7	-9.3		
630µm	35	100	37.8			
315µm	0	50	11.8			
160µm	0	8	2.9	9		
80µm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	ore		
COPIES TO:			-	·	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	ARFA MANAGER
Comments:					//	AREA MANAGER

Tested by:

DL



		9000	Lab No.:	163	Field No.:	218	
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine	
Date Sampled:	17-Mar-20		Production Location: Vanscoy				
Date Received:	25-May-20	12 7	Date Teste	d:	1-Jun-20		
TEST	SPECIFICAT	ION LIMITS	TEST   OF UNITS   INUN				
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN <sup>®</sup> POINTS	
SOLUBLE CHLORIDE	98		- 1				
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	3 2				
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	0 .			
2500µm	98	100	98.8	. 0			
1250μm	85	100	75.8	-9.2			
630µm	35	100	37.3				
315µm	0	50	11.5				
160µm	0	8	2.7	0			
80μm	0	3	0.1	HENO.			
	If payment adjustment		s 5% or less, ssed against s 100% or m	no payment the lot. ore			
	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGE	



_ , , ,								
Lot No.:	109001 - 1		Lab No.:	164	Field No.:	219		
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	ine		
Date Sampled:	19-Mar-20		Production I		Vanscoy			
Date Received:	25-May-20		Date Tested	:	1-Jun-20			
TEST	SPECIFICA <sup>-</sup>	ATION LIMITS  TEST  NUMBER OF UNITS  MULTIPLY NUMBER OUT OF FACTOR ADJUST						
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.04					
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY								
WEIGHT  GRADATION  10000μm								
5000μm	100	100	100	0				
2500μm	98	100	99.2	0.1				
1250μm	85	100	75.0	-10				
630µm	35	100	35.4					
315µm	0	50	9.9					
160μm	0	8	2.3	0 - 1				
80μm	0	3	0.3					
PAYMENT A NOTE:	If payment	adjustment i	= TOTAL OF A s 5% or less, ssed against t	no payment				
	If payment	adjustment i	s 100% or mo	ore				
COPIES TO:			·='		kari@gov.ab.c ninerals.com)	a)		
	APPROVED	FOR PAYME	NT		//	AREA MANAGER		
Comments:	-							

Reviewed by: GM Tested by: DL



Lot No.:	109501 - 1	10000	Lab No.:	165	Field No.:	220	
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	Fine	
Date Sampled:	25-Mar-20	THE VIEW	Production	Location:	Vanscoy		
Date Received:	25-May-20			Date Tested:		1-Jun-20	
TEST CHEM COMP		TION LIMITS		NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT	
				SPEC		POINTS	
SOLUBLE CHLORIDE	98		98.8				
SODIUM CHLORIDE	95		97.7				
INSOLUBLE MATTER		1	1.19	0.19			
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.005				
CN STRONG ACID			<0.02		7		
DRY WEIGHT CN WEAK ACID DRY			10.02				
WEIGHT			<0.02				
GRADATION 10000μm							
5000μm	100	100	100	1			
2500μm	98	100	99.5	0.6 1			
1250μm	85	100	78.7	-6.3			
630µm	35	100	40.8				
315µm	0	50	13.0				
160μm	0	8	3.4	COMPS.			
80μm	0	3	0.4				
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							



Lot No.:	110001 - 11		Lab No.:	166	Field No.:	221
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	26-Mar-20		Production		Vanscoy	
Date Received:	25-May-20	a Efinili	Date Tested	:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		200			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500µm	98	100	99.0			
1250μm	85	100	75.5	-9.5		
630µm	35	100	37.4	3.3		
315μm	0	50	11.7	1		
160μm	0	8	3.0			
80μm	0	3	0.4			
				ADJUSTMEN'	I F POINTS	
NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:			-	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NΤ		//	AREA MANAGER
Comments:						

Tested by:	DL	Reviewed by: GM



Lot No.:	110501 - 1	11000	Lab No.:	167	Field No.:	222
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	29-Mar-20	p I '	Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	1 1/2 1/2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION	_					
10000μm						
5000μm	100	100	100	0.0		
2500μm	98	100	99.2	0		
1250μm	85	100	76.2	-8.8		
630µm	35	100	38.0			
315µm	0	50	12.1			
160μm	0	8	3.0	0		
80µm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment	T (PERCENT) = adjustment i t will be asses adjustment i it will be mad	s 5% or less ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGE

			-
•			-
Tested by:	DL	Reviewed by: GM	



Lot No.:	111001 - 1		Lab No.:	168	Field No.:	223
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Mar-20		Production		Vanscoy	100000000000000000000000000000000000000
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		14.5.0			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	4-10			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT			/			
CN WEAK ACID DRY WEIGHT						
GRADATION	,	•	r	W.		T
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	98.8	0		
1250µm	85	100	73.3	-11.7		
630μm	35	100	33.6	-1.4		
315µm	0	50	9.2			
160μm	0	8	2.0	0		
80μm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS	
NOTE:		adjustment i will be asses				
		adjustment i t will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	cari@gov.ab.c	:a)
					ninerals.com)	,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						



2 2 2						
Lot No.:	111501 - 13		Lab No.:	169	Field No.:	224
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	31-Mar-20		Production		Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICAT	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm						
5000μm	100	100	100	1 1		
2500μm	98	100	98.8	9		
1250μm	85	100	73.4	-11.6		
630µm	35	100	33.6	-1.4		
315µm	0	50	9.3			
160µm	0	8	2.1			
80µm	0	3	0.2			
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment is will be assessadjustment is twill be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

			/
			J
Tested by:	DL	Reviewed by: GM	1



Lot No.:	112001 - 11	L2500	Lab No.:	170	Field No.:	225
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Apr-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	i:	1-Jun-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			V			
5000μm	100	100	100	0-1		
2500µm	98	100	99.1	0		
1250µm	85	100	79.4	-5.6		
630µm	35	100	42.9			
315µm	0	50	14.6			
160µm	0	8	4.0			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against	the lot.		
COPIES TO:			-	-	ari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:						



Lot No.:  Manufacturer:  Date Sampled:  Date Received:	112501 - 1 NSC Miner 3-Apr-20 25-May-20	als	Lab No.: Salt Type	171	Field No.: Alta. Trans. I	226 Fine
Date Sampled:	3-Apr-20				Alta. Trans. f	ine
			Production I			
Date Received:	25-May-20		Production Location:		Vanscoy	
Date neceived.		25-May-20			1-Jun-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		1 - V			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	100			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				-1		
10000μm			Tirky T			
5000μm	100	100	100			
2500μm	98	100	96.1	-1.9		
1250μm	85	100	62.4	-22.6		
630µm	35	100	23.2	-11.8		
315µm	0	50	4.8			
160µm	0	8	1.0	0		
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against t s 100% or mo	he lot.	·	
COPIES TO:	Rishi Adhik		ransportation		ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						



Lot No.:	113001 - 1	13500	Lab No.:	172	Field No.:	227
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	6-Apr-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100	9		
2500μm	98	100	98.1	0 -		
1250μm	85	100	81.5	-3.5		
630µm	35	100	46.6			
315µm	0	50	16.4			
160µm	0	8	4.4	0		
80µm	0	3	0.4	grafter.		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	sed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	113501 - 1	1400	Lab No.:	173	Field No.:	228
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	6-Apr-20	-81	Production L	ocation:	Vanscoy	
Date Received:	25-May-20		Date Tested	É	1-Jun-20	
TEST CHEM COMP	SPECIFICA <sup>*</sup>	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEWI COIVIP	IVIIIA	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100	4		
2500μm	98	100	98.9	, p -		
1250μm	85	100	87.7			
630µm	35	100	50.6			
315µm	0	50	17.6			
160μm	0	8	5.2	0.0		
80µm	0	3	0.6	AL LIVE		
PAYMENT A NOTE:	If payment adjustment	adjustment is will be asses	TOTAL OF A  5 5% or less, r  sed against ti  5 100% or mo  e for the lot.	no payment he lot.	POINTS	
COPIES TO:				rishi adhik	ari@gov.ab.ca	
COT 123 TO.			erals Ltd. (nsc			<b>-</b> 1
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						



Lot No.:	114001 - 11		Lab No.:	174	Field No.:	229
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Apr-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested	:	1-Jun-20	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500µm	98	100	99.3			
1250μm	85	100	67.8	-17.2		
630µm	35	100	29.6	-5.4		
315μm	0	50	8.4			
160μm	0	8	2.1			
80μm	0	3	0.1			
				DILISTMEN	L POINTS	
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
APPROVED FOR PAYMENT  /AREA MANAGER						
Comments:						

Tested by:	DL	Reviewed by: GM
		_



Lot No.:	114501 - 11	5000	Lab No.:	175	Field No.:	230
Manufacturer:	<b>NSC Minera</b>	ls	Salt Type		Alta. Trans. I	ine
Date Sampled:	9-Apr-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.3			
SODIUM CHLORIDE	95		97.7			
INSOLUBLE MATTER		1	0.75			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000µm	100	100	100	0		
2500μm	98	100	98.6			
1250μm	85	100	76.2	-8.8		
630µm	35	100	36.7			
315μm	0	50	10.6			
160μm	0	8	2.3	0		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a adjustment v				,	
If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:					ari@gov.ab.ca	a)
	Nelson Schut		-	•	_	.,
	APPROVED F	OR PAYMEN	NT		//	REA MANAGER
Comments:						
@						



Lot No.	115001 11	EEOC	Lab Na :	170	Field New	224	
Lot No.:	115001 - 11		Lab No.:	176	Field No.:	231	
Manufacturer:	NSC Minera	IIS	Salt Type	oostic	Alta. Trans. I	ine	
Date Sampled:	13-Apr-20			Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	Se (1)				
MOISTURE		1	0.00				
CONTENT		_					
CN WATER SOLUBLE			- 13, 50				
CN STRONG ACID							
DRY WEIGHT							
CN WEAK ACID DRY							
WEIGHT							
GRADATION				i i			
10000μm	100	100	100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	97.8	-0.2			
1250μm	85	100	80.6	-4.4			
630µm	35	100	45.2				
315µm	0	50	15.2				
160μm	0	8	3.9	0			
80µm	0	3	0.2				
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:							
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.							
If payment adjustment is 100% or more							
005:50=5			e for the lot.	/ 1 1 1 11 11 11		,	
COPIES TO:					kari@gov.ab.c	a)	
	Nelson Schu	tz, NSC Mine	erals Ltd. (nsc	chutz@nscm	ninerals.com)		
APPROVED FOR PAYMENT							
					/A	REA MANAGER	
Comments:							



Manufacturer: Date Sampled:	115501 - 1 NSC Miner 13-Apr-20 25-May-20		Lab No.: Salt Type	177	Field No.:	232
Date Sampled:	13-Apr-20	als			Alta Tranc I	-1
						rine
Date Received:	25-May-20		Production Location:		Vanscoy	
			Date Tested	d:	1-Jun-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		1			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000µm	100	100	100			
2500µm	98	100	98.6			
1250μm	85	100	84.4	-0.6		
630µm	35	100	47.0			
315μm	0	50	15.1			
160µm	0	8	3.9			
80µm	0	3	0.3			
PAYMENT AD	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	F POINTS	
i	adjustment If payment	adjustment is will be asses adjustment is t will be mad	sed against s 100% or m	the lot.		
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
,	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

			1
Tested by:	DL	Reviewed by: GM	× .



Lot No.:	116001 - 1:	16500	Lab No.:	178	Field No.:	233
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	
Date Sampled:	15-Apr-20	44,716	Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	L HEAT
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE		1	0.08			
CONTENT			0.00			
CN WATER SOLUBLE						
CN STRONG ACID			T'i, he			
DRY WEIGHT			TÜM'R.			
CN WEAK ACID DRY						
WEIGHT			I I WILL			
GRADATION						
10000µm	100	100	100			
5000µm	100	100	99.9	-0.1		
2500µm	98	100	98.6	100		
1250μm	85	100	73.6	-11.4		
630µm	35	100	35.1			
315µm	0	50	10.5			
160µm	0	8	2.5			
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	POINTS	
NOTE:		adjustment i will be asses		no payment the lot.		
		adjustment is t will be mad				
COPIES TO:					ari@gov.ab.c	a)
COFIES TO.					ninerals.com)	a j
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

		0
DL	Reviewed by: GM	8.
	DL	DL Reviewed by: GM



	446506	17000	1 -1- 61 20	470	etaldar -	22.5	
Lot No.:	116501 - 1		Lab No.:	179	Field No.:	234	
Manufacturer:				Salt Type		ine	
Date Sampled:	16-Apr-20			Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20		
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000µm	100	100	100				
2500µm	98	100	99.1	. 8			
1250µm	85	100	78.8	-6.2			
630µm	35	100	39.8				
315µm	0	50	12.6				
160µm	0	8	3.5			Ī	
80µm	0	3	0.5	3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more							
CODICC TO	no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)					-\	
COPIES TO:					rinerals.com)	a) 	
APPROVED FOR PAYMENT /AREA MANAGER						AREA MANAGER	
Comments:							

			1
			2
Tested hv:	DI	Reviewed by: GM	\ X/ .



Lot No.:	117001 - 11	7500	Lab No.:	180	Field No.:	235
Manufacturer:			Salt Type			Fine
Date Sampled:	20-Apr-20		Production Location:		Vanscoy	
Date Received:	25-May-20		Date Teste	d:	1-Jun-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION	ļ					
10000μm						
5000µm	100	100	100	3.10		
2500μm	98	100	97.5	-0.5		
1250μm	85	100	67.9	-17.1		
630μm	35	100	28.2	-6.8		
315µm	0	50	6.4			
160μm	0	8	0.9	i La Burr		
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.						
If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					a)	
APPROVED FOR PAYMENT					AREA MANAGER	
Comments:					:/-	

Tested by:	DL	Reviewed by: GM
	***************************************	



Lot No.:	117501 - 11		Lab No.:	181	Field No.:	236
Manufacturer:	<b>NSC Minera</b>	als	Salt Type	Salt Type		Fine
Date Sampled:	20-Apr-20		Production	Location:	Vanscoy	
Date Received:	25-May-20		Date Tested	l:	1-Jun-20	Y - VIEW-W
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		W-8-4			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm				1		
5000μm	100	100	100	0		
2500μm	98	100	97.0	-1		
1250µm	85	100	70.7	-14.3		
630μm	35	100	30.3	-4.7		
315μm	0	50	7.6			
160μm	0	8	1.6	Samuel I		
80μm	0	3	0.0			
				ADJUSTMENT	Γ POINTS	
NOTE:	If payment adjustment	adjustment i will be asses adjustment i	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
		will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		11	NDEA MANIACEI
					//	AREA MANAGEI

-		
Tested by:	DL	Reviewed by: GM



Lot No.:	118001 - 11	18500	Lab No.:	182	Field No.:	237	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type	Salt Type		ine	
Date Sampled:	21-Apr-20	to menti	Production	Location:	Vanscoy	Vanscoy	
Date Received:	25-May-20		Date Tested	d:	1-Jun-20		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		San Park				
SODIUM CHLORIDE	95		v - jirki				
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	. 0			
2500μm	98	100	97.5	-0.5			
1250μm	85	100	78.9	-6.1			
630µm	35	100	44.8				
315µm	0	50	16.1				
160μm	0	8	4.6				
80μm	0	3	0.5				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	POINTS		
	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore			
			-	•	cari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT		11	AREA MANAGER	
Comments:							



N 140 ====							
Lot No.:	118501 - 1	1900	Lab No.:	183	Field No.:	238	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	27-Apr-20		Production L	Production Location:		Vanscoy	
Date Received:	25-May-20		Date Tested		1-Jun-20	1. P. S. W.	
TEST		SPECIFICATION LIMITS		NUMBER	MULTIPLY		
СНЕМ СОМР	MIN	MAX	TEST	OF UNITS OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95		The state				
INSOLUBLE MATTER		1	1 1 1 1				
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY							
WEIGHT			A 10 A				
GRADATION 10000μm 5000μm	100	100	100				
2500μm	98	100	98.2				
1250μm	85	100	79.0	-6			
630µm	35	100	42.7	-0			
315μm	0	50	14.6				
160μm	0	8	4.2	18			
80μm	0	3	0.5				
	DJUSTMENT	(PERCENT) :	TOTAL OF A	DJUSTMEN <sup>*</sup>	T POINTS		
NOTE:	adjustment	will be asses	s 5% or less, i ssed against t s 100% or mo le for the lot.	he lot.			
COPIES TO:				ı (rishi.adhil	kari@gov.ab.c	 :a)	
				-	ninerals.com)		
Comments:	APPROVED	FOR PAYME	NT		//	AREA MANAGER	



2 (%)	44000						
Lot No.:	119001 - 11		Lab No.:	184	Field No.:	239	
Manufacturer:	NSC Minera	els	Salt Type			Alta. Trans. Fine	
Date Sampled:	29-Apr-20		Production		Vanscoy		
Date Received:	25-May-20		Date Tested	i:	1-Jun-20		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT		_					
GRADATION 10000μm	ļ						
5000μm	100	100	100	L La CV			
2500μm	98	100	98.4				
1250μm	85	100	71.9	-13.1			
630μm	35	100	31.6	-3.4			
				-5,4			
315μm	0	50	8.4				
160µm	0	8	1.9				
80μm	0	3	0.2		l		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							

			0
Tested by:	DL	Reviewed by: GM	8.



_ , , ,						
Lot No.:	119501 - 1		Lab No.:	185	Field No.:	240
Manufacturer:	NSC Mine	rals	Salt Type		Alta. Trans. Fine	
Date Sampled:	1-May-20		Production		Vanscoy	
Date Received:	27-Oct-20		Date Tested	d::	9-Nov-20	AND THE VEHICLE
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.6			
SODIUM CHLORIDE	95		98.1			
INSOLUBLE MATTER		1	1.32	0.32		
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.03			
GRADATION						
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.7	-0		
1250μm	85	100	91.1			
630µm	35	100	55.7			
315µm	0	50	16.2			
160µm	0	8	1.4	Julian		
80µm	0	3	0.2	den el l		
	DJUSTMEN'	T (PERCENT) =	TOTAL OF A	ADJUSTMEN	r POINTS	
NOTE:	If payment adjustmen	adjustment i t will be asses adjustment i	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
	no paymer	it will be mad	e for the lot			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						
-						

Tested by:

LR



Lot No.:	120001 - 1	20500	Lab No.:	186	Field No.:	241
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled:	5-May-20	purito o he	Production	Location:		
Date Received:	27-Oct-20		Date Teste	d:	9-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		70 8	-		
SODIUM CHLORIDE	95		0.1			
INSOLUBLE MATTER		1		d.		
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	100	6		
2500μm	98	100	99.9	10 m (0 = 1)		
1250μm	85	100	92.7			
630μm	35	100	53.6			
315μm	0	50	16.4			
.160μm	0	8	3.5			
80µm			0.2	L ADJUSTMENT	E DOINTE	
NOTE:	If payment adjustment If payment		s 5% or less, ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER
Comments:						



Lot No.:	120501 - 12	21000	Lab No.:	187	Field No.:	242
Manufacturer:	NSC Miner	als	Salt Type	Salt Type		ine
Date Sampled:	7-May-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	9-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95	1				
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100	-0		
2500μm	98	100	99.8	. 0		
1250μm	85	100	90.6			
630µm	35	100	48.6			
315µm	0	50	15.2			
160μm	0	8	3.1	2.		
80μm	0	3	0.1			
NOTE:	If payment adjustment If payment	•	s 5% or less, sed against s 100% or m	ore		
					cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	IT		/A	REA MANAGER
Comments:						



Manufacturer:	NCC Mino					
	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	11-May-20	)	Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	9-Nov-20	LI TOP IN THE
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			11		
INSOLUBLE MATTER	R	1	10.11			
MOISTURE CONTENT		1	0.12			
CN WATER SOLUBLE	=					
DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.7			
1250μm	85	100	91.1			
630µm	35	100	50.9			
315µm	0	50	15.6			
160µm	0	8	3.0	E - 0		
80µm	0	3	0.0			
PAYMENT A NOTE:	If payment adjustmen	T (PERCENT) = adjustment i t will be asses adjustment i it will be mad	s 5% or less ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER

Tested by:

LR





Lot No.:	121501 - 1	22000	Lab No.:	100	Field Ne.	244
Manufacturer:				189	Field No.:	244 Fine
	·		Salt Type Production Location:		Alta. Trans. Fine	
Date Sampled: Date Received:	14-May-20 27-Oct-20		Date Teste		Vanscoy 9-Nov-20	
Date Neceived.	Z7-OCL-20		Date rested.		9-NOV-20	
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			-		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
		k				
GRADATION						<del></del>
10000μm	100	100				
5000μm	100	100	100			
2500μm	98	100	99.8	10.00		
1250μm	85	100	90.0			
630µm	35	100	46.6			
315μm	0	50	12.2			-
160μm	0	8	2.4			
80µm	DILICTMENT	L	0.1	A D II ICTA (FAI:	FOUNTS	1
NOTE:	If payment adjustment	adjustment i will be asses adjustment i	s 5% or less ssed against s 100% or m	nore		
COPIES TO:		t will be mad			l:0l	
COPIES TO:			-	-	kari@gov.ab.o ninerals.com)	:a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					,:	

1.5

Tested by: LR





Lot No.:	122001 - 12	22500	Lab No.:	190	Field No.:	245
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	14-May-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	9-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	PO-CIN			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	1000		
2500μm	98	100	99.8			
1250μm	85	100	90.1			
630µm	35	100	45.7			
315µm	0	50	11.9			
160µm	0	8	2.0	1		
80μm	0	3	0.0	A SAME		
NOTE:	If payment adjustment  If payment		s 5% or less ssed against s 100% or m	nore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by:

LR






Lot No.:	122501 - 12	23000	Lab No.:	191	Field No.:	246
Manufacturer:	facturer: NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	Sampled: 21-May-20		Production Location: Vanscoy			
Date Received:	27-Oct-20	10 E VIV	Date Teste	d://	9-Nov-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		12 (1)			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	E V		
2500μm	98	100	99.3			
1250μm	85	100	94.1			
630µm	35	100	62.6			
315µm	0	50	26.2			
160μm	0	8	7.7	0		
80µm	0	3	0.6			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i will be mad	sed against	ore		
	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	ca)
	Nelson Schu	itz, NSC Mino	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	123001 - 12	23500	Lab No.:	192	Field No.:	247
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	25-May-20		<b>Production Location:</b>		Vanscoy	
Date Received:	Received: 27-Oct-20		Date Teste	d:	9-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						L
10000µm			C2 (56.1-			
5000µm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	93.8			
630µm	35	100	60.3			
315µm	0	50	23.9			
160µm	0	8	6.7			
80μm	0	3	0.5			
PAYMENT A NOTE:	If payment adjustment If payment	•	s 5% or less, sed against s 100% or m	ore		
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	<b>I</b> T		//	AREA MANAGER
Comments:						



Lot No.:	123501 - 124000		Lab No.:	193	Field No.:	248	
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	s. Fine	
Date Sampled:	25-May-20		Production		Vanscoy		
Date Received:	27-Oct-20	THE REST	Date Teste	d:	9-Nov-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
NSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000µm			11 - 18-11				
5000μm	100	100	100	Lile in			
2500μm	98	100	99.6				
1250μm	85	100	94.0				
630µm	35	100	59.5				
315µm	0	50	23.6				
160µm	0	8	7.1				
80μm	0	3	0.7	T. U. S. E.			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	:		
COPIES TO:				•	kari@gov.ab.c ninerals.com)	:a)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							

			0
Tested by:	LR	Reviewed by: GM	X



ot No.:	124001 - 1	24500	Lab No.:	194	Field No.:	249	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Alta. Trans. Fine	
Date Sampled:	28-May-20		Production Location:		Vanscoy		
Date Received:	27-Oct-20		Date Tested	:	9-Nov-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95		True C				
NSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
	100 98 85 35 0 0	100 100 100 50 8 3	100 99.8 90.8 48.4 12.8 2.2 0.0	ADJUSTMENT	T POINTS		
NOTE:	adjustment  If payment  no paymen	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m e for the lot.	the lot.			
COPIES TO:			=	· ·	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER	
omments:					·		

Tested by: \_\_\_\_\_ Reviewed by: \_GM



Lot No.:	124501 - 12	25000	Lab No.:	195	Field No.:	250
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	5-Jun-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20	7	Date Tested	d:	9-Nov-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.8			
SODIUM CHLORIDE	95		98.0			
INSOLUBLE MATTER		1	1.18	0.18		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			<0.03			
GRADATION						
10000μm						
5000μm	100	100	100	9		
2500μm	98	100	100.0	0.55		
1250μm	85	100	90.3			
630µm	35	100	49.0			
315µm	0	50	13.5			
160μm	0	8	2.7	90.0		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	POINTS	
NOTE:	If payment a	adjustment i	s 5% or less,	, no payment	:	
	adjustment	will be asses	ssed against	the lot.		
	If payment a	adjustment i	s 100% or m	iore		
	no payment	will be mad	e for the lot	•		
COPIES TO:	Rishi Adhika	ıri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.	ca)
	Nelson Schu	ıtz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT			
					//	AREA MANAGER
Comments:						

Tested by:

LR

Reviewed by: <u>GM</u>



Lot No.:	125001 - 1	25500	Lab No.:	196	Field No.:	251
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	
Date Sampled:	9-Jun-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20	<b>Plants</b>	Date Tester		9-Nov-20	100 100
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION		ļ.				
10000μm			VE SIA			
5000μm	100	100	100	a Hek		
2500μm	98	100	99.6			
1250μm	85	100	89.6			
630µm	35	100	47.5			
315µm	0	50	13.3			
160µm	0	8	2.4	0.		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment If payment	adjustment i will be asses adjustment i t will be mad	sed against s 100% or m	the lot.		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/^	AREA MANAGER
Comments:						WALL WININGER



			Lab No.:			
Lot No.:		125501 - 126000		197	Field No.:	252
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	19-Jun-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20	- K - 15 -	Date Teste	d:	9-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		Versi			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT GRADATION 10000µm						
5000μm	100	100	100			
2500µm	98	100	99.9			
1250μm	85	100	90.7			
630µm	35	100	49.7			
315µm	0	50	12.5			
160µm	0	8	1.9			
80µm	0	3	0.1			
NOTE:	If payment adjustment If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	١T		/A	REA MANAGER
Comments:					·	



Lot No.:	126001 - 12	26500	Lab No.:	198	Field No.:	253
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Jun-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	9-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		No.			
INSOLUBLE MATTER		1	9-7-10			
MOISTURE CONTENT	ı	1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			A16- 315-			T
5000μm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.5			
630µm	35	100	59.0			
315µm	0	50	18.8			
160μm	0	8	3.8	0.1		
80μm	0	3	0.0	1 3 7		
PAYMENT A NOTE:	If payment adjustment	-	s 5% or less ssed against s 100% or m	nore		
COPIES TO:			-		kari@gov.ab.oninerals.com)	:a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by: LR



				1701222			
Lot No.:	126501 - 127000		Lab No.;	199	Field No.:	254	
Manufacturer:	NSC Miner	als	Salt Type			Alta. Trans. Fine	
Date Sampled:	9-Jul-20		Production Location:		Vanscoy	116/00/08/2011	
Date Received:	27-Oct-20	Will Street	Date Teste	d:	9-Nov-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95		) or it				
INSOLUBLE MATTER		1		4			
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm						1	
5000μm	100	100	100	1. /- 1.0			
2500µm	98	100	99.9				
1250μm	85	100	91.9				
630µm	35	100	48.2				
315µm	0	50	13.3				
160µm	0	8	2.5	tanti ka			
80μm	0	3	0.0				
	DJUSTMENT	(PERCENT) =		ADJUSTMENT	POINTS		
NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	, no payment the lot. nore			
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							

Tested by: LR Reviewed by: <u>GM</u>



Lot No.:	127001 - 1	27500	Lab No.:	200	Field No.:	255
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	13-Jul-20		Production Location: Van		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	9-Nov-20	NAME OF THE OWNER, WHEN
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		3-9-			
SODIUM CHLORIDE	95			A.		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8	16 672		
1250μm	85	100	90.5			
630µm	35	100	47.2			
315µm	0	50	13.1			
160µm	0	8	2.4			
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore	¥	
COPIES TO:			,	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	127501 - 1	28000	Lab No.:	201	Field No.:	256
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	13-Jul-20	N. Avenue	Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	PER.			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION						<u></u>
10000μm			N. Arte La			
5000μm	100	100	100	77-1		
2500μm	98	100	99.7	7614		
1250μm	85	100	91.0			
630µm	35	100	46.7			
315µm	0	50	12.8			
160µm	0	8	2.6	V BYNOVILL		
80μm	0	3	0.1	100		
PAYMENT A NOTE:	If payment adjustment		s 5% or less ssed against s 100% or m	nore		
COPIES TO:			-	•	kari@gov.ab.oninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:						

LR Tested by:


Reviewed by: <u>GM</u>



₋ot No.:	128001 - 12	28500	Lab No.:	202	Field No.:	257
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	14-Jul-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tester	d:	10-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	91.1			
630μm	35	100	48.9			
315μm	0	50	12.8			
160μm	0	8	2.3	mujajaja ne		
80μm	0	3	0.1			
PAYMENT A NOTE:	If payment	(PERCENT) =	s 5% or less,	no payment		
_	If payment	will be asses adjustment i t will be mad	s 100% or m	ore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/Δ	AREA MANAGER
omments:						

Tested by:

LR





Lot No.:	128501 - 1	29000	Lab No.:	203	Field No.:	258
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	27-Jul-20			Production Location:		
Date Received:	27-Oct-20		Date Teste	d:	Vanscoy 10-Nov-20	EV TOTAL
TEST	SPECIFICA	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY			( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )			
WEIGHT GRADATION						
10000μm						
5000μm	100	100	100	la factorizati		
2500μm	98	100	99.9			
1250µm	85	100	91.5			
630µm	35	100	47.3			
315µm	0	50	11.5			
160µm	0	8	2.0	0		
80μm	0	3	0.0			
PAYMENT A NOTE:	If payment adjustment	-	s 5% or less, ssed against s 100% or m	ore	1	
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:				· ·		

Tested by:

LR



Lot No.:	129001 - 1	29500	Lab No.:	204	Field No.:	259
Manufacturer:	NSC Miner		Salt Type		Alta. Trans.	
Date Sampled:	29-Jul-20	85 11 1	Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Tester		10-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		5,950			
SODIUM CHLORIDE	95		- 5111	5		
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	THE THE		
2500μm	98	100	99.8	Telegraph in		
1250µm	85	100	91.6			
630µm	35	100	51.0			
315µm	0	50	15.7			
160μm	0	8	4.0	k to a		
80μm	0	3	0.4	Sellier.		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
	adjustment	adjustment i will be asses adjustment i t will be mad	sed against s 100% or m	the lot.		
					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/_	AREA MANAGER
Comments:						



Lat Na	420504 4	20000	Lab Niaras	205	et LIM.	260	
Lot No.:	129501 - 13		Lab No.:	205	Field No.:	260	
Manufacturer: Date Sampled:	NSC Miner 10-Aug-20	ais	Salt Type Production Location:		Alta. Trans. Fine		
Date Sampled.  Date Received:	27-Oct-20				10-Nov-20	Vanscoy	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		98.7				
SODIUM CHLORIDE	95		98.3				
INSOLUBLE MATTER		1	1.24	0.24			
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.005				
CN STRONG ACID DRY WEIGHT			0.03				
CN WEAK ACID DRY WEIGHT			<0.03				
GRADATION							
10000μm							
5000μm	100	100	100	4 6			
2500μm	98	100	100.0				
1250μm	85	100	91.1				
630µm	35	100	48.5				
315μm	0	50	12.8				
160μm	0	8	2.4	0			
80μm	0	3	0.1	11.53			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	:a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:							

Tested by:

LR



Lot No.:	130001 - 13	30500	Lab No.:	206	Field No.:	261
Manufacturer:	NSC Minerals		Salt Type	Alta. Trans. Fine		Fine
Date Sampled:	12-Aug-20	12-Aug-20		Production Location: Vanscoy		
Date Received:	27-Oct-20	A PER	Date Teste	d:	10-Nov-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	A 9-1 W			-
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm			A	1		
5000μm	100	100	100	A.	<u> </u>	
2500μm	98	100	99.8			-
1250μm	85	100	91.2			
630μm	35	100	49.9			
315μm	0	50	13.5			
160μm	0	8	2.6			
80μm	0	3	0.1			
				ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	If payment adjustment If payment	•	s 5% or less ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:			=	=	kari@gov.ab.o ninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					//	TILE INITIALIZATION

Tested by:

LR



Lot No.:	<b>130501 - 131000</b>		Lab No.:	207	Field No.:	262
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	13-Aug-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		EARLS S			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION						
10000μm	100	100	00.0	0.1		
5000μm 2500μm	100	100 100	99.9	-0.1		
2300μm 1250μm	98 85	100	99.6 90.5			
	35	100				
630μm 315μm	0	50	48.2 12.8			
160μm	0	8	2.5			
100μm	0	3	0.3	THE STATE OF		
				I ADJUSTMENT	POINTS	
	If payment adjustment If payment		s 5% or less, ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEN	NT			AREA MANAGER



Lot No.:	131001 - 1	21500	Lob No.	200	Cald No.	262
Manufacturer:	NSC Miner		Lab No.:	208	Field No.:	263
Date Sampled:		ais	Salt Type	Locations	Alta. Trans. I	-ine
Date Sampled:  Date Received:	13-Aug-20 27-Oct-20		Date Teste	Production Location:		
Date Received.	27-061-20	1,235,146,1	Date rester	u:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			A 1 . 168			
5000μm	100	100	100	1118		
2500μm	98	100	100.0	. 10		
	85	100	91.7			
630µm	35	100	50.5			
315µm	0	50	14.1			
160µm	0	8	2.6			
80μm	0	3	0.4	1 1 1 1 1 1 1 1		
PAYMENT A NOTE:	If payment adjustment		s 5% or less, ssed against			
	no paymen	t will be mad	e for the lot	. <b>.</b>		
COPIES TO:					(ari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	DEA MANAGE
Comments:						REA MANAGER
-omments.						



Lot No.:	131501 - 13	32000	Lab No.:	209	Field No.:	264	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Alta. Trans. Fine	
Date Sampled:	17-Aug-20		Production	Location:	Vanscoy		
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20		
TEST	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		a l				
SODIUM CHLORIDE	95		ži i i i				
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000µm			24 July 18				
5000μm	100	100	100	0			
2500μm	98	100	99.9				
1250μm	85	100	91.6				
630µm	35	100	49.8				
315µm	0	50	14.2				
160µm	0	8	3.5				
80µm	0	3	0.5				
PAYMENT A NOTE:	If payment adjustment If payment		s 5% or less ssed against s 100% or m	ore			
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							

Tested by:


LR



Lot No.:	132001 - 13	2500	Lab No.:	210	Field No.:	265
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	17-Aug-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tester	Date Tested:		14.5
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	89.8			
630μm	35	100	47.8			
315μm	0	50	14.7			
160µm	0	8	4.2	THE CHARLE		
80μm	0	3	0.6	1000		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore		
COPIES TO:			•	· ·	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						



Lot No.:	132501 - 1	33000	Lab No.:	211	Field No.:	266	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Fine	
Date Sampled:	18-Aug-20		Production Location:		Vanscoy	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			The William				
5000μm	100	100	100	No Web			
2500μm	98	100	99.8	0			
1250μm	85	100	91.7				
630µm	35	100	51.9				
315µm	0	50	15.4				
160μm	0	8	3.6				
80μm	0	3	0.3				
NOTE:	If payment adjustment If payment		s 5% or less, ssed against s 100% or m	iore			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER	
Comments:							



	33001 - 13	3500	Lab No.:	212	Field No.:	267
					TICIO IVO	20/
Manufacturer: NS	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled: 24	l-Aug-20	3 TE 5 E F	Production	Location:	Vanscoy	
Date Received: 27	'-Oct-20		Date Tested	d;	10-Nov-20	
TEST SI	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1	100			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				1	r	
10000μm 5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	90.2			
630μm	35	100	46.3			
315μm	0	50	12.5			
160μm	0	8	2.6			
80μm	0	3	0.3			
PAYMENT ADJU				DILISTMENT	L POINTS	
NOTE: If p ad If p	payment a justment v payment a	djustment i vill be asses djustment i		no payment the lot. ore		
					kari@gov.ab.c ninerals.com)	a)
АР	PROVED F	OR PAYMEN	NT		/4	AREA MANAGER
Comments:						

Tested by:	LR	Reviewed by: GM
	·	



Lot No.:	133501 - 1	34000	Lab No.:	213	Field No.:	268
Manufacturer:	facturer: NSC Minerals ampled: 25-Aug-20 leceived: 27-Oct-20		Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:						
Date Received:			Date Tester		10-Nov-20	
TEST			TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		15. y			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION	r ====================================	r			r:	т
10000μm						
5000μm	100	100	100	1.88		
2500μm	98	100	100.0	X X D		
1250μm	85	100	90.4			
630µm	35	100	46.6			
315µm	0	50	12.8			
160μm	0	8	2.5	0		
80μm	0	3	0.3			
NOTE:	If payment adjustment If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	, no payment the lot. ore		
COPIES TO:					kari@gov.ab.oninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

Tested by:	LR	Reviewed by: GM



Lot No.:	134001 - 134500 NSC Minerals		Lab No.:	214	Field No.:	269
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:			Date Teste	d:	10-Nov-20	3 14 1
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		1.1	1		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				•	•	
10000μm						
5000µm	100	100	100	.0		
2500µm	98	100	99.7	0		
1250μm	85	100	88.0			
630µm	35	100	43.7			
315µm	0	50	10.7			
160µm	0	8	1.8	0		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	F POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		:	
		t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhi	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER
Comments:					·	

Tested by:

LR



Lot No.:  Manufacturer:  Date Sampled:	134501 - 13 NSC Minera 26-Aug-20		Lab No.:	215	Field No.:	270	
		als	Salt Type				
Data Samplade	26-Aug-20	NSC Minerals		Salt Type		Alta. Trans. Fine	
			Production Location:		Vanscoy		
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		98.9				
SODIUM CHLORIDE	95		98.5				
INSOLUBLE MATTER		1	1.08	0.08			
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.005				
CN STRONG ACID DRY WEIGHT			0.02				
CN WEAK ACID DRY WEIGHT			<0.03				
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.8	9			
1250μm	85	100	87.0				
630µm	35	100	39.0				
315µm	0	50	9.4				
160µm	0	8	1.7				
80μm	0	3	0.2				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	Γ POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	sed against	the lot.	:		
no payment will be made for the lot.							
					kari@gov.ab.c	:a)	
					ninerals.com)		
	APPROVED	FOR PAYMEN	<b>\</b> T		/A	AREA MANAGER	
Comments:							



<b>*************************************</b>								
Lot No.:	135001 - 13	35500	Lab No.:	216	Field No.:	271		
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine			
Date Sampled:	31-Aug-20		Production Location:		Vanscoy			
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20			
TEST CHEM COMP	SPECIFICATION LIMITS  MIN MAX		TEST OF UNIT	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT		
CHEIVI COIVIP	IVIIIV	IVIAX		SPEC		POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.00					
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY								
GRADATION 10000µm			g 11 f 1 km					
5000μm	100	100	100	4 9 .1				
2500μm	98	100	99.8	- 0 - 11				
1250μm	85	100	87.2					
630µm	35	100	42.8					
315μm	0	50	10.5					
160μm	0	8	1.6					
80μm	0	3	0.0	- by 5 a				
PAYMENT A NOTE:	If payment adjustment If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore				
COPIES TO:	Rishi Adhika Nelson Schu	ari, Alberta T	ransportatio erals Ltd. (ns	n (rishi.adhil	(ari@gov.ab.com)			
Comments:					/A	AREA MANAGER		

Tested by: \_\_\_\_\_ Reviewed by: \_GM



Lot No.:	135501 - 13	36000	Lab No.:	217	Field No.:	272
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Sep-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		No. 16			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	Mark *			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	i i g		
2500μm	98	100	99.7			
1250μm	85	100	90.5			
630µm	35	100	48.7			
315µm	0	50	13.2			
160µm	0	8	2.3			
80μm	0	3	0.2			
PAYMENT A NOTE:	If payment	adjustment i	s 5% or less	ADJUSTMENT , no payment		
	If payment	will be asses adjustment i t will be mad	s 100% or m	iore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	:a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (n	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						



Lot No.:	136001 - 13	26500	Lab No.:	218	Field No.:	273
Manufacturer:	NSC Miner		Salt Type	210	Alta. Trans. I	
Date Sampled:	2-Sep-20	213	Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tester		10-Nov-20	
TEST			TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			Law Late			
5000μm	100	100	100	9.		
2500μm	98	100	99.9			
1250μm	85	100	91.7			
630µm	35	100	51.6			
315μm	0	50	16.1			
160μm	0	8	3.2			
80μm	0	3	0.3	1 5 5 5 5		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	Γ POINTS	
NOTE:	adjustment If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	iore		
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	136501 - 1		Lab No.:	219	Field No.:	274
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	3-Sep-20		Production		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				•	•	
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.8	0		
1250μm	85	100	91.0			
630µm	35	100	48.4			
315μm	0	50	13.7			
160μm	0	8	2.7			
80µm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment i will be asses				
		adjustment is t will be mad				
COPIES TO:					kari@gov.ab.c	:a)
					ninerals.com)	u,
	APPROVED	FOR PAYMEN	١T		/4	AREA MANAGER
Comments:						

			0
Tested by:	LR	Reviewed by: GM	<b>%</b>




Lot No.:	137001 - 13	37500	Lab No.:	220	Field No.:	275
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	4-Sep-20	T-V-YW	Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						<u> </u>
10000μm			74 4 34			
5000μm	100	100	100			
2500μm	98	100	99.8	7 0 .		
1250μm	85	100	90.2			
630µm	35	100	47.2			
315μm	0	50	13.9			
160μm	0	8	2.9			
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	Γ POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		:	
		t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhi	kari@gov.ab.o	ca)
	iveison Schi	utz, NSC Min	erais Ltd. (n:	scnutz@nscn 	ninerals.com)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by:

LR




Lot No.:	137501 - 13	38000	Lab No.:	221	Field No.:	276	
Manufacturer:	NSC Miner	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Sep-20		Production	Location:	Vanscoy		
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98			4			
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm	400	100	400				
5000μm	100	100	100				
2500μm	98	100	99.8	Minute State of			
1250μm	85	100	92.3				
630μm	35	100	53.5				
315μm	0	50	16.2				
160μm	0	8	3.0	9-			
80µm	0	3 (DEDCENT)	0.2	A D II ICTA 4EAC	F DOINTS		
NOTE:	If payment adjustment If payment		s 5% or less ssed against s 100% or m	ore			
COPIES TO:					kari@gov.ab.c	:a)	
					ninerals.com)	,	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							



Lot No.:	138001 - 1	38500	Lab No.:	222	Field No.:	277
Manufacturer:	NSC Miner		Salt Type	LLL	Alta. Trans.	
Date Sampled:	8-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested		10-Nov-20	
TEST		FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	· //C/C/K	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	100		
2500µm	98	100	99.7	MID. I		
1250μm	85	100	90.1			
630µm	35	100	46.9			
315µm	0	50	12.4			
160µm	0	8	2.3	9		
80µm	0	3	0.2	N-7-91		
PAYMENT A NOTE:	If payment adjustment If payment	adjustment i will be asses	TOTAL OF As 5% or less, ased against to a 100% or more for the lot.	no payment he lot.		
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
-	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						

LR Tested by: Reviewed by: GM



Lot No.:	138501 - 13	39000	Lab No.:	223	Field No.:	278
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	9-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested	l:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		Gen			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	4.8			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION		l				L-
10000μm						
5000μm	100	100	100	. 0		
2500µm	98	100	99.7	0.7		
1250μm	85	100	90.2			
630µm	35	100	47.0			
315µm	0	50	12.3			
160µm	0	8	2.5	0.11		-
80μm	0	3	0.3	11 24 V - 11		
	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

Tested by:	LR	Reviewed by: GM	ſ



Lot No.:	139001 - 13	9500	Lab No.:	224	Field No.:	279
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	9-Sep-20		Production	Production Location:		
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm						
5000μm	100	100	100	TILL SELE		
2500μm	98	100	99.8			
1250μm	85	100	91.3			
630μm	35	100	50.0	1		
315µm	0	50	13.8			
160µm	0	8	2.4	0		
80μm	0	3	0.2			
	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	Γ POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i will be mad	ssed against s 100% or m	iore		
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						



Lot No.:	139501 - 1400	000	Lab No.:	225	Field No.:	280
Manufacturer:	<b>NSC Minerals</b>	o bargi	Salt Type	Salt Type		Fine
Date Sampled:	9-Sep-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICATIO	N LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.7			
SODIUM CHLORIDE	95		98.2			
INSOLUBLE MATTER		1	1.24	0.24		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.03			
GRADATION					16.	
10000μm						
5000μm	100	100	100	100		
2500μm	98	100	99.9	0 -		
1250μm	85	100	90.3			
630µm	35	100	46.8			
315µm	0	50	11.5			
160μm	0	8	1.9	. 10 i-		
80µm	0	3	0.1	1-1 12 7		
PAYMENT A	DJUSTMENT (P	ERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	If payment ad adjustment will be adjustment ad no payment will be adjusted as a second	ill be asses	ssed against s 100% or m	the lot.	t "	
COPIES TO:	Rishi Adhikari,				kari@gov.ah d	ca)
	Nelson Schutz			-	_	,
	APPROVED FO	R PAYMEI	NT		,	NDEA 844514 CET
					//	AREA MANAGE

Tested by:

LR





Lot No.:	140001 - 14	10500	Lab No.:	226	Field No.:	281
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	10-Sep-20	14.	Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	15.17			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	The Mary St.		
2500μm	98	100	99.9			
1250μm	85	100	91.6			
630µm	35	100	52.1			
315µm	0	50	16.5			
160µm	0	8	3.8	10		
80μm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment If payment		s 5% or less, ssed against s 100% or m	nore		
COPIES TO:				-	kari@gov.ab.c ninerals.com)	ca)
Comments:	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF



Lot No.:	140501 - 1	41000	Lab No.:	227	Field No.:	282	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	10-Sep-20		Production Location:		Vanscoy		
Date Received:	27-Oct-20		Date Tested		10-Nov-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY							
WEIGHT GRADATION							
10000μm							
5000μm	100	100	100	1			
2500µm	98	100	99.8	0.			
1250μm	85	100	91.8				
630µm	35	100	50.7				
315µm	0	50	14.8				
160μm	0	8	3.2				
80μm	0	3	0.2				
	If payment adjustment If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	, no payment the lot. nore			
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER	
Comments:					•		

Tested by:

LR



Lot No.:	141001 - 14	41500	Lab No.:	228	Field No.:	283	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	14-Sep-20		Production Location:		Vanscoy	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20		
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF ADJUSTMENT POINTS	
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR		
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			L				
5000µm	100	100	100				
2500μm	98	100	99.8				
1250μm	85	100	91.8				
630µm	35	100	51.6				
315µm	0	50	13.6				
160µm	0	8	2.8	0			
80µm	0	3	0.1				
PAYMENT A NOTE:	If payment adjustment If payment		s 5% or less ssed against s 100% or m	nore			
COPIES TO:				-	kari@gov.ab.oninerals.com)	ca)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							



	0.000	ED 122					
Lot No.:	141501 - 14	12000	Lab No.:	229	Field No.:	284	
Manufacturer:	NSC Minerals		Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Sep-20		<b>Production Location:</b>		Vanscoy		
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT	1						
CN WEAK ACID DRY WEIGHT							
GRADATION				20		8: 	
10000μm			S. Sergi				
5000µm	100	100	100				
2500µm	98	100	99.8	9			
1250μm	85	100	92.1				
630µm	35	100	52.0				
315μm	0	50	16.2				
160µm	0	8	2.9	THE REPORT			
80μm	0	3	0.2				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore			
COPIES TO:					kari@gov.ab.com)	a)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF	
Comments:							

\_\_\_\_

Tested by:

LR



ot No.:	142001 - 1	42500	Lab No.:	230	Field No.:	285
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	14-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						L
10000μm						
5000μm	100	100	100	1		
2500μm	98	100	99.8			
1250μm	85	100	92.0			
630µm	35	100	52.1			
315µm	0	50	15.3			
160μm	0	8	3.2	1125.7		
80μm	0	3	0.3	ill s yars		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Tested by:

LR



* * *							
Lot No.:	142501 - 1		Lab No.:	231	Field No.:	286	
Manufacturer:				Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy		
Date Received:	27-Oct-20		Date Tester	d:	10-Nov-20		
TEST	SPECIFICA	SPECIFICATION LIMITS		NUMBER TEST OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION 10000μm							
5000μm	100	100	100	0_0			
2500μm	98	100	99.9				
1250μm	85	100	90.0				
630µm	35	100	49.1				
315μm	0	50	14.6				
160μm	0	8	3.2	TO SA			
80μm	0	3	0.4				
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment is will be asses adjustment is t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)	
Comments:	APPROVED	FOR PAYMEN	NT		/4	REA MANAGER	
Comments.							

Tested by:

LR

Reviewed by: <u>GM</u>



Lot No.:	143001 - 1	43500	Lab No.:	232	Field No.:	287		
Manufacturer:	NSC Minerals		Salt Type	-52	Alta. Trans.			
Date Sampled:	15-Sep-20		Production Location:		Vanscoy			
Date Received:	27-Oct-20		Date Tester		10-Nov-20	The state of		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95		443					
INSOLUBLE MATTER		1	) ilya s					
MOISTURE CONTENT		1	0.04					
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT								
GRADATION				VI				
10000μm								
5000µm	100	100	100					
2500µm	98	100	99.9					
1250μm	85	100	91.2					
630µm	35	100	50.9					
315µm	0	50	14.5					
160µm	0	8	3.2					
80µm	0	3	0.4	FREE				
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore				
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)							
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER		
Comments:					,,			

9

Tested by:

LR



Lot No.:	143501 - 14	44000	Lab No.:	233	Field No.:	288
Manufacturer:	NSC Minerals		Salt Type	Salt Type		Fine
Date Sampled:	16-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION		Li-				
10000μm						
5000μm	100	100	100	0.7		
2500μm	98	100	99.8	0		
1250μm	85	100	90.6			
630µm	35	100	46.3			
315µm	0	50	11.5			
160μm	0	8	2.0			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore		
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

Tested by:

LR



Lot No.:	144001 - 1	44500	Lab No.:	234	Field No.:	289
Manufacturer:	NSC Minerals 17-Sep-20		Salt Type	234		
Date Sampled:				Production Location:		Alta. Trans. Fine
Date Received:	27-Oct-20		Date Tester		Vanscoy 10-Nov-20	
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			8		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000µm	100	100	100			
2500μm	98	100	99.7			
2300μm 1250μm	85	100	91.3			
630μm	35	100	50.4			
315μm	0	50	14.2			
160μm	0	8	2.7			
80μm	0	3	0.2			
		(PERCENT) =		ADILISTMENT	POINTS	
NOTE:	lf payment adjustment	adjustment i will be asses	s 5% or less, ssed against	, no payment the lot.		
		t will be mad				
					cari@gov.ab.c	
					ninerals.com)	, a j
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						



Lot No.:	144501 - 1	45000	Lab No.:	235	Field No.:	290
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	: 17-Sep-20		Production Location:		Vanscoy	
Date Received:	eived: 27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	NUMBER OF UNITS		MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.5			
SODIUM CHLORIDE	95		97.9			
INSOLUBLE MATTER		1	1.47	0.47		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			<0.03			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6	9		
1250μm	85	100	92.1			
630µm	35	100	51.2			
315µm	0	50	13.6			
160μm	0	8	2.2	- 0		
80µm	0	3	0.1			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
	adjustment	adjustment i will be asses	sed against	the lot.		
	-	adjustment i t will be mad				
					kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEN	NΤ		//	AREA MANAGER
Comments:						



Lot No.:	145001 - 14		Lab No.:	236	Field No.:	291	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:			Production	Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20		
TEST	EST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm	100	100	100				
5000μm		100	100				
2500μm	98 85		99.7				
1250μm	35	100	91.8 51.2				
630µm	0	50					
315μm 160μm			14.4				
	0	8	2.8				
80µm			0.2	D III CTA AFAIR			
NOTE:	If payment a adjustment		s 5% or less, sed against s 100% or m	ore			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER	
Comments:							

Tested by:


LR



Lot No.:	145501 - 14	16000	Lab No.:	237	Field No.:	292
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	18-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			Year Control			
5000μm	100	100	100			
2500μm	98	100	99.8	0.		
1250μm	85	100	91.9			
630µm	35	100	49.1			
315µm	0	50	12.3			
160µm	0	8	1.9	3		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	iore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	on (rishi.adhi	kari@gov.ab.o ninerals.com)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:						ITI/ III/OLI

Tested by:

LR



	145001 4		Lab Nia	220	E'. I I NI.	202
Lot No.:	146001 - 146500		Lab No.:	238	Field No.:	293
Manufacturer:			Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled:	18-Sep-20			Production Location:		A THE PARTY
Date Received:	27-Oct-20		Date Tester	a:	10-Nov-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		200			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION 10000µm						
5000μm	100	100	100	Vgil 2 V		
2500μm	98	100	99.7			
1250μm	85	100	92.7			
630µm	35	100	54.8			
315µm	0	50	17.7			
160μm	0	8	3.5			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	adjustment  If payment	will be asses adjustment i	ssed against s 100% or m	ore	·	
CODIEC TO:		t will be mad			l - : 0	
COPIES TO:			•	•	kari@gov.ab.o ninerals.com)	:a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

		0
ested by:	LR	Reviewed by: GM



l at Nia v	146564 44	7000	L = I= NL ···	222	C: Li et	004	
Lot No.:			Lab No.:	239	Field No.:	294	
Manufacturer:			Salt Type			Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy		
Date Received:	27-Oct-20		Date Tested		10-Nov-20		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	V1.				
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm	400	100					
5000μm	100	100	100				
2500μm	98	100	99.4				
1250µm	85	100	92.0				
630µm	35	100	55.3				
315µm	0	50	19.0				
160μm	0	8	4.4	mark-			
80μm NOTE:	• •	-	o.1 s 5% or less,	no payment			
	If payment a	-					
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	APPROVED I	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							

Tested by:

LR



Lot No.:		147001 - 147500		240	Field No.:	295	
Manufacturer:				Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Sep-20		Production Location:		Vanscoy		
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.3	0.			
1250μm	85	100	90.9				
630µm	35	100	51.4				
315μm	0	50	15.5				
160µm	0	8	2.7	9			
80μm	0	3	0.0				
		•		ADJUSTMEN <sup>*</sup>			
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		:		
		will be mad					
COPIES TO:					kari@gov.ab.c	;a)	
	Nelson Schu	ıtz, NSC Min	erals Ltd. (n	schutz@nscn	ninerals.com)		
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER	
Comments:							

Tested by:

LR



Lat Na	147501 1		Lab N.	0.44	minist At	200
Lot No.:	147501 - 1		Lab No.:	241	Field No.:	296
Manufacturer:	NSC Miner	ais	Salt Type Production Location:		Alta. Trans. Fine	
Date Sampled: Date Received:	21-Sep-20 27-Oct-20		Date Tested:		Vanscoy	
Date Received:	27-Oct-20		Date reste	1	10-Nov-20	1,00,000,000
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1		4		
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	400	400	400			
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85 35	100	93.1			
630µm	0	50	57.6			
315μm 160μm	0	8	19.8 4.4			
100μm	0	3	0.2			
		<u> </u>		L ADJUSTMEN	T DOINTS	-
NOTE:	If payment adjustment	-	s 5% or less ssed against s 100% or m	, no payment the lot.		
COPIES TO:				15	kari@gov.ab.oninerals.com)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Tested by:

LR



			Lab No.:			
Lot No.:				242	Field No.:	297
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Sep-20		Production		Vanscoy	
Date Received:	27-Oct-20		Date Tester	d:	10-Nov-20	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
GRADATION						
10000μm				N		Ĭ
5000μm	100	100	100			
2500μm	98	100	99.5	9		
1250μm	85	100	92.7			
630µm	35	100	54.6			
315µm	0	50	17.8			
160µm	0	8	3.9			
80µm	0	3	0.1			
PAYMENT A				ADJUSTMEN <sup>-</sup>		
NOTE:	adjustment	will be asses	ssed against		ı	
	If payment a	-				
CODIFC TO	no payment				1 '0	
COPIES TO:			-		kari@gov.ab.o ninerals.com)	:a)
	APPROVED I	OR PAYME	NT			41
					//	AREA MANAGER
Comments:						

Tested by:

LR



Lat Na v	140501 14	10000	Lala Nia s	242	E'-LIAI-S	200
Lot No.:  Manufacturer:			Lab No.:	243	Field No.:	298
	21-Sep-20		Salt Type		Alta. Trans. Fine	
Date Sampled: Date Received:	27-Oct-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tester	u:	10-Nov-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			/		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	+ 113			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE				i e		
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						<u></u>
10000μm			- 15 10		I	Ī
5000μm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.2			
630µm	35	100	60.1			
315μm	0	50	21.7			
160μm	0	8	5.1	Hard St.		
80μm	0	3	0.4			
				ADJUSTMEN <sup>-</sup>	Γ POINTS	
NOTE:	If payment		s 5% or less,	, no payment		
		adjustment i				
60 DUES TO		will be mad				
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



8 8 ==	2 == 1					
Lot No.:	149001 - 149500		Lab No.:	244	Field No.:	299
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	22-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		No.			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm					*:	
5000µm	100	100	100	0		
2500µm	98	100	99.7			
1250μm	85	100	93.2			
630µm	35	100	59.2			
315µm	0	50	22.5			
160µm	0	8	5.5			
80µm	0	3	0.5			
		(PERCENT) =				
NOTE:		adjustment i will be asses				
		adjustment i				
		t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						MLA WANAGER
comments.						



Lot No.:	149501 - 15	0000	Lab No.:	245	Field No.:	300
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	22-Sep-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	10-Nov-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		97.9	-0.10		
SODIUM CHLORIDE	95		97.0			
INSOLUBLE MATTER		1	1.96	0.96		
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.03			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.4			
1250μm	85	100	91.4			
630µm	35	100	52.5			
315μm	0	50	16.7			
160μm	0	8	3.5			
80µm	0	3	0.3			
PAYMENT A NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.o ninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT			AREA MANAGER

Tested by: Reviewed by: <u>GM</u> LR



Lot No.:	150001 - 1	50500	Lab No.:	246	Field No.:	301
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	22-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested:		10-Nov-20	
TEST	SPECIFICAT	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						I,
10000μm			1-14,00			
5000µm	100	100	100			
2500μm	98	100	99.4			
1250μm	85	100	92.7			
630µm	35	100	56.7			
315µm	0	50	20.7			
160µm	0	8	5.0	î î		
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, i ssed against t s 100% or mo le for the lot.	he lot.		
COPIES TO:		-	ransportatior erals Ltd. (nsc	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEI
Comments:						



Lot No.:	150501 - 15	1000	Lab No.:	247	Field No.:	302
Manufacturer:	NSC Minerals		Salt Type	Salt Type		ine
Date Sampled:	22-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICAT	SPECIFICATION LIMITS		NUMBER TEST OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			>		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						Į.
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.2	0		
1250μm	85	100	91.0			
630µm	35	100	56.9			
315µm	0	50	22.0			
160µm	0	8	5.4	0		
80μm	0	3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



	4.74004 41						
Lot No.:			Lab No.:	248	Field No.:	303	
Manufacturer:			Salt Type		Alta. Trans. Fine		
Date Sampled:				Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95	:					
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION					1		
10000μm							
5000μm	100	100	100	0			
2500µm	98	100	99.6	Senitro.			
1250μm	85	100	93.3				
630µm	35	100	57.1				
315μm	0	50	18.9				
160μm	0	8	4.2				
80µm	0	3	0.3				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		:		
		t will be mad					
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c	:a)	
	Nelson Schu	utz, NSC Min	erals Ltd. (n	schutz@nscn	ninerals.com)		
	APPROVED	FOR PAYME	NT		//		
Comments:						AREA MANAGER	
Comments							

Tested by: LR Reviewed by: GM

r: GM



ot No.:	151501 - 1	52000	Lab No.:	249	Field No.:	304
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	23-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	12-Nov-20	
TEST	TEST SPECIFICATION LIMIT		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
	100 98 85 35 0 0 0	100 100 100 50 8 3 (PERCENT) =				
NOTE:	adjustment If payment no paymen Rishi Adhika		ssed against s 100% or m le for the lot ransportation	the lot. ore on (rishi.adhi	kari@gov.ab.c	ca)
Comments:		rtz, NSC Min		schutz@nscn	ninerals.com)	AREA MANAGEF

GM



Lot No.:	152001 - 1	52500	Lab No.:	250	Field No.:	305
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	23-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	10-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		1 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
WEIGHT GRADATION			2.01-50,000		ļ	
10000μm						
5000μm	100	100	100	6		
2500μm	98	100	99.4	9		
1250μm	85	100	92.9			
630µm	35	100	54.9			
315µm	0	50	16.8			
160µm	0	8	3.3	1 8		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore	70	
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

Tested by:

LR



Lot No.:	152501 - 1		Lab No.:	251	Field No.:	306
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	fine
Date Sampled:	23-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Tested		12-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100	0		
2500µm	98	100	99.6	0		
1250μm	85	100	92.4			
630µm	35	100	54.9			
315µm	0	50	17.2			
160μm	0	8	3.1	0.0		
80μm	0	3	0.2	15 x 5 2		
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment If payment	will be asses adjustment i	s 5% or less, ssed against t s 100% or mo	he lot.		
000150 70			e for the lot.			
					kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nso	chutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/4	REA MANAGER
Comments:						



_ot No.:	153001 - 1	53500	Lab No.:	252	Field No.:	307
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	23-Sep-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	12-Nov-20	I of the factor
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION		l .				
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.4	ė.		
1250µm	85	100	91.7			
630µm	35	100	53.0			
315µm	0	50	16.2			
160μm	0	8	3.4	No to		
80μm	0	3	0.4	TO THE		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:			-		kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
comments:						

Tested by:

LR



	40004					
Lot No.:	153501 - 1		Lab No.:	253	Field No.:	308
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Sep-20		Production		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	12-Nov-20	
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			1		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			FW I			
5000μm	100	100	100	. 0		
2500μm	98	100	99.4			
1250µm	85	100	92.1			
630µm	35	100	55.4			
315μm	0	50	17.9			
160µm	0	8	3.4	to Units		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	POINTS	
NOTE:	If payment	adjustment i	s 5% or less	, no payment		
	adjustment	will be asses	ssed against	the lot.		
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.o	
					ninerals.com)	,
	APPROVED	FOR PAYME	NT			
					//	AREA MANAGER
Comments:						




Lot No.:	154001 - 1	54500	Lab No.:	254	Field No.:	309	
Manufacturer:	NSC Minerals		Salt Type	Salt Type		Fine	
Date Sampled:	24-Sep-20		Production	Location:	Vanscoy	PER	
Date Received:	27-Oct-20		Date Teste	d:	12-Nov-20		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT	=	1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	VQ 1			
2500μm	98	100	99.6	0			
1250μm	85	100	92.1				
630µm	35	100	53.2				
315µm	0	50	16.1				
160μm	0	8	3.0				
80μm	0	3	0.0				
PAYMENT A	DJUSTMEN	Γ (PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS		
NOTE:		adjustment i t will be asses		• •	tl '		
		adjustment i					
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
			•	-	ninerals.com)	•	
	APPROVED	FOR PAYME	NT		1		
Comments:					//	AREA MANAGER	

Tested by: LR



* * * *		-				
Lot No.:	154501 - 1		Lab No.:	255	Field No.:	310
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	25-Sep-20		<b>Production Location:</b>		Vanscoy	
Date Received:	27-Oct-20	V MALE	Date Tested	d:	12-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.1	r		
SODIUM CHLORIDE	95		97.3			
INSOLUBLE MATTER		1	1.80	0.80		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID			0.03			
DRY WEIGHT CN WEAK ACID DRY WEIGHT			<0.03			
GRADATION						
10000μm						
5000μm	100	100	100	the sale		
2500μm	98	100	99.6			
1250μm	85	100	93.9			
630µm	35	100	59.1			
315μm	0	50	19.7			
160μm	0	8	4.4	0		
80μm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against	the lot.	į ,	
COPIES TO:					kari@gov.ab.o ninerals.com)	:a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by:	LR	Reviewed by: GM



V V -						
ot No.:	155001 - 1	55500	Lab No.:	256	Field No.:	311
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	25-Sep-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	12-Nov-20	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT  GRADATION 10000µm 5000µm 2500µm	100	100	100 99.5	- e		
1250μm	85	100	92.1			
630µm	35	100	53.1			
315µm	0	50	16.3			
160µm	0	8	3.2			
80μm	0	3	0.0	0.51		
PAYMENT A NOTE:	If payment adjustment  If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.d	ca)
		=	•	,	ninerals.com)	
omments:	APPROVED	FOR PAYMEN	IT		//	AREA MANAGER

Tested by:	LR	Reviewed by: GM



	2 G. 23 S.					
ot No.:	155501 - 1	56000	Lab No.:	257	Field No.:	312
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	28-Sep-20		Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Tester	d:	12-Nov-20	Street For St
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT  GRADATION 10000µm 5000µm 2500µm 1250µm 630µm 315µm 160µm 80µm	100 98 85 35 0	100 100 100 100 50 8 3	100 99.4 91.1 48.9 12.7 2.5	0		
	DJUSTMENT If payment adjustment If payment	(PERCENT) =	TOTAL OF A s 5% or less, ssed against s 100% or m	ore		
COPIES TO:	Nelson Schi	utz, NSC Mino	erals Ltd. (ns		kari@gov.ab.c ninerals.com)	a)
omments:	APPKOVED	FOR PAYMEN	N I		/A	REA MANAGER

Tested by:

LR



Lot No.:	156001 - 1	6500	Lab No.:	258	Field No.:	313
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	28-Sep-20	1., 5.	Production	Location:	Vanscoy	
Date Received:	27-Oct-20		Date Tested	d:	12-Nov-20	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		N. T			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1			0	
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
WEIGHT  GRADATION  10000μm			327. 1			
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	92.7			
630μm	35	100	52.1			
315µm	0	50	14.7			
160μm	0	8	3.0	THE PERSON		
80μm	0	3	0.2			
PAYMENT A NOTE:	If payment adjustment If payment		s 5% or less, ssed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.oninerals.com)	ca)
Commonts	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

Tested by:

LR



Lot No.:	156501 - 1	57000	Lab No.:	259	Field No.:	314
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	27-Oct-20		Date Teste	d:	12-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		1 Cox			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08	4		
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	92.6			
630μm	35	100	53.7			
315μm	0	50	16.5			
160μm	0	8	3.8 0.2	KU USU . U		
80µm				 ADJUSTMEN <sup>-</sup>	T DOINTS	
NOTE:	If payment adjustment If payment	adjustment i will be asses adjustment i	s 5% or less ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:		t will be mad			kari@gaab	
COPIES TO:			-		kari@gov.ab.oninerals.com)	.d)
	APPROVED	FOR PAYMEI	NT		)	AREA MANAGER
Comments:					·	

Tested by:

LR



Lot No.:	157001 - 15	57500	Lab No.:	260	Field No.:	315
Manufacturer: NSC Minerals Date Sampled: 28-Sep-20		Salt Type		Alta. Trans. Fine		
		Production Location:		Vanscoy		
Date Received:			Date Teste	d:	12-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			1		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100	J. Mkel z		
2500μm	98	100	99.7	10 a V		
1250μm	85	100	93.2			
630μm	35	100	56.8			
315μm	0	50	18.2			
160μm	0	8	3.8			
80µm	0 DUISTNAENT	3	0.3	A DILICTA (FAI)	I DOINTS	
NOTE:	If payment adjustment		s 5% or less ssed against			
		t will be mad				
COPIES TO:					kari@gov.ab.c	:a)
			-		ninerals.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						



Lot No.:	157501 - 15	8000	Lab No.:	261	Field No.:	316
Manufacturer:	NSC Minerals 29-Sep-20		Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:						
Date Received:	27-Oct-20		Date Tested:		12-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				,
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	92.3			
630µm	35	100	53.9			
315µm	0	50	16.3			
160μm	0	8	3.4	o .		
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
	If payment a adjustment  If payment a no payment	will be asses	ssed against s 100% or m	ore		
					kari@gov.ab.c ninerals.com)	a)
	APPROVED I	FOR PAYME	NT			AREA MANAGER
Comments:						

Tested by:

LR



	265					
Lot No.:	158001 - 1	58500	Lab No.:	262	Field No.:	317
Manufacturer:	NSC Minerals 29-Sep-20		Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:						
Date Received:	27-Oct-20	N. ITS	Date Teste	d:	12-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION	<b>L</b>					
10000μm			78.			Γ
5000μm	100	100	100			
2500μm	98	100	99.7			
1250µm	85	100	91.4			
630µm	35	100	53.9			
315µm	0	50	15.5			
160μm	0	8	2.9	0.50		
80μm	0	3	0.1			
PAYMENT A NOTE:	If payment adjustment If payment	•	s 5% or less ssed against s 100% or m	nore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER
Comments:						

Tested by:

LR



Lot No.:	158501 - 15	9000	Lab No.:	263	Field No.:	318
Manufacturer:	<b>NSC Minera</b>	ıls	Salt Type		Alta. Trans. I	Fine
Date Sampled:	29-Sep-20		Production Location:		Vanscoy	
Date Received:	27-Oct-20	Spel 3 A	Date Tested:	Ź	12-Nov-20	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	91.6			
630µm	35	100	50.8			
315µm	0	50	14.8			
160µm	0	8	2.8	4		
80µm	0	3	0.2	PN 151 FE		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, itsed against to s 100% or mo e for the lot.	he lot.		
COPIES TO:			ransportation erals Ltd. (nsc	•	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEN	NT	-		AREA MANAGER
Comments:						