

***		7 9				
Lot No.:	29501-300	00	Lab No.:	1	Field No.:	60
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Tested	1:	10-Apr-21	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		98.2			
INSOLUBLE MATTER		1	1.03	0.03		
MOISTURE CONTENT		1	0.13			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100	. 0		
2500μm	98	100	99.8	2 O D		
1250μm	85	100	90.8			
630μm	35	100	40.6			
315µm	0	50	4.5			
160μm	0	8	1.2	0		
80μm	0	3	0	4		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses		no payment the lot.	ä	
7		adjustment is will be mad				
COPIES TO:					ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/4	IREA MANAGER
Comments:						
						0




Lot No.:	30001-3050	00	Lab No.:	2	Field No.:	61
Manufacturer:	NSC Minera	ils	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	d:	10-Apr-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000μm			F 12 T-			
5000μm	100	100	100			
2500µm	98	100	99.7			
1250μm	85	100	88.0			
630µm	35	100	39.1			
315µm	0	50	7.7			
160μm	0	8	1.6	0		
80µm	0	3	0.0	i i	3	
PAYMENT A NOTE:		adjustment i		no payment		
	no payment	will be mad	s 100% or m le for the lot	•		ž
COPIES TO:			•	· ·	kari@gov.ab. ninerals.com	•
	APPROVED	FOR PAYMEI	NT		/	'AREA MANAGER
Comments:						

		^
	·	
Tested by:	IH	Reviewed by: GM



Lot No.:	30501-310	00	Lab No.:	3	Field No.:	62
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000µm						
5000μm	100	100	100			
2500μm	98	100	99.7	0		
1250μm	85	100	89.1			
630µm	35	100	40.9			
315µm	0	50	7.4			
160µm	0	8	1.1			
80µm	0	3	0.2			
PAYMENT A NOTE:	If payment		s 5% or less	ADJUSTMEN ⁻ , no payment the lot.		
	• •	adjustment i t will be mad				
COPIES TO:			-	on (rishi.adhik schutz@nscm		· · · · ·
	APPROVED	FOR PAYME	NT		,	'AREA MANAGER
Comments:						

			J
Tested by:	IH	Reviewed by: GM	X



Lot No.:	31001-315	00	Lab No.:	4	Field No.:	63
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	d;	10-Apr-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		1.749			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000μm			S - 1 N			
5000µm	100	100	100			
2500μm	98	100	100	-7		
1250μm	85	100	92.6			
630µm	35	100	49.6			
315μm	0	50	8.9			
160μm	0	8	1.0			
80μm	0	3	0.4	7		
				ADJUSTMEN [*]		
NOTE:		adjustment i will be asses		, no payment the lot.		
	If payment	adjustment i	s 100% or m	ore		
	no payment	will be mad	e for the lot	•		
COPIES TO:	Rishi Adhika	iri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYME	NT			
					//	AREA MANAGER
Comments:						

Tested by:	IH	Reviewed by: GM



Lot No.:	31501-3200	0	Lab No.:	5	Field No.:	64
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	l:	10-Apr-21	- 22 10, 10,
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.7			
1250μm	85	100	87.6			
630µm	35	100	37.8			
315µm	0	50	6.8			
160μm	0	8	0.8	0		
80µm	0	3	0	10.0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	Γ POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, ssed against of s 100% or m	the lot.		
			e for the lot.			
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	:a)
	APPROVED I	OR PAYMEI	NT		//	AREA MANAGEF
Comments:						MEN WINNAULT



Lot No.:	32001-3250	00	Lab No.:	6	Field No.:	65
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	1 J. 1 S. 1 K.
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000μm						
5000μm	100	100	100	Harris M.		
2500µm	98	100	99.5			
1250μm	85	100	87.1	0		
630µm	35	100	38.0			
315µm	0	50	7.2			
160μm	0	8	1.0	i i		
80μm	0	3	0.1			
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN [*]	T POINTS	
NOTE:	adjustment	will be asses adjustment i	ssed against s 100% or m	nore	:	
COPIES TO:		will be mad			kari@gov.ab.c	
COPILS TO,					ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			AREA MANAGEI
Comments:						TILA IVIANAGEI

Comments:			//
<u> </u>			0
Tested by:	<u>IH</u>	Reviewed by: GM	A-



Lot No.:	32501-330	00	Lab No.:	7	Field No.:	66
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000μm			1000			
5000μm	100	100	100	9		
2500μm	98	100	99.9	0		
1250μm	85	100	92.8			
630µm	35	100	51.1			
315μm	0	50	9.8			
160μm	0	8	1.1	2 0 2 3		
80µm	0	3	0.3	1		
PAYMENT A NOTE:	If payment		s 5% or less,	ADJUSTMENT , no payment the lot.		
	• •	adjustment i t will be mad				
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio		cari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

·			<i>p</i>
Tested by:	<u>IH</u>	Reviewed by: GM	A
rested by.	111	Reviewed by: Givi	/ 0



Lot No.:	33001-3350	0	Lab No.:	8	Field No.:	67
Manufacturer:	NSC Mineral	s	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	:	10-Apr-21	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.22			
GRADATION						
10000μm			XII GUL			
5000µm	100	100	100	0		
2500μm	98	100	99.9			
1250μm	85	100	92.8			
630µm	35	100	50.5			
315µm	0	50	8.6			
160µm	0	8	0.7	0		
80µm	0	3	0.1	1		
PAYMENT A NOTE:	If payment a adjustment with the second seco	djustment i vill be asses djustment i	s 5% or less, sed against t s 100% or mo	no payment the lot. ore		
	no payment					
COPIES TO:	Rishi Adhikar Nelson Schut		-			
	APPROVED F	OR PAYMEI	NT			'AREA MANAGER
Comments:						

			P
Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	33501-340	00	Lab No.:	9	Field No.:	68
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20	1-Dec-20		Location:	Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000µm						
5000μm	100	100	100	- 9		
2500μm	98	100	99.9			
1250μm	85	100	93.1			
630µm	35	100	50.7			
315µm	0	50	9.6			
160μm	0	8	0.9			
80µm	0	3	0.1	0		
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN [*]	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or n	nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					<u> </u>	

Comments:			
\ 			D
Tested by:	IH	Reviewed by: GM	A.




Lot No.:	34001-3450	0	Lab No.:	10	Field No.:	69
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Dec-20	1-Dec-20		Production Location:		
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		**			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.22			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	92.6			
630µm	35	100	49.3			
315μm	0	50	7.7			
160μm	0	8	0.5	11.0		
80µm	0	3	0.1	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN [®]	T POINTS	
NOTE:	If payment a adjustment v	_		, no payment the lot.	:	
	If payment a no payment	-				
COPIES TO:		· ·	•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYMEI	NT	-	//	AREA MANAGER
Comments:						<u> </u>

			0
Tested by:	IH	Reviewed by: GM	2



Lot No.:	34501-3500		Lab No.:	11	Field No.:	70
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Tested	d:	10-Apr-21	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.8	5.12		101115
SODIUM CHLORIDE	95		98.1			
INSOLUBLE MATTER		1	1.19	0.19		
MOISTURE CONTENT		1	0.17			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION					,	
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8	1		
1250μm	85	100	92.1			
630µm	35	100	49.3			
315μm	0	50	9.1			
160µm	0	8	0.8	0.0		
80μm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMEN ⁻	F POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is will be mad	sed against	ore		
COPIES TO:					ari@gov.ab.ca	2)
——————————————————————————————————————			-		ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						
						0



Lot No.:	35001-3550	0	Lab No.:	12	Field No.:	71
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	i:	10-Apr-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		1811			
SODIUM CHLORIDE	95					8.
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION				1/4		
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9			
1250μm	85	100	94.3			
630µm	35	100	63.1			
315µm	0	50	26.4			
160μm	0	8	6.1	0.		
80μm	0	3	0.4	A I		
PAYMENT A NOTE: COPIES TO:	DJUSTMENT If payment a adjustment a no payment	idjustment is will be asses idjustment is will be mad	s 5% or less, sed against s 100% or m e for the lot.	no payment the lot. ore		
COPIES TO:	Rishi Adhika Nelson Schu					
	APPROVED F	OR PAYMEN	NT		/	'AREA MANAGER
Comments:						

		/AREA MANAGER
Comments:		
*		
-		f
Tested by:	<u>IH</u>	Reviewed by: GM



Lot No.:	35501-3600	00	Lab No.:	13	Field No.:	72
Manufacturer:	NSC Minera	als	Salt Type	Salt Type		Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000µm						
5000μm	100	100	100	i jota a		
2500μm	98	100	100	0.0		
1250μm	85	100	94.1			
630µm	35	100	61.2			
315µm	0	50	24.2			
160μm	0	8	5.9	8 0		
80μm	0	3	0.3	- 0		
PAYMENT A	adjustment		s 5% or less ssed against s 100% or n	, no payment the lot. nore		
COPIES TO:	Rishi Adhika Nelson Schu	ri, Alberta T	ransportation erals Ltd. (n	on (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
Comments:					//	AREA MANAGER

			0
Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	36001-365	00	Lab No.:	14	Field No.:	73
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
10000µm				1		
5000µm	100	100	100			
2500μm	98	100	100			
1250μm	85	100	92.3			
630µm	35	100	49.1			
315μm	0	50	7.8			
160µm	0	8	0.5	2.		
80µm	0	3	0	0		
PAYMENT A	DJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN ⁻	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

30111110111031			
			0
Tested by:	<u>IH</u>	Reviewed by: GM	X



Lot No.:	36501-37000		Lab No.:	15	Field No.:	74
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21	6. 3.1.	Date Tested	:	10-Apr-21	
TEST	SPECIFICATION	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.26			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	100	A 7/01		
1250μm	85	100	91.4			
630µm	35	100	46.3			
315µm	0	50	7.3			
160μm	0	8	0.4	0		
80μm	0	3	0	0		
PAYMENT A NOTE:	DJUSTMENT (If payment ac	ljustment i	s 5% or less,	no payment		
	If payment ac	ljustment i	s 100% or m	ore		
COPIES TO:	Rishi Adhikar Nelson Schut		-	•		•
	APPROVED FO	OR PAYMEI	NT		_ /	'AREA MANAGER
Comments:						

			0
Tested by:	<u>IH</u>	Reviewed by: GM	X



Lot No.:	37001-375	00	Lab No.:	16	Field No.:	75
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21	7 - Y	Date Teste	d:	10-Apr-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.26	4		
GRADATION						
10000μm						
5000µm	100	100	100	1		
2500μm	98	100	100			
1250μm	85	100	94.8			
630µm	35	100	60.3			
315µm	0	50	18.4			
160μm	0	8	3.3	0		
80μm	0	3	0.3	6 - 1		
PAYMENT A	If payment adjustment		s 5% or less ssed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.k ninerals.com)	
	APPROVED	FOR PAYMEI	NT		/	AREA MANAGER
Comments:						

comments.		
)
Tested by:	<u>IH</u>	Reviewed by: GM



Lot No.:	37501-380	00	Lab No.:	17	Field No.:	76
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.26			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8	6		
1250μm	85	100	92.9			
630µm	35	100	55.9			
315µm	0	50	15.1			
160µm	0	8	2.4	0		
80µm	0	3	0.2	Ø 2:12		
PAYMENT A NOTE:	If payment	adjustment i	s 5% or less	ADJUSTMEN ⁻ , no payment		
	If payment	will be asses adjustment i t will be mad	s 100% or m	nore		-
COPIES TO:				•	cari@gov.ab.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:						

Tested by:	IH	Reviewed by: GM



Lot No.:	38001-385	00	Lab No.:	18	Field No.:	77
Manufacturer:	er: NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Dec-20	70°-	Production Location: V		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MiN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98		Take .			
CHLORIDE						
SODIUM	95		- Si -			
CHLORIDE	33					
INSOLUBLE		1	14/18			
MATTER		•				
MOISTURE		1	0.29			
CONTENT		1	0.25			
GRADATION					- i	1
10000μm						
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.6			
1250μm	85	100	94.1			
630µm	35	100	60.8			
315µm	0	50	23.4			
160µm	0	8	6.4	0 '		
80µm	0	3	0.5	0		
PAYMENT A	ADJUSTMENT	(PERCENT)	= TOTAL OF	ADJUSTMEN [®]	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against is 100% or n	nore	t	
COPIES TO:			•	· · · · · · · · · · · · · · · · · · ·	kari@gov.ab.oninerals.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						




Lot No.:	38501-3900	0	Lab No.:	19	Field No.:	78
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21	V	Date Tested	l:	10-Apr-21	and the state of
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.29			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5	0		
1250μm	85	100	92.9			
630µm	35	100	57.0			
315µm	0	50	20.0			
160μm	0	8	5.1	11.0		
80μm	0	3	0.5			
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF A	ADJUSTMEN [®]	T POINTS	
NOTE:	adjustment	will be asses	is 5% or less, ssed against is 100% or m de for the lot.	the lot.	i.	
COPIES TO:					kari@gov.ab.c	
201123 10.					ninerals.com)	.u j
	APPROVED I	FOR PAYME	NT		//	AREA MANAGER
Comments:						

		g
Tested by:	IH	Reviewed by: GM



Lot No.:	39001-39500	0	Lab No.:	20	Field No.:	79
Manufacturer:	NSC Mineral	s	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20	14-34	Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		V			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION				~		251
10000μm			-11-11-11			
5000μm	100	100	100	0		
2500μm	98	100	98.9			
1250μm	85	100	91.6			
630µm	35	100	54.2			
315µm	0	50	18.0			
160μm	0	8	4.2			
80μm	0	3	0.3	3		II.
PAYMENT A	ADJUSTMENT (PERCENT) :	TOTAL OF	ADJUSTMEN	T POINTS	
NOTE:	If payment a adjustment w	-			:	
	If payment a no payment	-				
COPIES TO:			-	-	kari@gov.ab.c ninerals.com)	:a)
	APPROVED F	OR PAYME	NT		//	AREA MANAGER
Comments:						

Tested by:	IH	Reviewed by: GM	4



Lot No.:	39501-400		Lab No.:	21	Field No.:	80
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Date Received:	4-Feb-21		Date Tested	d:	10-Apr-21	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		98.6			
SODIUM CHLORIDE	95		97.9			
INSOLUBLE MATTER		1	1.34	0.34		
MOISTURE CONTENT		1	0.25			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100	1.		
2500μm	98	100	99.4			
1250μm	85	100	91.9			
630µm	35	100	56.2			
315μm	0	50	20.1			
160μm	0	8	4.4	0.		
80μm	0	3	0.1	0		
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN [*]	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:					cari@gov.ab.c	a)
					ninerals.com)	α ,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						
						٨

Tested by: Reviewed by: GM IH




Lot No.:	40001-4050	0	Lab No.:	22	Field No.:	81
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Tested	d:	10-Apr-21	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.29			
GRADATION						
10000µm						
5000µm	100	100	100	0		
2500μm	98	100	99.4	6 - 15		
1250μm	85	100	93.1			
630µm	35	100	60.0			
315μm	0	50	22.2			
160µm	0	8	5.2	8		
80µm	0	3	0.3	0.0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN [*]	T POINTS	
NOTE:	If payment a adjustment with the second seco	will be asses	ssed against	the lot.	:	
	no payment					
COPIES TO:					cari@gov.ab.c	-21
33,723,73		·	•	-	ninerals.com)	, ₎
	APPROVED F	OR PAYMEI	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	IH	Reviewed by: GM	K



Lot No.:	40501-410	00	Lab No.:	23	Field No.:	82
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	d:	10-Apr-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.25			
GRADATION						
10000μm						
5000μm	100	100	100	0 -		
2500μm	98	100	100			
1250µm	85	100	92.5			
630µm	35	100	55.7			
315µm	0	50	19.3	1		
160µm	0	8	4.2			
80µm	0	3	0.2	0		
PAYMENT A NOTE:	If payment	•	s 5% or less,	ADJUSTMEN ⁻ , no payment the lot.		
		adjustment i t will be mad				
COPIES TO:		•	•	•	(ari@gov.ab.) ninerals.com)	•
	APPROVED	FOR PAYMEI	NT		/	AREA MANAGER
Comments:						

			λ
Tested by:	<u>IH</u>	Reviewed by: GM	\mathcal{A}



Lot No.:	41001-41500	THE INT	Lab No.:	24	Field No.:	83
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production I	Location:	Vanscoy	
Date Received:	4-Feb-21		Date Tested	£	10-Apr-21	
TEST	SPECIFICATION	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION						
10000μm			Take to Ye			
5000μm	100	100	100	1		
2500μm	98	100	99.4	91, TH		
1250μm	85	100	91.6			
630µm	35	100	55.4			
315μm	0	50	19.7			
160μm	0	8	4.0			
80µm	0	3	0.1			
PAYMENT A NOTE:	NDJUSTMENT (I If payment ac adjustment w	ljustment i	s 5% or less,	no payment		
	If payment ac	ljustment i	s 100% or mo	ore		
COPIES TO:	Rishi Adhikari Nelson Schutz				-	
	APPROVED FO	OR PAYMEI	NT		/	AREA MANAGEF
Comments:						

		0
Tested by:	<u>IH</u>	Reviewed by: GM



Lot No.:	41501-4200	0	Lab No.:	25	Field No.:	84
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Tested	į.	10-Apr-21	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			2		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.25			
GRADATION						
10000μm						
5000µm	100	100	100	0.0		
2500μm	98	100	99.5	0		
1250μm	85	100	92.3			
630µm	35	100	50.1			
315µm	0	50	11.0			
160μm	0	8	1.1	1 0		
80µm	0	3	0.1	0		
PAYMENT A NOTE: COPIES TO:	If payment a adjustment a no payment	djustment i will be asses djustment i will be mad	s 5% or less, ssed against s 100% or m le for the lot	no payment the lot. ore	;	
COPIES TO:		tz, NSC Min	erals Ltd. (ns		kari@gov.ab.k ninerals.com)	
C - · · · ·						AREA MANAGER
Comments:						8

Comments:			¥.
			· · · · · · · · · · · · · · · · · · ·
Tested by:	<u>IH</u>	Reviewed by: GM	K-



Lot No.:	42001-4250	00	Lab No.:	26	Field No.:	85
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-20	U.S.	Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Tested	l:	10-Apr-21	The state of
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				1	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION						
10000μm						
5000μm	100	100	100	0.0		
2500µm	98	100	98.9			
1250μm	85	100	91.3			
630µm	35	100	49.7			
315μm	0	50	10.8			
160μm	0	8	1.1	0 ,/.		
80µm	0	3	0	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	DJUSTMEN	T POINTS	
NOTE:	adjustment If payment a	will be asses adjustment i	ssed against	ore		
	no payment					
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED I	FOR PAYMEN	NT		//	AREA MANAGEI
Comments:						MLA IVIANAGEI
comments.						



Lot No.:	42501-430	00	Lab No.:	27	Field No.:	86	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine	
Date Sampled:	1-Dec-20	1-Dec-20		Production Location:		Vanscoy	
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95		N				
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.30				
GRADATION		·					
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.1	6			
1250μm	85	100	92.9				
630µm	35	100	59.4				
315µm	0	50	22.1				
160µm	0	8	5.3	0			
80μm	0	3	0.3				
PAYMENT A	DJUSTMEN	(PERCENT) =	TOTAL OF	ADJUSTMEN ⁻	T POINTS		
NOTE:	adjustmen	adjustment i t will be asses adjustment i	ssed against		:		
		t will be mad					
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	:a)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF	
Comments:							

			^
Tested by:	IH	Reviewed by: GM	1-



Lot No.:	43001-4350	00	Lab No.:	28	Field No.:	87
Manufacturer:	NSC Minerals 1-Dec-20		Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:						
Date Received:	4-Feb-21		Date Teste	d:	10-Apr-21	
TEST	SPECIFICAT	ION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION			1			
10000μm				8		
5000μm	100	100	100			
2500μm	98	100	99.2	9		
1250μm	85	100	93.4			
630µm	35	100	59.4			
315µm	0	50	21.2			
160μm	0	8	5.1	0		
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	Γ POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i : will be mad	ssed against s 100% or m	nore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

			0
Tested by:	1H	Reviewed by: GM	



Lot No.:	43501 - 440	000	Lab No.:	29	Field No.:	88
Manufacturer:	er: NSC Minerals		Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:						
Date Received:	4-Jun-21	15.	Date Tested		10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	МАХ	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000µm						1
5000μm	100	100	100			
2500μm	98	100	99.9	0.1		
1250μm	85	100	94.4			
630µm	35	100	60.2			
315µm	0	50	19.3			
160µm	0	8	3.6	0-		
80µm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, seed against t s 100% or mo e for the lot.	he lot.		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportation	•	kari@gov.ab. ninerals.com)	•
	APPROVED	FOR PAYME!	NT		//	AREA MANAGER
Comments:						



Lot No.:	44001 - 445	500	Lab No.:	30	Field No.:	89
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	4-Jan-21	Jan Mary	Production L	ocation:	Vanscoy	3.20
Date Received:	4-Jun-21		Date Tested:	8	10-Jun-21	
TEST	SPECIFICAT	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100			
2500μm	98	100	99.6			
1250µm	85	100	92.6			
630µm	35	100	54.4			
315µm	0	50	14.8			
160μm	0	8	2.4			
80µm	0	3	0.0			
PAYMENT A NOTE:	If payment	adjustment i	= TOTAL OF Al s 5% or less, r ssed against t	no payment		
		=	s 100% or mo e for the lot.	ore :		
COPIES TO:			ransportation erals Ltd. (nsc		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	44501 - 450	200	Lab No.:	31	Field No.:	90
Manufacturer:	NSC Minerals		Salt Type	31	Alta. Trans.	
Date Sampled:	5-Jan-21		Production Location:		Vanscoy	rille
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
Date Neceived.	4-JUN-21		Date restet	1	10-3411-21	T
TEST	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			1 3 5 m			
DRY WEIGHT	<u> </u>					
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100	1000		
2500μm	98	100	99.7	THE BUTTER		
1250μm	85	100	92.9		Y	
630μm	35	100	53.6			
315µm	0	50	11.6			
160μm	0	8	1.6	1.12		
80µm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	F POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment	:	
	adjustment	will be asses	ssed against	the lot.		
	If payment	adjustment i	s 100% or m	ore		
	no paymen	t will be mad	e for the lot			
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.o	 ca)
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						
						Ä
						V



Lot No.:	45001 - 455	500	Lab No.:	32	Field No.:	91
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	5-Jan-21		Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21	- 245	Date Tested		10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		337)			
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT)	
GRADATION 10000μm						
5000μm	100	100	99.8	-0.2		
2500µm	98	100	99.6	0.2		
1250µm	85	100	90.3			
630µm	35	100	45.4			
315µm	0	50	8.8			
160µm	0	8	1.1			
80µm	0	3	0.0			
			TOTAL OF A	DILISTMENT	POINTS	
NOTE:	If payment adjustment	adjustment i will be asses	s 5% or less, ssed against t s 100% or mo	no payment he lot.		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						

Tested by:	LR	Reviewed by: GM	



Lot No.:	45501 - 460	000	Lab No.:	33	Field No.:	92
Manufacturer:	NSC Minerals 6-Jan-21		Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST CHEM COMP	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			J. Le		TOIRTS
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			1-17-4			
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	91.5			
630µm	35	100	45.7			
315µm	0	50	9.2			
160μm	0	8	1.2	0.1		
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment If payment	adjustment i will be asses adjustment i	ssed against s 100% or m	the lot.	,	
CODIEC TO		t will be mad				
COPIES TO:			· ·		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						MEA WANAULT
John Million						



Lot No.:	46001 - 465	500	Lab No.:	34	Field No.:	93
Manufacturer:	NSC Minerals		Salt Type	Salt Type		Fine
Date Sampled:	7-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	1975			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				1		
10000μm	100	100	100			
5000μm	98		100			
2500μm		100	99.7			
1250μm	85	100	92.0			
630μm	35	100	46.2			
315μm	0	50	10.0			
160μm	0	8	1.6			
80μm	0	3	0.2			
NOTE:	If payment adjustment	•	s 5% or less, ssed against s 100% or m	nore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation	on (rishi.adhi	kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

Tested by: _____ Reviewed by: _GM



Tested by:

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

· · · · · ·			Table 1 and			
Lot No.:	46501 - 47		Lab No.:	35	Field No.:	94
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. 1	fine
Date Sampled:	7-Jan-21		Production L		Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICA [®]	TION LIMITS MAX	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
	141114			SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	E 110 11			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			-1 2 2			
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION		*				
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.7	00		
1250μm	85	100	91.9			
630µm	35	100	50.0			
315µm	0	50	13.2			
160μm	0	8	2.5	1		
80µm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:			s 5% or less, r			
		-	ssed against t			
	If payment	adjustment i	s 100% or mo	ore		
	no paymen	t will be mad	e for the lot.			
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportation	ı (rishi.adhil	kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mind	erals Ltd. (nsc	chutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:					·	
Tested by:	LR		Re	viewed by:	GM	\times

Reviewed by: GM



Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

ONE STO SOCIETY						
Lot No.:	47001 - 47		Lab No.:	36	Field No.:	95
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled:	8-Jan-21			Production Location:		A
Date Received:	4-Jun-21		Date Teste	d: 	10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	1			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			2-11			
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000µm	100	100	100			
2500μm	98	100	99.8	0		
1250μm	85	100	93.0			
630µm	35	100	53.3			
315μm	0	50	13.7			
160µm	0	8	1.8	a constant		
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment If payment	adjustment is will be asses adjustment is twill be mad	ssed against s 100% or m	the lot.	ē.	
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						
						*

Reviewed by: GM



Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	47501 - 48	000	Lab No.:	37	Field No.:	96
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. I	
Date Sampled:	11-Jan-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21	100	Date Tested:		10-Jun-21	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	7 - 0 - 1		
2500μm	98	100	99.8	0		
1250μm	85	100	90.0			
630µm	35	100	44.8			
315µm	0	50	10.7			
160µm	0	8	2.3	Far ity in		
80μm	0	3	0.1			
	DJUSTMEN		TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	t will be asses	s 5% or less, is ssed against t s 100% or mo e for the lot.	he lot.		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportation	ı (rishi.adhil	kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (nsc	chutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/A	IREA MANAGER
Comments:						
					-	

Reviewed by: GM



Lot No.:	48001 - 485	500	Lab No.:	38	Field No.:	97
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	11-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Teste		10-Jun-21	
TEST	SPECIFICATION LIMITS		TEST	NUMBER TEST OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000µm						
5000μm	100	100	100	30		
2500μm	98	100	99.9			
1250μm	85	100	91.3			
630µm	35	100	43.9			
315µm	0	50	9.4			
160µm	0	8	1.2			
80µm	0	3	0.0			
PAYMENT A NOTE:	If payment adjustment	•	s 5% or less ssed against s 100% or m	nore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.d	ca)
					ninerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGE
Comments:						



Lot No.:	48501 - 490	000	Lab No.:	39	Field No.:	98
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	11-Jan-21	Jan 1	Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						•
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	89.2			
630µm	35	100	41.9			
315μm	0	50	8.0			
160μm	0	8	1.0			
80µm	0	3	0.0	W. 1		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, i	he lot.		
		-	s 100% or mo e for the lot.	ore		
COPIES TO:				ı (rishi.adhil	kari@gov.ab.c	:a)
	Nelson Sch	utz, NSC Min	erals Ltd. (nsc	chutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT			AREA MANAGER
Comments:					,	



Lot No.:	49001 - 495		Lab No.:	40	Field No.:	99	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine	
Date Sampled:	12-Jan-21			Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	i nastr	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	3000				
MOISTURE CONTENT		1	0.00	1			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT			5,430				
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	99.8	-0.2			
2500µm	98	100	99.4				
1250μm	85	100	92.7				
630µm	35	100	51.6				
315µm	0	50	12.4				
160μm	0	8	2.4				
80μm	0	3	0.2				
PAYMENT A	DJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN [®]	T POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		t "		
	no paymen	t will be mad	le for the lot				
COPIES TO:					kari@gov.ab.oninerals.com)	:a)	
	APPROVED	FOR PAYMEI	NT	_	<u></u> //	AREA MANAGER	
Comments:							



Lot No.:	49501 - 500	000	Lab No.:	41	Field No.:	100
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	13-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST CHEM COMP	SPECIFICA ⁻	TION LIMITS		NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEW COWN		WAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		98.8			
SODIUM CHLORIDE	95		98.1			
INSOLUBLE MATTER		1	1.15	0.15		
MOISTURE		_				
CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID			<0.02			
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT			0.02			
GRADATION						•
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	90.5			
630μm	35	100	49.5			
315μm	0	50	13.4			
160μm	0	8	3.4			
80μm	0	3	0.5			
	DJUSTMENT	(PERCENT) =		ADJUSTMENT	Γ POINTS	
	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.o	ca)
		*	•	-	ninerals.com)	•
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						



Lot No.:	50001 - 505	500	Lab No.:	42	Field No.:	101
Manufacturer:	NSC Minera	NSC Minerals			Alta. Trans.	Fine
Date Sampled:	14-Jan-21	18 Jan.	Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						-
WEIGHT			170			
GRADATION						
10000μm						
5000μm	100	100	100	91		
2500µm	98	100	99.8			
1250μm	85	100	90.6			
630μm	35	100	49.2			
315µm	0	50	12.6			
160µm	0	8	2.9			
80μm	0	3	0.4			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, ssed against t s 100% or mo le for the lot.	he lot.		
COPIES TO:			ransportation erals Ltd. (nso	=	_	-
Comments:	APPROVED	FOR PAYMEI	NT		/	AREA MANAGER
						×2



Lot No.:	50501 - 510	000	Lab No.:	43	Field No.:	102
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	15-Jan-21		Production L	ocation:	Vanscoy	And Single
Date Received:	4-Jun-21		Date Tested:	i i	10-Jun-21	L. L. E. L.
TEST CHEM COMP	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		A Soul S			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE		1				
CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						1
5000μm	100	100	100			
2500μm	98	100	99.6			
1250μm	85	100	89.4			
630μm	35	100	47.5			
315µm	0	50	13.6			
160μm	0	8	3.1			
80μm	0	3	0.5			<u> </u>
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	If payment adjustment	adjustment i will be asses adjustment i	s 5% or less, ssed against t s 100% or mo le for the lot.	no payment the lot. ore		
COPIES TO:					kari@gov.ab.o	 :a)
			•	=	ninerals.com)	,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEI
Comments:						



ot No.:	51001 - 515	00	Lab No.:	44	Field No.:	103
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	17-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			1		
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT GRADATION						
10000μm	400	400	400			
5000μm	100	100	100			
2500μm	98	100	99.8			
1250µm	85	100	88.6			
630µm	35	100	44.0			
315µm	0	50	12.3			
160μm	0	8	2.8			
80μm	0	3	0.4	MENE		
PAYMENT A NOTE:	If payment adjustment	•	s 5% or less, ssed against s 100% or m	nore		
COPIES TO:			-		kari@gov.ab.oninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT			AREA MANAGEF
Comments:						

			0
Tested by:	LR	Reviewed by: GM	



Lot No.:	51501 - 520	000	Lab No.:	45	Field No.:	104
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	18-Jan-21		Production	Location:	Vanscoy	So and the rect of
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST CHEM COMP	SPECIFICA [*]	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CITEIVI COIVII	Mille	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION					I.	
10000μm			700			
5000μm	100	100	100	0		
2500μm	98	100	99.8	1		
1250μm	85	100	91.7			
630µm	35	100	53.4			
315µm	0	50	15.6			
160µm	0	8	3.2	V		
80µm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN [*]	Γ POINTS	
NOTE:	adjustment	adjustment i will be asses	ssed against	the lot.	:	
		adjustment i				
000150 50		t will be mad				
COPIES TO:			-	•	kari@gov.ab.	•
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/	AREA MANAGEF
Comments:						




Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	52001 - 52	500	Lab No.:	46	Field No.:	105
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	18-Jan-21		Production Location: V		Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICATION LIMIT		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		4 13		-	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT				,		
GRADATION 10000μm						
5000μm	100	100	100			
2500µm	98	100	99.7	2		
1250µm	85	100	92.0			
630µm	35	100	50.8			
315µm	0	50	14.2			
160µm	0	8	2.8	5 364 19		,
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore	:	
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil schutz@nscn	-	-
	APPROVED	FOR PAYMEN	NT		_/	AREA MANAGEF
Comments:						

Reviewed by: GM



Lot No.:	52501 - 53	000	Lab No.:	47	Field No.:	106
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	18-Jan-21	Dx	Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1		-		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						1
5000μm	100	100	100	1. 1. 5.		
2500μm	98	100	99.6			
	85	100	92.3	V		
1250μm						
630μm	35	100	52.8			
315µm	0	50	15.4			
160μm	0	8	3.4			
80μm	0	3	0.3	- III		
NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.	 ca)
			=	=	ninerals.com)	•
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

2		
Tested by:	LR	Reviewed by: GM



Lot No.:	53001 - 535	00	Lab No.:	48	Field No.:	107
Manufacturer:	NSC Minera	ats	Salt Type		Alta. Trans. I	Fine
Date Sampled:	19-Jan-21		Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				1		
10000μm						
5000µm	100	100	100			
2500μm	98	100	99.6	6 -		
1250μm	85	100	93.0			
630µm	35	100	52.7			
315µm	0	50	15.7			
160μm	0	8	3.0	the Cha		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, ssed against t	he lot.	,	
		=	s 100% or mo	ore		
			le for the lot.			
COPIES TO:					kari@gov.ab.d	ca)
	Nelson Schu	atz, NSC Min	erals Ltd. (nso	chutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGE
Comments:					,	

Tested by:	LR	Reviewed by: GM
	:-	



Lot No.:	53501 - 540	000	Lab No.:	49	Field No.:	108
Manufacturer:	NSC Minera	ais	Salt Type		Alta. Trans. I	Fine
Date Sampled:	19-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	8 1		
2500µm	98	100	99.7	10 -		
1250μm	85	100	92.4			
630μm	35	100	52.0			
315µm	0	50	15.9			
160μm	0	8	3.8	0.		
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	r points	
NOTE:	adjustment If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore	•	
COPIES TO:					kari@gov.ab.o	:a)
	Nelson Schi	utz, NSC Min	erals Ltd. (n	schutz@nscn	ninerals.com)	•
	APPROVED	FOR PAYMEI	NT			AREA MANAGEF
Comments:						



Lot No.:	54001 - 545	500	Lab No.:	50	Field No.:	109
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	20-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Teste	d:	10-Jun-21	11 p. 3 p. 16
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		4			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9	0		
1250μm	85	100	92.6			
630µm	35	100	49.7			
315µm	0	50	11.4	j.		
160μm	0	8	2.0	0.21		
80µm	0	3	0.1			
PAYMENT A NOTE:	If payment adjustment		s 5% or less ssed against s 100% or m	nore		
COPIES TO:			· ·	=	kari@gov.ab.o ninerals.com)	ca)
5	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEI
Comments:						



V V V						
Lot No.:	54501 - 550		Lab No.:	51	Field No.:	110
Manufacturer:			Salt Type		Alta. Trans.	Fine
Date Sampled:	21-Jan-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.2			
SODIUM CHLORIDE	95		98.8			
INSOLUBLE MATTER		1	0.91			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm			7 17			
5000μm	100	100	100			
2500µm	98	100	99.7			
1250μm	85	100	90.1			
630µm	35	100	43.3			
315μm	0	50	9.8			
160μm	0	8	1.5			
80µm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN [*]	POINTS	
NOTE:	adjustment If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:			-	•	kari@gov.ab.oninerals.com)	•
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

			_
		J	2
Tested by:	LR	Reviewed by: GM	



Lot No.:	55001 - 55	500	Lab No.:	52	Field No.:	111
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	22-Jan-21	NA P	Production L	ocation:	Vanscoy	- 10.00
Date Received:	4-Jun-21		Date Tested:	<u> </u>	10-Jun-21	
TEST	SPECIFICA	ΓΙΟΝ LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	V 7-2 1			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	15		
2500µm	98	100	99.8	0		
1250μm	85	100	91.3			
630µm	35	100	46.0			
315μm	0	50	10.2			
160μm	0	8	1.6	0		
80μm	0	3	0.1			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:			s 5% or less, r ssed against t			
		-	s 100% or mo	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation	rishi.adhil	cari@gov.ab.c	ca)
			erals Ltd. (nsc		_	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEI
Comments:						



Lot No.:	55501 - 560	000	Lab No.:	53	Field No.:	112
Manufacturer:	NSC Miner	NSC Minerals			Alta. Trans.	Fine
Date Sampled:	22-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		16.0			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	, J. J.		
2500μm	98	100	99.8	0,7		
1250µm	85	100	92.4			
630µm	35	100	47.7			
315µm	0	50	10.9			
160μm	0	8	1.6	0		
80μm	0	3	0.0			
PAYMENT A NOTE:	If payment adjustment		s 5% or less, sed against s 100% or m	ore		
COPIES TO:			-	-	cari@gov.ab.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER
Comments:						



Lot No.:	56001 - 56	500	Lab No.:	54	Field No.:	113
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	25-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			-21 HWA			
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9	- 0		
1250μm	85	100	91.4			
630µm	35	100	52.7			
315μm	0	50	18.0			
160μm	0	8	6.0	0		
80μm	0	3	1.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	ssed against		20	
		adjustment i t will be mad				
COPIES TO:					rari@gay.ah.a	
COPILS TO.					kari@gov.ab.oninerals.com)	.a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	56501 - 57		Lab No.:	55	Field No.:	114
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	25-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	3	10-Jun-21	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE		1				
CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	93.0			
630µm	35	100	48.2			1
315µm	0	50	12.3			
160μm	0	8	2.3			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	sed against t	the lot.	;	
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						
						0

Reviewed by: <u>GM</u>



• • • •						
Lot No.:	57001 - 57		Lab No.:	56	Field No.:	115
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	26-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tester	d:	10-Jun-21	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95	5		II.		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT CN WEAK ACID DRY						
WEIGHT						
GRADATION 10000μm			-			
	100	100	100			
5000μm	98	100	99.8			
2500μm	85	100				
1250μm	35	100	89.8			
630μm			42.2	-		
315μm	0	50	8.1			
160μm	0	8	1.4			
80μm	0	3	0.4	A D II ICTA 4541	FROUNTS	
				ADJUSTMENT		
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		:	
	no paymen	t will be mad	e for the lot			
COPIES TO:			-	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						WINTERCEN



Lot No.:	57501 - 580	000	Lab No.:	57	Field No.:	116	
Manufacturer:		NSC Minerals		Salt Type Production Location:		Alta. Trans. Fine Vanscoy	
Date Sampled:	26-Jan-21						
Date Received:	4-Jun-21		Date Tester		10-Jun-21		
TEST		ION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		7-1-1				
SODIUM CHLORIDE	95						
INSOLUBLE MATTER MOISTURE CONTENT		1	0.00	7			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION 10000μm 5000μm	100	100	100				
	98		99.8				
2500µm	85	100					
1250μm		100	89.6				
630μm	35	100	42.8				
315µm	0	50	8.8				
160μm	0	8	1.8				
80μm	0	3	0.6			_	
				ADJUSTMENT			
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	nore			
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	on (rishi.adhik schutz@nscm	-	-	
	APPROVED	FOR PAYMEN	NT		/	'AREA MANAGEF	
Comments:							
						Section 1997	



ot No.:	58001 - 585	00	Lab No.:	58	Field No.:	117
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	26-Jan-21		Production	Location:	Vanscoy	100
Date Received:	4-Jun-21		Date Tested	:	10-Jun-21	Mark In
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		eri, w Te			
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	. 0		
1250μm	85	100	88.1			
630µm	35	100	39.2			
315µm	0	50	7.1			
160μm	0	8	1.2	0		
80μm	0	3	0.2			
NOTE:	If payment adjustment	adjustment i will be asses adjustment i	TOTAL OF A s 5% or less, sed against t s 100% or mo e for the lot.	no payment the lot.		
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER
Comments:						

		0	
Tested by:	LR	Reviewed by: GM	



Lot No.:	58501 - 590	000	Lab No.:	59	Field No.:	118
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	26-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21	17	Date Tested	:	10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		- 1		:	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	1.54		
2500μm	98	100	99.7	0		
1250μm	85	100	87.9			
630µm	35	100	39.8			
315µm	0	50	7.2			
160µm	0	8	1.0	0.75		
80µm	0	3	0.2			
	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	F POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, ssed against of s 100% or mo	the lot.	:	
	no payment	t will be mad	e for the lot.			
COPIES TO:			•	-	kari@gov.ab. ninerals.com)	•
	APPROVED	FOR PAYMEN	NT		/-	AREA MANAGER
Comments:						
						0



Lot No.:	59001 - 59	500	Lab No.:	60	Field No.:	119
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	27-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Teste	d:	10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MiN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		T UNIT			
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION				mgr:		
10000μm						
5000μm	100	100	100	9-		
2500μm	98	100	99.7	55 TAU		
1250µm	85	100	91.6			
630µm	35	100	41.3			
315µm	0	50	4.0	Ì		
160μm	0	8	0.3	- 4		
80μm	0	3	0.1			
PAYMENT A NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.com)	ea)
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGEF
Comments:						

-			
			0
Tested by:	LR	Reviewed by: GM	
Tested by:	LR	Reviewed by: GM	1



Lot No.:	59501 - 600	00	Lab No.:	61	Field No.:	120
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans. I	ine
Date Sampled:	27-Jan-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.1			
SODIUM CHLORIDE	95		98.8			
NSOLUBLE MATTER		1	1.01	0.00		
MOISTURE CONTENT		1	0.00			
ON WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000μm						
5000μm	100	100	100	L 4		
2500μm	98	100	99.9			
1250μm	85	100	93.2			
630µm	35	100	55.7			
315µm	0	50	8.9			
160µm	0	8	0.7	0		
80μm	0	3	0.1	AT 15	-	
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	ndjustment i will be asses ndjustment i will be mad	sed against	ore	,	
COPIES TO:					ari@gov.ab.c	a)
					ninerals.com)	
	APPROVED F	FOR PAYMEN	IT		/Δ	REA MANAGER
Comments:						



Lot No.:	60001 - 605	500	Lab No.:	62	Field No.:	121
Manufacturer:	NSC Minera	NSC Minerals			Alta. Trans. Fine	
Date Sampled:	28-Jan-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tester	d:	10-Jun-21	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1		1		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY						
WEIGHT			io "III, 5			
GRADATION		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8			
1250μm	85	100	91.0			
630µm	35	100	40.9			
315µm	0	50	4.1			
160μm	0	8	0.2			
80µm	0	3	0.0			
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore	f	
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEN	NT		/A	AREA MANAGER
Comments:						

Tested by: <u>LR</u> Reviewed by: <u>GM</u>



Lot No.:	60501 - 610	000	Lab No.:	63	Field No.:	122
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	28-Jan-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21	8 T 7 L	Date Teste		10-Jun-21	
TEST	SPECIFICAT	TION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm				1		
5000μm	100	100	100	0		
2500μm	98	100	99.9			
1250μm	85	100	91.0			
630µm	35	100	45.7			
315μm	0	50	8.7			
160μm	0	8	1.4			
80μm	0	3	0.1			
	DJUSTMENT			ADJUSTMENT	Γ POINTS	
NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:					kari@gov.ab.c	ra)
3323 .3.			-	-	ninerals.com)	·~ /
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					·	

Tested by: <u>LR</u> Reviewed by: <u>GM</u>



Lot No.:	61001 - 61	500	Lab No.:	64	Field No.:	123
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:			Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	TEST SPECIFICATION LIMI		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT			14.			
GRADATION				top-	•	
10000μm						
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.4			
1250μm	85	100	92.7			
630µm	35	100	50.9			
315µm	0	50	13.2			
160μm	0	8	2.4			
80μm	0	3	0.0			
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	, no payment the lot. nore	1	
COPIES TO:				·	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

Tested by:

LR

Reviewed by: GM



Lot No.:	61501 - 620		Lab No.:	65	Field No.:	124	
Manufacturer:	NSC Minera	NSC Minerals			Alta. Trans. Fine		
Date Sampled:	29-Jan-21			Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested	l:	10-Jun-21		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.8	0.			
1250μm	85	100	91.5				
630µm	35	100	45.9				
315µm	0	50	10.7				
160µm	0	8	1.4				
80µm	0	3	0.0				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	adjustment	adjustment i will be asses	ssed against	the lot.			
		adjustment i t will be mad					
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							

Tested by:	LR	Reviewed by: GM	1



Lot No.:	62001 - 62	500	Lab No.:	66	Field No.:	125
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Feb-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Teste	d:	10-Jun-21	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	7-	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		Ġ L			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	4		
2500μm	98	100	99.8			
1250μm	85	100	91.2			
630µm	35	100	46.7			
315μm	0	50	9.8			
160µm	0	8	1.5			
80μm	0	3	0.0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment i will be asses		, no payment the lot.	:	
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.	ca)
			-		ninerals.com)	•
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

		0
Tested by:	LR	Reviewed by: GM



ot No.:	62501 - 63	000	Lab No.:	67	Field No.:	126
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Feb-21		Production I	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST CHEM COMP	SPECIFICA ⁻	FION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
				SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1	D. S. S. S.			
MOISTURE CONTENT		1	0.00			
N WATER SOLUBLE CN STRONG ACID DRY WEIGHT N WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	400					
5000μm	100	100	100	11.00		
2500μm	98	100	99.7	e Urs		
1250μm	85	100	92.0			
630µm	35	100	50.1			
315μm	0	50	11.2			
160µm	0	8	1.6			
80μm	0	3	0.1			
,	If payment a adjustment If payment a	adjustment is will be assess	5% or less, r sed against tl 100% or mo	no payment ne lot.	POINTS [
				(rishi adhik	ari@gov.ab.ca	
			rals Ltd. (nsc			
	APPROVED F	FOR PAYMEN	т		/AI	REA MANAGER
omments:						

Tested by:

LR

Reviewed by: GM



Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	62004 62					
	63001 - 63500 NSC Minerals		Lab No.:	68	Field No.:	127
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled: Date Received:	2-Feb-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
DRY WEIGHT			10 10 to 10			
CN WEAK ACID DRY WEIGHT		-	5 41			
GRADATION						
10000µm						
5000μm	100	100	100	0 .		
2500μm	98	100	99.8	TED LA		
1250μm	85	100	90.8			
630µm	35	100	46.6			
315μm	0	50	8.9			
160μm	0	8	1.3			
80µm	0	3	0.1	0 11-11		
PAYMENT AD	JUSTMENT	(PERCENT) =	TOTAL OF A	JUSTMENT	POINTS	
1	adjustment If payment a	will be assess idjustment is	5% or less, need against the 100% or mo	ne lot.		
	no payment	will be made	for the lot.			
			ansportation rals Ltd. (nscl		ari@gov.ab.ca inerals.com)	1)
	\PPROVED F	OR PAYMEN	Т		/AI	REA MANAGER
omments:					-	
						1

Reviewed by: <u>GM</u>



ot No.:	63501 - 64	000	Lab No.:	69	Field No.:	128
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Feb-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER O
CHEM COMP	MIN	МАХ	1231	OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
IN WATER SOLUBLE						
DRY WEIGHT			8			
ON WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9	0		
1250μm	85	100	92.5			
630μm	35	100	54.0			
315μm	0	50	14.6			
160μm	0	8	1.6	0		
80μm	0	3	0.0			
	If payment a adjustment If payment a	(PERCENT) = adjustment is will be asses adjustment is will be made	55% or less, r sed against tl 5100% or mo	no payment ne lot.	POINTS	
COPIES TO:	Rishi Adhika	ri, Alberta Tr	ansportation	(rishi.adhik	ari@gov.ab.c	a)
		itz, NSC Mine				
	APPROVED I	FOR PAYMEN	Т		/A	REA MANAGEI
omments:						

Tested by:

LR

Reviewed by: GM



Lot No.:	64001 - 645	500	Lab No.:	70	Field No.:	129
Manufacturer: NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	3-Feb-21		Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST		ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	17.CTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE	255					
CN STRONG ACID						
DRY WEIGHT CN WEAK ACID DRY			- I Y			
WEIGHT						
GRADATION 10000μm						
5000µm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	91.5			
630µm	35	100	49.4			
315µm	0	50	11.9			
160µm	0	8	1.9			
80µm	0	3	0.5			
1307-1403-1404			TOTAL OF AD	HISTMENIT	DOINTS	
NOTE:	If payment a	djustment is	5% or less, n	o payment	rointis [
	f payment a		100% or mor	e		
				/richi adhik	ari@gov.ab.ca	
			rals Ltd. (nsch			1)
ļ	APPROVED FO	OR PAYMEN	Γ		/^	REA MANAGER
Comments:					/Ar	LA WANAGER

Tested by:

LR

Reviewed by: GM



Lot No.:	64501 - 650	000	Lab No.:	71	Field No.:	130
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	4-Feb-21	.,	Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	:	10-Jun-21	
TEST CHEM COMP	SPECIFICAT	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		98.6			
NSOLUBLE MATTER		1	1.12	0.12		
MOISTURE CONTENT		1	0.00			
ON WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
ON WEAK ACID DRY WEIGHT			0.02			
GRADATION						
10000μm						
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.8			
1250μm	85	100	93.3			
630µm	35	100	54.1			
315µm	0	50	12.5			1
160µm	0	8	1.2			
80µm	0	3	0.0			
PAYMENT AD	JUSTMENT	(PERCENT) =		DJUSTMENT	POINTS	-
NOTE:	f payment a adjustment v	djustment is will be assess	5% or less, r sed against th 100% or mo	no payment ne lot.		
			ansportation	(rishi adhika	ari@gov ah d	
			rals Ltd. (nsc			,
	APPROVED F	OR PAYMEN	Γ		//	AREA MANAGER
omments:						IIII OLI



Lot No.:	65001 - 65	500	Lab No.:	72	Field No.:	131
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	4-Feb-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested	d <u>:</u>	10-Jun-21	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
ON WEAK ACID DRY						
WEIGHT						
GRADATION						
10000µm						
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7			
1250μm	85	100	91.7			
630µm	35	100	53.8			
315µm	0	50	13.3			
160µm	0	8	2.0	the first		
80µm	0	3	0.2			
PAYMENT AD	JUSTMENT	(PERCENT) =		DILISTMENT	POINTS	
		djustment is			TOMATS [
		will be assess				
		djustment is will be made				
				n (rishi.adhika chutz@nscmi	ari@gov.ab.ca inerals.com)	a)
ļ	APPROVED F	OR PAYMEN	Т		/Δ\	REA MANAGER
omments:					701	(WINNIAGEN

Tested by: LR

Reviewed by: <u>GM</u>



Lot No.:	65501 - 66		Lab No.:	73	Field No.:	132
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	8-Feb-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000µm						
5000µm	100	100	100			
2500μm	98	100	99.7			
1250µm	85	100	88.1			
630µm	35	100	38.3			
315µm	0	50	6.7			
160µm	0	8	1.3			
80µm	0	3	0.4			
PAYMENT AC				DILICTATAL	DOINTS	
					POINTS [
		adjustment is will be assess				
i	f payment a	adjustment is	100% or mo	ro		
		will be made		16		
				/right adhile		,
	Nelson Schu	tz, NSC Mine	rals Ltd. (nsc	hutz@nscmi	ari@gov.ab.ca nerals.com)	1)
A	\PPROVED F	OR PAYMEN	Г		/2.5	
omments:					/AF	REA MANAGER

Tested by:

LR



lat Na .	CC004 CC					
Lot No.:	66001 - 66		Lab No.:	74	Field No.:	133
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans	s. Fine
Date Sampled:	9-Feb-21		Production L	.ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	Y NUMBER OF
СНЕМ СОМР	MIN	MAX	1231			
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500µm	98	100	99.8			-
1250μm	85	100	90.5			-
630µm	35	100	47.6			-
315µm	0	50	13.5			_
160µm	0	8	2.6			+
80µm	0	3	0.3			+
1-11/00/01/05			TOTAL OF AD	HISTMENT	DOINTS	_
NOTE:	f payment a adjustment f payment a	adjustment is will be assess	5% or less, n sed against th 100% or mor	o payment ne lot.		
			ansportation rals Ltd. (nsch			
	APPROVED F	FOR PAYMEN	Т	-		/AREA MANAGER
omments:						

Tested by: <u>LR</u> Reviewed by: <u>GM</u>



ot No.:	66501 - 670	000	Lab No.:	75	Field No.:	134
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	
Date Sampled:	10-Feb-21	MILITY -	Production	Location:	Vanscoy	7 7 7 7
Date Received:	4-Jun-21		Date Tested		10-Jun-21	7 (1 1)
TEST	SPECIFICATION LIMITS		1	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
IN WATER SOLUBLE CN STRONG ACID DRY WEIGHT IN WEAK ACID DRY WEIGHT						3.
GRADATION						
10000μm			A WILL			
5000μm	100	100	100		-	
2500μm	98	100	99.8			
1250μm	85	100	92.3			
630µm	35	100	46.9			
315μm	0	50	12.5			
160μm	0	8	2.6			
80μm	0	3	0.3			
	If payment a adjustment If payment a	(PERCENT) = adjustment is will be assess adjustment is will be made	55% or less, sed against t 5100% or mo	no payment he lot.	POINTS	
				n (rishi.adhik	ari@gov.ab.c	a)
		tz, NSC Mine				
	APPROVED F	OR PAYMEN	Т		/A	REA MANAGER
omments:					·	

Tested by: LR Reviewed by: GM





Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	67001 - 67	500	Lab No.:	76	Field No.:	135
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	
Date Sampled:	11-Feb-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
SOLUBLE CHLORIDE	98			SPEC		POINTS
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
N WATER SOLUBLE CN STRONG ACID DRY WEIGHT N WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	92.8			
630µm	35	100	51.7			
315µm	0	50	12.8			
160µm	0	8	2.6			
80µm	0	3	0.2			
PAYMENT AD				DIUSTMENT	POINTS	
NOTE: I	If payment a adjustment f payment a	edjustment is will be assess edjustment is will be made	5% or less, is sed against to 100% or mo	no payment he lot.	,	
COPIES TO:	Rishi Adhika		ansportation	ı (rishi.adhika hutz@nscmi	ari@gov.ab.ca nerals.com))
A	APPROVED F	OR PAYMEN	Г		/ AF	REA MANAGER
omments:						J.
						*



Lot No.:	67501 - 68	000	Lab No.:	77	Field No.:	136
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	16-Feb-21		Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF
	98			SPEC		POINTS
SOLUBLE CHLORIDE	30					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100	î.		
2500μm	98	100	99.8	1		
1250μm	85	100	90.6			
630µm	35	100	45.3			
315µm	0	50	9.9			
160µm	0	8	1.9	0		
80µm	0	3	0.2			
;	If payment a adjustment If payment a	ndjustment is will be assess	5% or less, n sed against th 100% or mo	o payment ne lot.	POINTS	
				(rishi adhik:	ari@gov.ab.ca	2)
			rals Ltd. (nscl			-1
,	APPROVED F	OR PAYMEN	Т		/A	REA MANAGER
omments:					·	

Tested by:

LR



Lot No.:	68001 - 68	500	Lab No.:	78	Field No.:	137
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
					10-3411-21	100
TEST	SDECIEICA.	TION LIMITS		NUMBER		
ILUI	JPECIFICA	LION FINITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION		.1.				
10000µm					T	
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	88.7			
630µm	35	100	44.4			
315µm	0	50	14.1			
160μm	0	8	4.4			
80μm	0	3	0.9			
PAYMENT AD	JUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	lf payment a	djustment is	5% or less.	no payment	L	
		will be assess				
	•		aBanibe c			
ı	f payment a	djustment is	100% or mo	ore		
		will be made				
				(rishi adhika	ari@gov.ab.ca	1
1	Nelson Schut	tz, NSC Miner	rals Ltd. (nsc	hutz@nscmi	nerals.com)	,
	APPROVED F	OR PAYMENT	-			
			•		/^	REA MANAGER
omments:					/Ar	LA WANAGER

Tested by: LR Reviewe





Lot No.:	68501 - 690	000	Lab No.:	79	Field No.:	138	
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.		
Date Sampled:				Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21		
			Date resteu		10-3011-21		
TEST	SDECIFICAT	TON LINAITC		NUMBER			
1631	SPECIFICAL	TON LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
NSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT	-						
GRADATION 10000μm							
5000μm	100	100	100				
2500μm	98	100	100.0				
1250µm	85	100	91.4				
630µm	35	100	46.2				
315μm	0	50	13.9				
160μm	0	8	4.2	- 16			
80μm	0	3	0.9				
PAYMENT AD	JUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
;	adjustment v If payment a	will be assess	5% or less, resed against the 100% or moe for the lot.	ne lot.			
				(rishi adhik	ari@gov.ab.ca		
			rals Ltd. (nsc			7 /	
omments:	APPROVED F	OR PAYMEN	Т		/A	REA MANAGER	
zimilenta.							

Tested by: <u>LR</u> Reviewed by: <u>GM</u>



Lot No.:	69001 - 69	500	Lab No.:	80	Field No.:	139
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	23-Feb-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Teste	d:	10-Jun-21	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	90.6			
630µm	35	100	47.5			
315µm	0	50	13.3			
160µm	0	8	2.6			
80µm	0	3	0.2			
	DJUSTMENT	(PERCENT) =		DIUSTMENT	POINTS	
		àdjustment is				
		will be asses				
	If navment	adjustment is	100% or m	0.50		
		will be made				
					ari@gov.ab.ca	2)
		ıtz, NSC Mine				a,
	APPROVED	FOR PAYMEN	Т		/A	REA MANAGER
Comments:						
					-	/2

Tested by: LR



ot No.:	69501 - 70	000	Lab No.:	81	Field No.:	140
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Feb-21		Production L	ocation:	Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPL' FACTOR	ADJUSTMEN
				SPEC		POINTS
OLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		98.5			
NSOLUBLE MATTER		1	1.13	0.13		
MOISTURE CONTENT		1	0.00			
N WATER SOLUBLE			<0.005			
CN STRONG ACID			<0.02			
DRY WEIGHT N WEAK ACID DRY			₹0.02			
WEIGHT			0.02			
GRADATION						
10000μm						T
5000μm	100	100	100			
2500µm	98	100	99.9	1		1
1250μm	85	100	91.9			
630µm	35	100	54.3			
315µm	0	50	16.9			
160µm	0	8	3.5			=
80µm	0	3	0.4			
PAYMENT AD	JUSTMENT			HISTMENT	POINTS	
NOTE:	If payment a adjustment v	idjustment is will be assess	5% or less, n sed against th 100% or mor	o payment le lot.		
COPIES TO:	Rishi Adhika	ri, Alberta Tra	ansportation rals Ltd. (nsch			
	APPROVED F	OR PAYMEN	Т		/	'AREA MANAGER
mments:						

Tested by: LR Reviewed by: GM



Lot No.:	70001 - 70	500	Lab No.:	82	Field No.:	141
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	
Date Sampled:	1-Mar-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	:	10-Jun-21	
TEST	TEST SPECIFICATION LIN		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN [*] POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.8			
1250µm	85	100	90.6			
630µm	35	100	48.0			
315µm	0	50	14.2			
160µm	0	8	2.9	1 61 3/1		
80µm	0	3	0.2			
	If payment a	(PERCENT) = adjustment is will be assess	5% or less, i	no payment	POINTS	
		adjustment is will be made		re		
		ri, Alberta Tra tz, NSC Mine			ari@gov.ab.ca inerals.com)	a)
,	APPROVED F	FOR PAYMEN	Т		/^	REA MANAGER
omments:					/AI	NEA WANAGER

Tested by: LR

LR



Lot No.:	70501 - 71	000	Lab No.:	83	Field No.:	142
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	
Date Sampled:	1-Mar-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST CHEM COMP	SPECIFICA [*]	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
				SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm	100					
5000μm	100	100	100			
2500μm	98	100	99.8			
1250μm	85	100	91.4			
630µm	35	100	49.8			
315μm	0	50	12.9			
160μm	0	8	2.4			
80μm	0	3	0.2			
ć	f payment a adjustment	(PERCENT) = edjustment is will be assess edjustment is	5% or less, i sed against t	no payment he lot.	POINTS	
		will be made		<i>n</i>		
				(rishi adhib	ari@gov.ab.c	a)
<u> </u>	Nelson Schu	tz, NSC Mine	rals Ltd. (nsc	chutz@nscmi	inerals.com)	aj
A	APPROVED F	OR PAYMEN	Т		/A	REA MANAGER
omments:						

Tested by: LR



Lot No.:	71001 - 71	500	Lab No.:	84	Field No.:	143
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	
Date Sampled:	2-Mar-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
			Dute rested	·	10-3411-21	
TEST	SDECIFICA:	FIGAL LIBERTS		NUMBER		1
1531	SPECIFICA	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN [®] POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT	i:	1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm			1735 2			
5000μm	100	100	100	0		
2500μm	98	100	99.7	1-17 L		
1250μm	85	100	94.1			
630µm	35	100	63.3			
315µm	0	50	23.1			
160µm	0	8	4.1	100		
80μm	0	3	0.2	M TAIT		
PAYMENT A	DJUSTMENT	(PERCENT) =		DJUSTMENT	POINTS	
		adjustment is			TOINTS	
		will be assess				
İ	If payment a	adjustment is	100% or mo	re		
	no payment	will be made	for the lot.			
					ari@gov.ab.c	a)
	Nelson Schu	tz, NSC Mine	rals Ltd. (nsc	hutz@nscm	inerals.com)	
,	APPROVED F	OR PAYMEN	Т		//	DEA MANA 050
omments:					/A	REA MANAGER
						-

Tested by: <u>LR</u> Reviewed by: <u>GM</u>



Lot No.:	71501 - 720		Lab No.:	85	Field No.:	144	
Manufacturer:			Salt Type		Alta. Trans. Fine		
Date Sampled:	3-Mar-21		Production	Location:	Vanscoy		
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	-				
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT							
GRADATION 10000μm							
5000μm	100	100	100				
2500µm	98	100	99.9				
1250μm	85	100	94.9				
630µm	35	100	62.8				
315µm	0	50	22.0			_	
160µm	0	8	4.4				
80µm	0	3	0.3				
PAYMENT AD	JUSTMENT (PERCENT) =		DJUSTMENT	POINTS		
NOTE: I	f payment a adjustment v f payment a no payment v	djustment is vill be assess djustment is	5% or less, sed against to 100% or mo	no payment he lot.	ı		
				rishi adhik:	ari@gov.ab.ca	.1	
				chutz@nscmi		1)	
A	APPROVED FO	OR PAYMEN	Г		/AI	REA MANAGER	
					///		

Tested by:

LR



Lot No.:	72001 - 72	500	Lab No.:	86	Field No.:	145	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	5-Mar-21		Production Location:		Vanscoy		
Date Received:	4-Jun-21		Date Tested	l:	10-Jun-21		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
NSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY							
WEIGHT GRADATION							
10000μm							
5000μm	100	100	100	4 4			
2500μm	98	100	99.7	- 0'-			
1250μm	85	100	90.4				
630µm	35	100	49.5				
315µm	0	50	14.7				
160μm	0	8	3.6	0 1			
80μm	0	3	0.4				
	If payment a adjustment If payment a	(PERCENT) = adjustment is will be assess adjustment is will be made	55% or less, sed against t 100% or mo	no payment he lot.	POINTS		
COPIES TO:	Rishi Adhika	ri, Alberta Tr	ansportation	ı (rishi.adhik	ari@gov.ab.ca	a)	
		tz, NSC Mine				~ /	
,	APPROVED F	FOR PAYMEN	т		/Δ	REA MANAGER	
omments:						NEA WANAGEN	

Tested by:

LR



Lot No.:	72501 - 730	000	Lab No.:	87	Field No.:	146
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Mar-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Tested		10-Jun-21	
			Julie residu		10-3011-21	
TEST	SDECIFICAT	FIONI LINAUTC		NUMBER		
1631	SPECIFICAL	TION LIMITS	TEST	OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
N WATER SOLUBLE						
DRY WEIGHT						
N WEAK ACID DRY						
WEIGHT						
GRADATION						
10000µm			200			
5000μm	100	100	100	0		
2500μm	98	100	99.9			
1250µm	85	100	91.1			
630µm	35	100	49.0			
315µm	0	50	13.0			
160μm	0	8	2.7			
80µm	0	3	0.3			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMFNT	POINTS	
•	adjustment v If payment a	ndjustment is will be assess ndjustment is will be made	sed against to	he lot.		
				(rishi adhik	ari@gov.ab.c	2)
		tz, NSC Mine				a)
	APPROVED F	OR PAYMEN	Т		/A	REA MANAGER
omments:						
						A

Tested by: LR Rev



Lot No.:	73001 - 73	500	Lab No.:	88	Field No.:	147
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Mar-21	B. PH.	Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested:		10-Jun-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ	OUT OF SPEC	FACTOR	ADJUSTMEN' POINTS	
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm			W			
5000μm	100	100	100	15 THE ST		
2500μm	98	100	99.7	0		
1250µm	85	100	90.0			
630µm	35	100	46.4			
315µm	0	50	12.1			
160μm	0	8	2.9			
80µm	0	3	0.3			
		(PERCENT) =		DILISTMENT	DOINTS	
NOTE:	If payment adjustment	adjustment is will be assess	5% or less, a sed against t	no payment he lot.	TOINTS [
	no payment	will be made	for the lot.			
COPIES TO:	Rishi Adhika	ri, Alberta Tra	ansportation	rishi.adhika	ari@gov.ab.ca	1)
		ıtz, NSC Mine				•
ļ	APPROVED	FOR PAYMEN	Т		/ΔΙ	REA MANAGER
omments:					///	TEN MINIMOLIN

Tested by:


LR



Lot No.:	73501 - 740		Lab No.:	89	Field No.:	148
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Mar-21		Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Tested	d:	10-Jun-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE						
CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT						
CN WEAK ACID DRY						
WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	an this		
2500μm	98	100	99.6	15		
1250µm	85	100	89.1			
630µm	35	100	42.2			
315µm	0	50	14.3			
160μm	0	8	3.5			
80µm	0	3	0.8			
PAYMENT AD	JUSTMENT (PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a adjustment v	djustment is	5% or less, r	no payment		
	f payment a			re		
				(richi adhii.	ari@gov.ab.ca	,
	Nelson Schut	z, NSC Minei	rals Ltd. (nsc	hutz@nscmi	nerals.com))
ļ	APPROVED FO	OR PAYMENT	Γ			
omments:					/AF	REA MANAGER
JiiiiiCiit3						

Tested by:

LR





Lot No.:	74001 - 74500 NSC Minerals		Lab No.:	90	Field No.:	149
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	9-Mar-21		Production	Location:		
Date Received:	4-Jun-21	SETTION.	Date Tested		10-Jun-21	
TEST CHEM COMP			TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
				SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER MOISTURE		1	0.00			
CONTENT CN WATER SOLUBLE CN STRONG ACID DRY WEIGHT CN WEAK ACID DRY WEIGHT		1	0.00			
GRADATION 10000μm 5000μm	100	100	100	0		
2500μm	98	100	99.8	0		-
1250μm	85	100	93.4			
630µm	35	100	56.5			
315µm	0	50	22.3			
160µm	0	8	6.5	- 0 -		
80µm	0	3	0.6			
NOTE:	If payment adjustment	(PERCENT) = adjustment is will be assess adjustment is will be made	5% or less, sed against to 100% or mo	no payment he lot.	POINTS	
				ı (rishi adhik:	ari@gov.ab.ca	a)
		tz, NSC Mine				2)
omments:	APPROVED I	FOR PAYMEN	Т		/A	REA MANAGER

Tested by:

LR



		000	Lab No.:	91	Field No.:	150
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	ed: 10-Mar-21		Production Location:		Vanscoy	
Date Received:	4-Jun-21		Date Teste	d:	10-Jun-21	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.9			
SODIUM CHLORIDE	95		98.5			
INSOLUBLE MATTER		1	1.07	0.07		
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID			<0.02			
DRY WEIGHT CN WEAK ACID DRY			10.02			
WEIGHT			0.02			
GRADATION 10000μm	100	100				
5000μm	100	100	100	CALL LA LE		
2500μm	98	100	100.0	0		
1250μm	85	100	93.0			
630µm	35	100	53.4			
315µm	0	50	17.6			
160μm	0	8	4.7			
80μm	0	3	0.5			
PAYMENT AD					POINTS [
i	adjustment v f payment ac	vill be assess djustment is	sed against t	ore		
	no payment					
				n (rishi.adhika chutz@nscmi	ari@gov.ab.ca nerals.com)	n)
A	APPROVED FO	OR PAYMEN	Т		/ΔΙ	REA MANAGER
					,,,,,	

Tested by:

LR



		70 m				
Lot No.:	75001-755	00	Lab No.:	92	Field No.:	151
Manufacturer:	NSC Minerals 31-Mar-21		Salt Type		Alta. Trans. Fine	
Date Sampled:			Production	Location:	Vanscoy	
Date Received:	4-Jun-21		Date Teste		10-Jun-21	
				i -	10 3411-21	
TEST	SPECIFICA [*]	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN' POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		144			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID						
DRY WEIGHT			Tale of			
CN WEAK ACID DRY WEIGHT						
GRADATION 10000μm						
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	90.8			
630µm	35	100	42.6			
315µm	0	50	7.4			
160µm	0	8	1.5			
80µm	0	3	0.3			
PAYMENT A				DILISTMENT	DOINTS	
		djustment is			POINTS [
i	adjustment	will be assess	sed against i	the lot.		
		idjustment is will be made				
COPIES TO:	Rishi Adhika	ri, Alberta Tra	ansportatio	n (rishi.adhika	ari@gov.ab.ca	 a)
				chutz@nscmi		,
	APPROVED F	OR PAYMEN	Т			
omments:					/AI	REA MANAGER

Tested by: LR Reviewed by: GM



Lot No.:	75501 - 76	000	Lab No.:	93	Fr-11M	
Manufacturer: NSC Minerals		Salt Type	95	Field No.:	152	
Date Sampled:	31-Mar-21		Production Location:		Alta. Trans. Fine	
Date Received:	4-Jun-21		Date Tested		Vanscoy 10-Jun-21	
	T		Date restet	<u>1</u>	TO-JUN-21	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.4	Finer		
1250μm	85	100	90.9			
630µm	35	100	49.7			
315µm	0	50	13.9			
160µm	0	8	2.8			
80μm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a	adjustment is will be assess	5% or less,	no payment		
		adjustment is will be made		ore		
				. /-iah: adhil.	:01	
		itz, NSC Mine			ari@gov.ab.ca inerals.com)	a)
	APPROVED I	OR PAYMEN	Т			
Comments:					/A	REA MANAGER

Tested by:

LR



Tested by:

LR

TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

N N 187								
Lot No.:	76001 - 76	500	Lab No.:	94	Field No.:	153		
Manufacturer:	er: NSC Minerals		Salt Type		Alta. Trans.	ta. Trans. Fine		
Date Sampled:	19-Apr-21		Production	Location:	Vanscoy			
Date Received:	4-Jun-21		Date Tested	:	10-Jun-21			
TEST	SPECIFICA	TION LIMITS	TEOT	NUMBER OF UNITS	MULTIPLY			
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER MOISTURE		1						
CONTENT		1	0.00					
CN WATER SOLUBLE CN STRONG ACID								
DRY WEIGHT CN WEAK ACID DRY WEIGHT								
GRADATION								
10000μm			L YAVE .					
5000μm	100	100	98.8	-1.2				
2500μm	98	100	98.3	N 0 N				
1250μm	85	100	88.0					
630μm	35	100	42.9					
315µm	0	50	9.4					
160μm	0	8	1.3	0				
80μm	0	3	0.4					
		(PERCENT) =			POINTS			
	adjustment	adjustment is will be asses adjustment is	sed against t	he lot.				
		will be made		<i>n</i> e				
				/rishi adhik	ari@gov.ab.ca	<u> </u>		
		tz, NSC Mine				, i		
	APPROVED I	OR PAYMEN	Т			/AREA MANAGER		
omments:						THE MANAGEN		
						D		