



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.: **16000-16500** Lab No.: **7** Field No.: **33**

Manufacturer: **NSC Minerals** Salt Type: **Alta. Trans. Fine**

Date Sampled: **4-Jul-22** Production Location: **Ft. Saskatchewan AB**

Date Received: **7-Sep-22** Date Tested: **8-Sep-22**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	95.4	-2.6		
1250µm	85	100	84.1	-0.9		
630µm	35	100	40.7			
315µm	0	50	19.0			
160µm	0	8	5.0			
80µm	0	3	0.8			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	76001-76500	Lab No.:	8	Field No.:	153
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	1-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	96.2			
630µm	35	100	46.9			
315µm	0	50	10.1			
160µm	0	8	1.0			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	76501-77000	Lab No.:	9	Field No.:	154
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	1-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	94.1			
630µm	35	100	51.9			
315µm	0	50	14.6			
160µm	0	8	3.2			
80µm	0	3	1.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.: **77001-77500** Lab No.: **10** Field No.: **155**Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**Date Sampled: **2-Mar-22** Production Location: **Vanscoy**Date Received: **7-Sep-22** Date Tested: **8-Sep-22**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		98.50			
INSOLUBLE MATTER		1	1.00			
MOISTURE CONTENT		1	0.20			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	91.6			
630µm	35	100	47.2			
315µm	0	50	11.9			
160µm	0	8	1.5			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by:

RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	77501-78000	Lab No.:	11	Field No.:	156
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	3-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	92.7			
630µm	35	100	50.7			
315µm	0	50	42.8			
160µm	0	8	1.4			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	78001-78500	Lab No.:	12	Field No.:	157
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	4-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	93.6			
630µm	35	100	51.7			
315µm	0	50	12.9			
160µm	0	8	1.4			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	78501-79000	Lab No.:	13	Field No.:	158
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	7-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.4			
630µm	35	100	50.5			
315µm	0	50	12.8			
160µm	0	8	1.6			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	79001-79500	Lab No.:	14	Field No.:	159
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	8-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	97.1			
630µm	35	100	45.5			
315µm	0	50	11.5			
160µm	0	8	1.2			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	79501-80000	Lab No.:	15	Field No.:	160
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	9-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.9			
630µm	35	100	48.6			
315µm	0	50	40.1			
160µm	0	8	1.0			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	80001-80500	Lab No.:	16	Field No.:	161
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	10-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	93.2			
630µm	35	100	49.7			
315µm	0	50	14.0			
160µm	0	8	1.6			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	80501-81000	Lab No.:	17	Field No.:	162
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	10-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	92.0			
630µm	35	100	49.1			
315µm	0	50	13.1			
160µm	0	8	2.0			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	81001-81500	Lab No.:	18	Field No.:	163
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	11-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	91.5			
630µm	35	100	48.1			
315µm	0	50	11.8			
160µm	0	8	1.2			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	81501-82000	Lab No.:	19	Field No.:	164
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	13-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	86.6			
630µm	35	100	40.0			
315µm	0	50	10.3			
160µm	0	8	1.4			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)


APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.: **82001-82500** Lab No.: **20** Field No.: **165**Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**Date Sampled: **14-Mar-22** Production Location: **Vanscoy**Date Received: **7-Sep-22** Date Tested: **8-Sep-22**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.30			
INSOLUBLE MATTER		1	0.66			
MOISTURE CONTENT		1	0.20			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.7			
630µm	35	100	53.6			
315µm	0	50	14.7			
160µm	0	8	1.9			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by:

RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	82501-83000	Lab No.:	21	Field No.:	166
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	14-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	92.2			
630µm	35	100	49.4			
315µm	0	50	15.4			
160µm	0	8	2.2			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.: **83001-83500** Lab No.: **22** Field No.: **167**

Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**

Date Sampled: **15-Mar-22** Production Location: **Vanscoy**

Date Received: **7-Sep-22** Date Tested: **8-Sep-22**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	89.9			
630µm	35	100	48.0			
315µm	0	50	12.6			
160µm	0	8	1.9			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	83501-84000	Lab No.:	23	Field No.:	168
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	15-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	90.0			
630µm	35	100	47.6			
315µm	0	50	14.8			
160µm	0	8	2.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	84001-84500	Lab No.:	24	Field No.:	169
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	16-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.1			
1250µm	85	100	88.3			
630µm	35	100	46.7			
315µm	0	50	12.3			
160µm	0	8	1.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	84501-85000	Lab No.:	25	Field No.:	170
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	16-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	87.5			
630µm	35	100	43.9			
315µm	0	50	13.3			
160µm	0	8	1.8			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	85001-85500	Lab No.:	26	Field No.:	171
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	87.2			
630µm	35	100	43.6			
315µm	0	50	11.2			
160µm	0	8	1.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	85501-86000	Lab No.:	27	Field No.:	172
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	17-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.3			
1250µm	85	100	86.6			
630µm	35	100	42.7			
315µm	0	50	12.7			
160µm	0	8	1.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	86001-86500	Lab No.:	28	Field No.:	173
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	18-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	86.9			
630µm	35	100	41.8			
315µm	0	50	11.8			
160µm	0	8	1.5			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	86501-87000	Lab No.:	29	Field No.:	174
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	21-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	8-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	87.5			
630µm	35	100	44.1			
315µm	0	50	11.0			
160µm	0	8	1.6			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.: **87001-87500** Lab No.: **30** Field No.: **175**Manufacturer: **NSC Minerals** Salt Type **Alta. Trans. Fine**Date Sampled: **23-Mar-22** Production Location: **Vanscoy**Date Received: **7-Sep-22** Date Tested: **9-Sep-22**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.00			
SODIUM CHLORIDE	95		98.50			
INSOLUBLE MATTER		1	0.95			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	89.7			
630µm	35	100	47.4			
315µm	0	50	14.0			
160µm	0	8	1.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RCReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	87501-88000	Lab No.:	31	Field No.:	176
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	30-Mar-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	92.3			
630µm	35	100	49.7			
315µm	0	50	11.7			
160µm	0	8	1.2			
80µm	0	3	0.2			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	88001-88500	Lab No.:	32	Field No.:	177
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	18-Apr-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	97.4	-0.6		
1250µm	85	100	90.5			
630µm	35	100	51.3			
315µm	0	50	16.5			
160µm	0	8	2.3			
80µm	0	3	0.1			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	88501-89000	Lab No.:	33	Field No.:	178
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	21-Apr-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	94.2			
630µm	35	100	56.0			
315µm	0	50	17.3			
160µm	0	8	2.9			
80µm	0	3	0.2			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	89001-89500	Lab No.:	34	Field No.:	179
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	28-Apr-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.2			
630µm	35	100	53.7			
315µm	0	50	15.1			
160µm	0	8	2.6			
80µm	0	3	0.4			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	89501-90000	Lab No.:	35	Field No.:	180
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	18-May-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	95.8			
630µm	35	100	60.7			
315µm	0	50	22.5			
160µm	0	8	3.9			
80µm	0	3	0.3			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RCReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	90001-90500	Lab No.:	36	Field No.:	181
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	30-May-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	95.8			
630µm	35	100	56.3			
315µm	0	50	18.2			
160µm	0	8	3.5			
80µm	0	3	0.2			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	90501-91000	Lab No.:	37	Field No.:	182
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	30-May-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST			
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	93.7			
630µm	35	100	49.1			
315µm	0	50	13.5			
160µm	0	8	1.5			
80µm	0	3	0.1			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	91501-92000	Lab No.:	38	Field No.:	184
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	13-Jun-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	96.1			
630µm	35	100	53.8			
315µm	0	50	12.4			
160µm	0	8	1.5			
80µm	0	3	0.2			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	92001-92500	Lab No.:	39	Field No.:	185
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	13-Jun-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.8			
630µm	35	100	54.4			
315µm	0	50	18.7			
160µm	0	8	2.7			
80µm	0	3	0.4			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	92501-93000	Lab No.:	40	Field No.:	186
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	15-Jun-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.80			
SODIUM CHLORIDE	95		98.40			
INSOLUBLE MATTER		1	1.12	0.12		
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.005			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	97.2			
630µm	35	100	59.0			
315µm	0	50	19.2			
160µm	0	8	3.5			
80µm	0	3	0.2			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	93001-93500	Lab No.:	41	Field No.:	187
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	4-Jul-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	91.5			
630µm	35	100	50.1			
315µm	0	50	15.6			
160µm	0	8	2.0			
80µm	0	3	0.1			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	93501-94000	Lab No.:	42	Field No.:	188
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	7-Jul-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.4			
630µm	35	100	62.1			
315µm	0	50	20.5			
160µm	0	8	4.5			
80µm	0	3	0.5			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	94001-94500	Lab No.:	43	Field No.:	189
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	19-Jul-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	93.8			
630µm	35	100	54.5			
315µm	0	50	17.5			
160µm	0	8	2.0			
80µm	0	3	0.2			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	94501-95000	Lab No.:	44	Field No.:	190
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	20-Jul-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

GRADATION	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	96.9			
630µm	35	100	59.2			
315µm	0	50	17.8			
160µm	0	8	2.6			
80µm	0	3	0.1			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	95001-95500	Lab No.:	45	Field No.:	191
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	25-Jul-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.0			
1250µm	85	100	92.3			
630µm	35	100	53.0			
315µm	0	50	18.3			
160µm	0	8	2.5			
80µm	0	3	0.1			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: RC

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.:	95501-96000	Lab No.:	46	Field No.:	192
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	27-Jul-22	Production Location:	Vanscoy		
Date Received:	7-Sep-22	Date Tested:	9-Sep-22		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	96.8			
630µm	35	100	56.8			
315µm	0	50	17.9			
160µm	0	8	2.5			
80µm	0	3	0.3			

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM