

Date Sampled: 1-Oct- Date Received: Mar. 3  TEST SPECIFICATION  CHEM COMP MIN  SOLUBLE CHLORIDE 98  SODIUM 95  INSOLUBLE MATTER  MOISTURE CONTENT  GRADATION 10000μm 5000μm 10000μm 5000μm 98  12500μm 98  1250μm 98  630μm 35  315μm 0  160μm 0  PAYMENT ADJUSTM NOTE: If paymadjustness	TICATION LIMIT	Salt Type Production Date Teste  TEST  0.17		Alta. Trans. I Vanscoy Mar. 31, 202 MULTIPLY FACTOR	
TEST SPECIFICATION SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000 µm 5000 µm 1000 2500 µm 98 1250 µm 98 1250 µm 98 1250 µm 98 1250 µm 0 160 µm 0 80 µm 0 PAYMENT ADJUSTM NOTE: If paymadjustn	TICATION LIMIT N MAX	TEST TEST	NUMBER OF UNITS OUT OF	Mar. 31, 202 MULTIPLY	NUMBER OF ADJUSTMENT
TEST SPECIFICATION SPECIFICATION SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000μm 5000μm 10000μm 5000μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTM NOTE: If paymadjustn	MAX	TEST TEST	NUMBER OF UNITS OUT OF	MULTIPLY	NUMBER OF ADJUSTMENT
CHEM COMP         MIR           SOLUBLE CHLORIDE         98           SODIUM CHLORIDE         95           INSOLUBLE MATTER         MOISTURE CONTENT           GRADATION         10000μm           5000μm         100           2500μm         98           1250μm         85           630μm         35           315μm         0           160μm         0           80μm         0           PAYMENT ADJUSTM         NOTE:           If paym adjustn           If paym	MAX	TEST	OF UNITS OUT OF	ı	ADJUSTMENT
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000μm 5000μm 100 2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 PAYMENT ADJUSTM NOTE: If paymadjustn	1	0.17	SPEC		POINTS
CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  GRADATION  10000μm  5000μm  10000μm  5000μm  35  630μm  35  315μm  0  160μm  0  PAYMENT ADJUSTM  NOTE: If paymadjustn	1	0.17			
CHLORIDE  INSOLUBLE  MATTER  MOISTURE  CONTENT  GRADATION  10000μm  5000μm  100  2500μm  98  1250μm  85  630μm  35  315μm  0  160μm  0  PAYMENT ADJUSTN  NOTE: If paymadjustn	1	0.17			
MATTER  MOISTURE CONTENT  GRADATION  10000μm  5000μm  100  2500μm  98  1250μm  85  630μm  315μm  0  160μm  0  PAYMENT ADJUSTN  NOTE: If paymadjustn		0.17			
CONTENT  GRADATION  10000μm  5000μm  1000  2500μm  98  1250μm  85  630μm  35  315μm  0  160μm  0  PAYMENT ADJUSTM  NOTE: If paymadjustn	1	0.17			
10000μm 5000μm 100 2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 PAYMENT ADJUSTM NOTE: If paym adjustn			4		
5000μm 100 2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTM NOTE: If paym adjustn				•	
2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTM NOTE: If paym adjustn					
1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTIV NOTE: If paymadjustn	100	100	0 184		
630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTM NOTE: If paym adjustn	100	99.5	0		
315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTM NOTE: If paym adjustn	100	88.0			
160μm 0 80μm 0 PAYMENT ADJUSTN NOTE: If paym adjustn	100	39.7			
80µm 0 PAYMENT ADJUSTM NOTE: If paym adjustn	50	5.3			
PAYMENT ADJUSTN NOTE: If paym adjustn If paym	8	0.6	0		
NOTE: If paym adjustn If paym	3	0	0		
no puy	IENT (PERCENT ent adjustmen nent will be ass ent adjustmen ment will be ma	t is 5% or less, sessed against t is 100% or m	, no payment the lot. nore		
	dhikari, Alberta Schutz, NSC Mi	Transportation	n (rishi.adhik	_	a)
APPRO	VED FOR PAYM	ENT		/A	AREA MANAGER
Comments:					

			0
Tested by:	DL	Reviewed by: GM	R



Lot No.:	501-1000		Lab No.:	2	Field No.:	2	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	4-Oct-21		Production	Production Location:		Vanscoy	
Date Received:	Mar. 31, 2022		Date Teste	d:	Mar. 31, 202	2	
TEST	SPECIFICATION LIMITS		NUMBER TEST OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.13				
GRADATION					5.1		
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	100	0			
1250μm	85	100	91.2				
630µm	35	100	40.8	d d			
315µm	0	50	7.0				
160μm	0	8	1.0	0			
80μm	0	3	0.4	9			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against				
		t will be mad					
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							
						1	

Tested by: IH Reviewed



Lat Na	4004 4500		Lab No.		et LLM.		
Lot No.:	1001-1500		Lab No.:	3	Field No.:	3	
Manufacturer:	NSC Minera 5-Oct-21	ais	Salt Type	Production Location:		Alta. Trans. Fine	
Date Sampled: Date Received:	Mar. 31, 20	122	Date Tester		Vanscoy		
TEST TEST		TION LIMITS		NUMBER OF UNITS	Mar. 31, 202 MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	123.	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE		1					
MATTER			A STATE				
MOISTURE		1	0.04				
CONTENT							
GRADATION			100				
10000μm	100	100	100	0.1			
5000μm	100 98	100 100	99.9 99.8	-0.1			
2500μm 1250μm	85	100	93.3	9			
630μm	35	100	61.4				
315μm	0	50	12.0			<del> </del>	
160μm	0	8	1.3	0			
80μm	0	3	0				
	ADJUSTMENT			ADILISTMENT	I DOINTS		
NOTE:	If payment adjustment		s 5% or less, ssed against	, no payment the lot.			
		t will be mad					
COPIES TO:					kari@gov.ab.c ninerals.com)		
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							



Lot No.:	1501-2000	i male 12	Lab No.:	4	Field No.:	4
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	
Date Sampled:	6-Oct-21		Production	Locations	Vanscoy	33.51
Date Received:	Mar. 31, 20	022	Date Teste	174	Mar. 31, 202	2
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1		VI.		
MOISTURE CONTENT		1	0.13			
GRADATION	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	M				
10000μm			100			1
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.2	0		
1250μm	85	100	91.5			
630µm	35	100	40.6			
315µm	0	50	6.1			
160μm	0	8	0.3	3		
80µm	0	3	0	0		
PAYMENT A NOTE:	If payment		s 5% or less	ADJUSTMEN , no payment the lot.		
		adjustment i t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		/#	AREA MANAGER
Comments:						

			6
Tested by:	IH	Reviewed by: GM	L



Tested by:

ΙH

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	2001-2500		Lab No.:	5	Field No.:	5	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	7-Oct-21		Production	Location:	Vanscoy		
Date Received:	: Mar. 31, 2022		Date Teste	d:	Mar. 31, 202	2	
TEST SPECIFICATION LIMIT			TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
GRADATION							
10000μm			100				
5000μm	100	100	99.1	-0.9			
2500μm	98	100	98.9	0			
1250μm	85	100	91.5				
630µm	35	100	51.5				
315µm	0	50	13.3				
160µm	0	8	2.8	0			
80µm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	1		
COPIES TO:					cari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER	
Comments:							
						0	



Lot No.:	2501-3000		Lab No.:	6	Field No.:	6	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	10-Oct-21		Production	Location:	Vanscoy		
Date Received:	l: Mar. 31, 2022		Date Teste	d:	Mar. 31, 202	22	
TEST	TEST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
GRADATION							
10000µm							
5000μm	100	100	100	0			
- 2500μm	98	100	100	C			
1250μm	85	100	94.3				
630µm	35	100	44.9				
315µm	0	50	9.0				
160µm	0	8	0.7	0			
80µm	0	3	0				
PAYMENT A NOTE:	If payment adjustment		s 5% or less ssed against s 100% or m	nore			
COPIES TO:				on (rishi.adhik schutz@nscm	_	ca)	
Comments:	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments.							



Lot No.:	3001-3500		Lab No.:	7	Field No.:	7
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	11-Oct-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	99.9			
1250μm	85	100	90.8			
630µm	35	100	44.1			
315µm	0	50	7.8			
160μm	0	8	0.8	0		
80µm	0	3	0.1	0		
PAYMENT A	DJUSTMENT	T (PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	Δ
NOTE:	adjustment	adjustment i t will be asses adjustment i it will be mad	sed against s s 100% or m	the lot.		
COPIES TO:		ari, Alberta Ti utz, NSC Mino			ari@gov.ab.ca iinerals.com)	a)
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						0

			0
Tested by:	DL	Reviewed by: GM	L
			U



Let No.			1 - 1- 5"		er titer		
Lot No.:	3501-4000		Lab No.:	8	Field No.:	8	
Manufacturer: Date Sampled:			Salt Type	I	Alta. Trans. Fine		
Date Sampled: Date Received:	Mar. 31, 2022		Production Location: Date Tested:		Vanscoy		
Date Received.	Widi. 31, 4	UZZ	Date Tester	u:	Mar. 31, 2022		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		98.9				
SODIUM CHLORIDE	95		98.5				
INSOLUBLE MATTER		1	1.00	0.00			
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.05				
CN STRONG ACID DRY WEIGHT			0.03				
CN WEAK ACID DRY WEIGHT			0.03				
GRADATION							
10000μm	100	100	AN ELE EL				
5000μm	100	100	100	The Orling			
2500µm	98	100	100	0			
1250μm	85	100	96.0				
630µm	35	100	61.7				
315μm	0	50	27.1				
160µm	0	8	6.1	C			
80µm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	Γ (PERCENT) =	TOTAL OF	ADJUSTMEN1	POINTS		
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against	the lot.	,		
COPIES TO:						. 1	
COPIES TO:		utz, NSC Mine			ari@gov.ab.ca inerals.com)	a)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						9	





Lot No.:	4001-4500		Lab No.:	9	Field No.:	9	
Manufacturer:	er: NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	14-Oct-21		Production	Location:	Vanscoy		
Date Received: Mar. 31, 2022		Date Tested:		Mar. 31, 2022			
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250µm	85	100	95.7				
630µm	35	100	58.8				
315µm	0	50	25.7				
160µm	0	8	5.9	0			
80µm	0	3	0.2	0			
PAYMENT A	adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGEF	
Comments:		ı	(*)			,	
	16					2	
Tested by:	DL		R	eviewed by:	GM		



Lot No.:	4501-5000		Lab No.:	10	Field No.:	10
Manufacturer:	<b>NSC Miner</b>	als	Salt Type			Fine
Date Sampled:	15-Oct-21		Production	Location:	Vanscoy	Springer and the second
Date Received:	Mar. 31, 20	lar. 31, 2022		d:	Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINT
SOLUBLE	98					
CHLORIDE	96					
SODIUM	0.5					
CHLORIDE	95			1		
INSOLUBLE			30-113			
MATTER		1				
MOISTURE		_	THE RESERVE			
CONTENT		1	0.08			
GRADATION	*					
10000μm	100	100	100			
5000μm	100	100	98.0	-2.0		
2500μm	98	100	97.7	-0.3		
1250μm	85	100	87.8	0.0		
630μm	35	100	45.8			
315µm	0	50	11.3			
160μm	0	8	2.2	0		
80μm	0	3	0.2	0		
	DIUSTMENT	(PERCENT) =		DILISTMENT	POINTS	
NOTE:	If payment adjustment	adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika		ransportatio	n (rishi.adhik	ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	NT			/AREA MANAGE
Comments:						
ested by:	DL		R	eviewed by:	GM	A



Lot No.:	5001-5500		Lab No.:	11	Field No.:	11
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	17-Oct-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.4	-0.6		
2500μm	98	100	99.0	0		
1250μm	85	100	91.7			
630µm	35	100	44.1	1		
315µm	0	50	11.3			
160μm	0	8	1.6	0.8		
80μm	0	3	0	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:					kari@gov.ab.ca	1)
					ninerals.com)	,
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:					IT	X I
						D
Tested by:	DL		R	eviewed by:	GM	1



Lot No.:	5501-6000	Alrenii n	Lab No.:	12	Field No.:	12	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine	
Date Sampled:	21-Oct-21		Production	Production Location:			
Date Received:	Mar. 31, 20	)22	Date Teste	d:	Vanscoy Mar. 31, 2022		
TEST	SPECIFICATION LIMITS		.	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER	2	1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.9	8			
1250µm	85	100	91.9				
630µm	35	100	51.5				
315µm	0	50	13.1				
160μm	0	8	2.4	6			
80µm	0	3	0	0			
<b>PAYMENT A</b>	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN1	POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	sed against				
	no payment	t will be mad	e for the lot				
COPIES TO:					ari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:						,	
						1	
Tested by:	DL		R	eviewed by:	GM	1	



#### **TEST REPORT & PAY ADJUSTMENT** FOR GRANULAR SODIUM CHLORIDE

Lot No.:	6001-6500		Lab No.:	13	Field No.:	13
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	25-Oct-21	U THE ASP	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE	98		TEST OF	0		
CHLORIDE	30			111		
SODIUM CHLORIDE	95					
INSOLUBLE						
MATTER		1		f		
MOISTURE			NIVE STATE			
CONTENT		1	0.08			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.3			
630µm	35	100	52.0			
315µm	0	50	14.7			
160μm	0	8	1.9	0		
80μm	0	3	0.1	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against			
	no paymen	t will be mad	e for the lot	•		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	ari@gov.ab.ca	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	schutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:		>				,
						190
Tested by:	DL		R	eviewed by:	GM	A



Lot No.:	6501-7000		Lab No.:	14	Field No.:	14
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Nov-21	10-Nov-21		Production Location:		
Date Received:	Mar. 31, 20	)22	Date Teste	d:	Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	36					
SODIUM	95					
CHLORIDE	95				1 1	
INSOLUBLE		4				
MATTER		1				
MOISTURE						
CONTENT		1	0.12			
GRADATION						
10000μm	100	100	Bill JASSETT			
5000µm	100	100	100	0.58	i i	
2500µm	98	100	99.9			
1250µm	85	100	95.2			
630µm	35	100	57.0			
315µm	0	50	17.1			
160µm	0	8	4.0	0		
80µm	0	3	0.2	0		
NOTE:	adjustment  If payment  no payment	will be asses adjustment i t will be mad	ssed against s 100% or m e for the lot	nore :.		
COPIES TO:					kari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGE
Comments:						
						<u>,                                    </u>
ested by:	DL		R	eviewed by:	GM	



Tested by:

DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	7001-7500		Lab No.:	15	Field No.:	15
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	18-Nov-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d:	Mar. 31, 202	2
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	MAX	1251	OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	98.0			
630µm	35	100	57.5			
315µm	0	50	18.1			
160µm	0	8	3.1	0		
80µm	0	3	0.2			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment a adjustment		s 5% or less, sed against s 100% or m	no payment the lot. ore	La Company	
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ransportatio	n (rishi.adhik	ari@gov.ab.c iinerals.com)	a)
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						<u> </u>
						A
						$\sim$



Lot No.:	7501-8000		Lab No.:	16	Field No.:	16		
Manufacturer:	Maria description of the Con-		Salt Type		Fine			
Date Sampled:	19-Nov-21		Production Location:		Vanscoy			
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 202	Mar. 31, 2022		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY			
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.08					
GRADATION		,						
10000μm	100	100						
5000μm	100	100	100	0				
2500μm	98	100	99.8	0				
1250µm	85	100	96.5					
630µm	35	100	62.0					
315µm	0	50	21.2					
160μm	0	8	5.6	C C				
80μm	0	3	0.5	0				
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i	s 5% or less, ssed against	, no payment the lot.				
		t will be mad						
COPIES TO:					kari@gov.ab.c	a)		
COT 123 TO.					ninerals.com)	.h		
	APPROVED	FOR PAYME	NT			/AREA MANAGER		
Comments:								



Lot No.:	8001-8500		Lab No.:	17	Field No.:	17	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	19-Nov-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 2022		
TEST	SPECIFICA	TION LIMITS	TEST	TEST   OF ORTIS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.12	4			
GRADATION							
10000μm	100	100	100				
5000µm	100	100	99.8	-0.2			
2500µm	98	100	99.8				
1250µm	85	100	98.5				
630µm	35	100	60.5				
315μm	0	50	21.0				
160µm	0	8	4.1	0			
80μm	0	3	0.2	0			
NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	, no payment the lot. nore	L.		
COPIES TO:			•	-	(ari@gov.ab.ca) ninerals.com)		
	APPROVED	FOR PAYMEN	NT			/AREA MANAG	
omments:							
ested by:	DL		. R	Reviewed by:	GM	1	



Lot No.:	8501-9000		Lab No.:	18	Field No.:	18
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fi	
Date Sampled:	21-Nov-21		Production I	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested		Mar. 31, 2022	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98		Marie Bally S			
CHLORIDE	96					
SODIUM CHLORIDE	95					
INSOLUBLE		4				
MATTER		1				
MOISTURE		,	0.00			
CONTENT		1	0.08			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.6	6		
1250μm	85	100	95.5			
630µm	35	100	58.4	3:		
315µm	0	50	18.6			
160μm	0	8	4.5	0		
80μm	0	3	0.3	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment adjustment  If payment and payment and payment	adjustment i will be asses adjustment i t will be mad	s 5% or less, i ssed against t s 100% or mo le for the lot.	no payment he lot. ore		
COPIES TO:			ransportation erals Ltd. (nsc		kari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						
						1.1 2:
Tested by:	DL		Re	viewed by:	GM	A



Lot No.:	9001-9500		Lab No.:	19	Field No.:	19
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fi	ne
Date Sampled:	22-Nov-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	1	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ	ILSI	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	98.3			
630µm	35	100	61.7			
315µm	0	50	21.7			
160μm	0	8	4.6	8		
80µm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against	the lot.	:	
COPIES TO:					kari@gov.ab.ca ninerals.com)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGEF
Comments:						•
						,
Tested by:	DL		R	eviewed by:	GM	1



		2000					
Lot No.:	9501-1000	0	Lab No.:	20	Field No.:	20	
Manufacturer:	NSC Minerals 22-Nov-21		Salt Type Alta. Trans. Fine				
Date Sampled:			Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested	l:	Mar. 31, 2022		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT	2	1	0.08				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.9	9			
1250μm	85	100	96.1				
630µm	35	100	59.7				
315µm	0	50	19.2				
160μm	0	8	4.5	0			
80µm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	Γ POINTS		
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against	the lot.			
COPIES TO:					kari@gov.ab.ca) ninerals.com)	_	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							
						- f	
Tested by:	DL		R	eviewed by:	GM	A.	



* * * •		-					
Lot No.:	10001-105		Lab No.:	21	Field No.:	21	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	23-Nov-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tester	d:	Mar. 31, 2022		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		99.30				
SODIUM CHLORIDE	95		98.30				
INSOLUBLE MATTER		1	0.66				
MOISTURE CONTENT		1	0.08				
CN WATER SOLUBLE			<0.05				
CN STRONG ACID DRY WEIGHT			0.03				
CN WEAK ACID DRY WEIGHT			0.03				
GRADATION							
10000μm	100	100	The same				
5000μm	100	100	100	0			
2500μm	98	100	99.8	0			
1250µm	85	100	95.7				
630µm	35	100	59.5				
315µm	0	50	20.1				
160μm	0	8	5.2	0			
80µm	0	3	0.5	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	If payment adjustment	adjustment is will be asses adjustment is	s 5% or less, sed against s 100% or m	no payment the lot. ore			
		will be made					
					ari@gov.ab.ca) iinerals.com)		
	APPROVED	FOR PAYMEN	IT			/AREA MANAGER	
Comments:						,	

DL	Reviewed by: GM	
	DL	DL Reviewed by: GM



Lot No.:	10501-110	00	Lab No.:	22	Field No.:	22
Manufacturer:	ed: <b>24-Nov-21</b>		Salt Type		Alta. Trans. Fi	ne
Date Sampled:			Production	Location:	Vanscoy	
Date Received:			Date Tested	:	Mar. 31, 2022	
TEST SPECIFICATION LIMITS		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.3	-0.7		
2500μm	98	100	99.2	0		
1250μm	85	100	97.6			
630µm	35	100	59.0			
315µm	0	50	19.9			
160μm	0	8	3.9	Û		
80µm	0	3	0.2	6		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against t s 100% or mo	he lot.		
COPIES TO:					ari@gov.ab.ca)	
					ninerals.com)	
	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:						•
						0
Tested by:	DL		Re	eviewed by:	GM	L



Lot No.:	11001-115	00	Lab No.:	23	Field No.:	23	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	25-Nov-21		Production I	ocation:	Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested	:	Mar. 31, 2022		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.12				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.5	-0.5			
2500μm	98	100	99.4				
1250μm	85	100	95.6				
630µm	35	100	58.0				
315µm	0	50	18.2				
160µm	0	8	4.3	0			
80µm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	F POINTS		
NOTE:	If payment adjustment	adjustment i will be asses	s 5% or less, s ssed against t s 100% or mo	no payment he lot.			
			e for the lot.				
COPIES TO:				•	kari@gov.ab.ca) ninerals.com)		
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							
Tested bv:	DL		Re	viewed by	GM	1	



Lot No.:	11501-120	00	Lab No.:	24	Field No.:	24
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	26-Nov-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 202	22
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			
CN WATER SOLUBLE			5.11			
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.5	0		
1250µm	85	100	98.1			
630μm	35	100	59.6			
315µm	0	50	19.7	III PARAGO		
160μm	0	8	3.6			
80μm		3 (2505)	0	5111551		
NOTE:	If payment adjustment If payment	<ul> <li>(PERCENT) = adjustment is will be asses</li> <li>adjustment is t will be made</li> </ul>	s 5% or less, sed against s 100% or m	no payment the lot. ore	POINTS	
COPIES TO:	Rishi Adhika		ansportatio	n (rishi.adhik	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	ΙΤ		/A	REA MANAGER
Comments:						

Tested by:

IH





Lot No.:	12001-125	00	Lab No.:	25	Field No.:	25
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	27-Nov-21	State of	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Teste	d:	Mar. 31, 20	22
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98				1	
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION				30,		***************************************
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.3	0		
1250μm	85	100	95.2			
630µm	35	100	57.6			
315μm	0	50	17.3			
160μm	0	8	3.8	0		
80μm	0	3	0.5	0		
PAYMENT A NOTE:	If payment adjustment		s 5% or less, sed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ransportatio	on (rishi.adhik schutz@nscm		•
Comments:	APPROVED	FOR PAYMEN	NT		/	AREA MANAGER

			0
Tested by:	IH	Reviewed by: GM	



Lot No.:	12501-130	00	Lab No.:	26	Field No.:	26
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Nov-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			
GRADATION						
<b>10000μm</b>			100			
5000µm	100	100	99.6	-0.4		
2500μm	98	100	99.6	but O'us		
1250μm	85	100	98.4			
630µm	35	100	61.7			
315µm	0	50	22.2			
160µm	0	8	4.8	0		
80µm	0	3	0.3	0		
PAYMENT A		(PERCENT) = adjustment i				
		will be asses				
	If payment	adjustment i	s 100% or m	ore		
	no paymen	t will be mad	e for the lot			
COPIES TO:	Rishi Adhik	ari, Alberta Tı	ransportatio	n (rishi.adhik	kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	schutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:					16	NICA WANAGER



Lot No.:	13001-135	00	Lab No.:	27	Field No.:	27
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	29-Nov-21	ed tresoni	Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	Mar. 31, 20	22
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			
GRADATION						
10000μm			Eblack &			
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	96.0			
630μm	35	100	60.4			
315μm	0	50	20.0			
160µm	0	8	4.8	0		
80μm	0	3	0.3	0		
PAYMENT A	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhik Nelson Sch	ari, Alberta Ti utz, NSC Mind FOR PAYME!	ransportatio erals Ltd. (ns	n (rishi.adhik	_	•
Comments:					/	AREA MANAGER

Tested by:				
Tosted by:				1
rested by: In Reviewed by: GM	Tested by:	IH	Reviewed by: GM	A



Lot No.:	13501-140	000	Lab No.:	28	Field No.:	28
Manufacturer:	<b>NSC Mine</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	29-Nov-21		Production	Location:	Vanscoy	WENT TO
Date Received:	Mar. 31, 2	Mar. 31, 2022 Date Tested:		Date Tested:		22
TEST CHEM COMP	SPECIFICA MIN	TION LIMITS MAX	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
SOLUBLE	+		The Court II	SPEC		POINTS
CHLORIDE	98		8 - F 10 10			
SODIUM	-	ļ				
CHLORIDE	95					
INSOLUBLE		-				
MATTER		1				
MOISTURE	-					
CONTENT		1	0.12			
GRADATION			Value Versilia V			
10000μm			1		1	r
5000μm	100	100	100			
2500μm	98	100	99.9			
1250μm	85	100	98.0			
630μm	35	100	56.9			
315µm	0	50	18.4			
160μm	0	8	3.4			
80μm	0	3	0.1			
		T (PERCENT) :		ADILICTATENT	I DOINTS	
NOTE:	If payment adjustment	adjustment i t will be asses adjustment i at will be mad	s 5% or less, ssed against s 100% or m	, no payment the lot. nore		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	a)
el	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						
						0
						8
Tested by:	IH		R	Reviewed by:	GM	A



Lot No.:	14001-1450	00	Lab No.:	29	Field No.:	29
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Nov-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d:	Mar. 31, 202	2
TEST		TON LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	9		
1250μm	85	100	96.9			
630µm	35	100	65.6			
315µm	0	50	25.1			
160μm	0	8	6.2	0		
80µm	0	3	0.5	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i will be mad	ssed against s 100% or m	ore		
COPIES TO:			•	_ ·	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						
						,
						1

Tested by: IH





Lot No.:	14501-150	00	Lab No.:	30	Field No.:	30
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	1-Dec-21	19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	Mar. 31, 202	22
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						·
10000µm			of the contract			
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	98.1			
630μm	35	100	57.5			
315µm	0	50	19.0			
160µm	0	8	3.5	0		
80μm	0	3	0.2	0		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:			-		cari@gov.ab.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:						



Lot No.:	15001-150	00	Lab No.:	31	Field No.:	31
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	3-Dec-21		Production I	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	:	Mar. 31, 20	22
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			
GRADATION						10
10000μm			in Styling			
5000μm	100	100	100	3		
2500μm	98	100	99.9	9		
1250μm	85	100	95.9			
630µm	35	100	58.0			
315μm	0	50	17.1			
160μm	0	8	3.4	0		
80µm	0	3	0.2	0		
NOTE:	If payment adjustment If payment	adjustment i will be asses adjustment i	TOTAL OF A s 5% or less, ssed against t s 100% or mo le for the lot.	no payment he lot.		
COPIES TO:			ransportatior erals Ltd. (nso	-		•
	APPROVED	FOR PAYMEI	NT		,	'AREA MANAGER
Comments:						

			P
Tested by:	IH	Reviewed by: GM	$\overline{}$



Lot No.:	15501-160	00	Lab No.:	32	Field No.:	32	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Dec-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	022	Date Tested	d;	Mar. 31, 202	2	
TEST	SPECIFICA	TION LIMITS	IMITS TEST NUMBER OF UNITS		MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
GRADATION			×		·		
10000μm			100				
5000μm	100	100	99.4	-0.6			
2500μm	98	100	99.3	3			
1250μm	85	100	97.8				
630µm	35	100	57.6				
315µm	0	50	18.6				
160μm	0	8	3.5				
80μm	0	3	0.2				
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore			
COPIES TO:				-	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:							




Lot No.:	16001-165	00	Lab No.:	33	Field No.:	33
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	6-Dec-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Teste	d:	Mar. 31, 202	22
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX	_	OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION				The state of the s		
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.9			
630µm	35	100	58.9			
315µm	0	50	18.2			
160μm	0	8	4.3	0		
80μm	0	3	0.3	0		
PAYMENT A NOTE:	If payment adjustment  If payment	•	s 5% or less, ssed against s 100% or m	nore		
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		14	AREA MANAGER
Comments:						



Lot No.:	16501-1700	00	Lab No.:	34	Field No.:	34
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	7-Dec-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d:	Mar. 31, 202	2
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		99.0			
SODIUM CHLORIDE	95		98.5			
INSOLUBLE MATTER		1	0.95			
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	95.4			
630µm	35	100	57.4			
315µm	0	50	18.3			
160μm	0	8	2.8	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses		no payment the lot.	1	
		adjustment is will be mad				
COPIES TO:				n (rishi.adhik chutz@nscm	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT			AREA MANAGER

Tested by:

IH





Lot No.:	17001-17500		Lab No.:	35	Field No.:	35	
Manufacturer:	NSC Mineral	S	Salt Type		Alta. Trans. I	Fine	
Date Sampled:	7-Dec-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 202	2	Date Tested	l:	Mar. 31, 202	2	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95				*		
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.6	0			
1250μm	85	100	94.4				
630µm	35	100	53.5				
315μm	0	50	15.2				
160μm	0	8	2.3	À			
80μm	0	3	0.2	()			
PAYMENT A	DJUSTMENT (	PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	If payment adjustment is 5% or less, no payment						
	adjustment w	ill be asses	sed against t	the lot.			
	If payment adjustment is 100% or more						
	no payment v						
COPIES TO:	D: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca				-	a)	
.97	Nelson Schutz	z, NSC Mine	erals Ltd. (ns	chutz@nscm	inerals.com)		
	APPROVED FO	OR PAYMEN	NT				
					/A	REA MANAGEI	

Tested by:

IH



TEST   SDECIFICATION LIBRATE	NUMBER OF UNITS OUT OF SPEC	Alta. Trans. F Vanscoy Mar. 31, 202 MULTIPLY FACTOR	
Date Received: Mar. 31, 2022 Date Tested:  TEST SPECIFICATION LIMITS	NUMBER OF UNITS OUT OF	Mar. 31, 202 MULTIPLY	2
TEST SPECIFICATION LIMITS	OF UNITS OUT OF	Mar. 31, 202 MULTIPLY	2
TEST   SPECIFICATION LIMITS	OF UNITS OUT OF	MULTIPLY	
		FACIUR	NUMBER OF
CHEM COMP MIN MAX			ADJUSTMENT POINTS
SOLUBLE CHLORIDE 98			
SODIUM CHLORIDE 95			
INSOLUBLE MATTER 1			
MOISTURE 1 0.00			
CN WATER SOLUBLE			
CN STRONG ACID DRY WEIGHT			
CN WEAK ACID DRY WEIGHT			
GRADATION			
10000μm			
5000μm 100 100 <b>100</b>	0		
2500μm 98 100 <b>99.8</b>	0		
1250μm 85 100 <b>93.8</b>			
630μm 35 100 <b>55.6</b>			
315μm 0 50 <b>15.7</b>			
160μm 0 8 <b>3.3</b>	0		
80μm 0 3 <b>0.3</b>	0		
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF AD	JUSTMENT	POINTS	
NOTE: If payment adjustment is 5% or less, no adjustment will be assessed against the lift payment adjustment is 100% or more no payment will be made for the lot.	e lot.		
COPIES TO: Rishi Adhikari, Alberta Transportation ( Nelson Schutz, NSC Minerals Ltd. (nsch		-	a)
APPROVED FOR PAYMENT		/A	REA MANAGER
Comments:			

		=	0
			1
ested by:	IH	Reviewed by: GM	X



<b>** O O O</b> .							
Lot No.:	18001-1850	00	Lab No.:	37	Field No.:	37	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans.	ine	
Date Sampled:	8-Dec-21	700	Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested	l:	Mar. 31, 202	2	
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	99.7	-0.3			
2500μm	98	100	99.5	0			
1250μm	85	100	95.5				
630µm	35	100	55.8				
315µm	0	50	17.2				
160μm	0	8	2.8	0			
80μm	0	3	0.1	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
	adjustment	adjustment is will be asses adjustment is will be mad	sed against t s 100% or mo	the lot.		E	
COPIES TO:					ari@gov.ab.ca	,	
			-		inerals.com)	3)	
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER	
Comments:							
						0	



<b>** C</b>	V						
Lot No.:	18501-190	00	Lab No.:	38	Field No.:	38	
Manufacturer:			Salt Type		Alta. Trans. I	ine	
Date Sampled:	9-Dec-21		Production	Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	:t	Mar. 31, 202	2	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	99.6	-0.4			
2500μm	98	100	99.4	0			
1250µm	85	100	93.9				
630μm	35	100	56.0				
315µm	0	50	17.6				
160µm	0	8	4.3				
80μm	0	3	0.4	0			
NOTE:	If payment adjustment If payment	r (PERCENT) = adjustment is will be asses adjustment is t will be mad	s 5% or less, sed against t s 100% or m	no payment the lot. ore	POINTS		
COPIES TO:	Rishi Adhik		ransportatio	n (rishi.adhik	ari@gov.ab.ca inerals.com)	a)	
Comments:	APPROVED	FOR PAYMEN	NT		/A	IREA MANAGER	



_ <b>* * *</b>						
Lot No.:	19001-1950	00	Lab No.:	39	Field No.:	39
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Dec-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	96.5			
630µm	35	100	53.4			
315µm	0	50	16.7			
160µm	0	8	3.3	0		
80μm	0	3	0.3	U		
PAYMENT A	DJUSTMENT	(PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>-</sup>	r points	
NOTE:	adjustment	will be asses	ssed against			
		adjustment is t will be mad				
COPIES TO:					ari@gov.ab.c	a)
COLIES TO.			•	-	ninerals.com)	<b>2</b>
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

		P	
Tested by:	<u>IH</u>	Reviewed by: GM	



WC	<b>VOOO</b> . '			FOR GRANULAR SODIOWI CHLORIDE			
Lot No.:	19501-2000	00	Lab No.:	40	Field No.:	40	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans.	Fine	
Date Sampled:	10-Dec-21	A STATE OF	Production		Vanscoy		
Date Received:	Mar. 31, 20	22	Date Teste	d:	Mar. 31, 202	22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	racion	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04	7			
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	99.5	-0.5			
2500µm	98	100	99.1	0		,	
1250μm	85	100	96.8	i.			
630µm	35	100	52.9				
315µm	0	50	15.1	R			
160μm	0	8	3.5	0			
80µm	0	3	0.5	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:		adjustment is will be asses	-	, no payment the lot.			
		adjustment is will be mad					
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ransportatio		ari@gov.ab.ca ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT				
					//	AREA MANAGER	
Comments:							

Tested by:

IH





Lot No.:	20001-205	00	Lab No.:	41	Field No.:	41	
Manufacturer:	NSC Miner		Salt Type		Alta. Trans.		
Date Sampled:	11-Dec-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Teste		Mar. 31, 202	2	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		SPEC		POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm			100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.4	76740 n h			
1250μm	85	100	93.3				
630µm	35	100	49.3				
315µm	0	50	13.0				
160µm	0	8	1.7	0			
80μm	0	3	0.2	0			
PAYMENT A NOTE:				ADJUSTMEN <sup>-</sup> , no payment			
	adjustment  If payment	will be asses adjustment i t will be mad	sed against s 100% or m	the lot.			
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	on (rishi.adhil	(ari@gov.ab.c	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGEI	
Comments:							



Lot No.:	20501-210	00	Lab No.:	42	Field No.:	42
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	13-Dec-21	SESTET OF	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	Mar. 31, 202	22
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100			
5000µm	100	100	99.9	-0.1		
2500μm	98	100	99.8	0		
1250μm	85	100	95.8			
630µm	35	100	59.7			
315µm	0	50	20.6			
160μm	0	8	5.4	0		
80µm	0	3	0.6	0	u u	
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	Γ POINTS	
NOTE:		adjustment i will be asses		, no payment the lot.		
		adjustment i t will be mad				
COPIES TO:				on (rishi.adhik schutz@nscm	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:					•	

			1
Tested by:	_IH	Reviewed by: GM	



Lot No.:	21001-215	00	Lab No.:	43	Field No.:	43
Manufacturer:			Salt Type	75	Alta. Trans.	
Date Sampled:	13-Dec-21		Production	Location	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste		Mar. 31, 202	2
- Total Haddinedi	1		Tute reste	i i	1001, 52, 202	Ī
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98			70		
CHLORIDE	36					
SODIUM	95					
CHLORIDE	95					
INSOLUBLE		1	re 17,4 3.5			
MATTER		1			_	
MOISTURE		1	0.00			
CONTENT		1 1	0.00			
GRADATION						
10000μm			100			
5000µm	100	100	99.8	-0.2		
2500μm	98	100	99.6	0		
1250µm	85	100	97.0			
630µm	35	100	58.0			
315µm	0	50	19.7			
160μm	0	8	4.0	0		
80μm	0	3	0.4	0		
PAYMENT A	ADJUSTMENT	r (PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	If payment	adjustment i	s 5% or less	. no payment	- li	
		t will be asses			•	
	<b>,</b>					
	If payment	adjustment i	s 100% or m	nore		
		t will be mad				
COPIES TO:					kari@gov.ab.c	 :a)
			-	•	ninerals.com)	-,
		•	`	•		
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					,	

			0
			1
Tested by:	<u>IH</u>	Reviewed by: GM	K



Lot No.:	21501-220	00	Lab No.:	44	Field No.:	44
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	14-Dec-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm				4		
5000µm	100	100	100	0		
2500μm	98	100	99.9	9		
1250μm	85	100	91.7			
630µm	35	100	55.0			
315µm	0	50	17.0	3		
160µm	0	8	3.8	0		
80µm	0	3	0.5	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS	
NOTE:	adjustment	will be asses	ssed against s 100% or m	nore		
COPIES TO:		t will be mad			i@b	
COPIES TO:		•	•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:						

			1
Tested by:	IH	Reviewed by: GM	X
	\		V U



Lot No.:	22001-225	00	Lab No.:	45	Field No.:	45	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Dec-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 2	022	Date Teste	d:	Mar. 31, 202	2	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000µm							
5000µm	100	100	100				
2500μm	98	100	99.7				
1250μm	85	100	94.0				
630µm	35	100	51.8				
315µm	0	50	15.4				
160μm	0	8	2.6	0			
80µm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS		
NOTE:	• •	adjustment i will be asses		• •			
	If payment	adjustment i	s 100% or m	nore			
	no paymen	t will be mad	e for the lot	:			
COPIES TO:			-	-	(ari@gov.ab.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF	
Comments:							

			1
Tested by:	<u>IH</u>	Reviewed by: GM	
			U




Let News	22504 220	00	Lab Nia		PL LINE	4.5
Lot No.:	22501-230 NSC Miner		Lab No.:	46	Field No.:	46
Manufacturer:		ais	Salt Type	1.	Alta. Trans.	Fine
Date Sampled:	15-Dec-21	022		Production Location: Vanscoy		
Date Received:	Mar. 31, 2	UZZ	Date Teste	a:	Mar. 31, 202	.2
TEST	SPECIFICATION LIMIT		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	36			3		
SODIUM	95					
CHLORIDE	93					
INSOLUBLE		1				
MATTER						
MOISTURE		1	0.00			
CONTENT		1	0.00			
GRADATION						
10000μm	F		i abaan			
5000μm	100	100	100	6		
2500μm	98	100	99.8	8		
1250μm	85	100	90.5			
630µm	35	100	49.2			
315µm	0	50	13.1			
160μm	0	8	3.0	0		
80μm	0	3	0.5	0		
PAYMENT A	ADJUSTMENT	(PERCENT) :	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:		adjustment i ; will be asses		, no payment the lot.	:	
		adjustment i t will be mad				
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					·	

			1
Tested by:	IH	Reviewed by: GM	



• • •						
Lot No.:	23001-23500		Lab No.:	47	Field No.:	47
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	16-Dec-21				Vanscoy	ELICITES TO LEG.
Date Received:	Mar. 31, 2	022	Date Teste	d::	Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	17teron	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.80			
SODIUM CHLORIDE	95		98.40			
INSOLUBLE MATTER		1	1.12	0.12		
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION	110		,			
10000μm	100	100		0		
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	89.7			
630µm	35	100	49.1			
315μm	0	50	13.6			
160μm	0	8	2.8	0		
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMEN	T (PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS	
NOTE:	adjustment	adjustment i t will be asses	ssed against	the lot.		
		adjustment i It will be mad				
COPIES TO:	Rishi Adhik		ransportatio	n (rishi.adhik	cari@gov.ab.ca ninerals.com)	)
	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:						

Tested by: DL





Lot No.:	23501-240	00	Lab No.:	48	Field No.:	48		
Manufacturer:				Salt Type				
Date Sampled:	16-Dec-21	ais	Production	Location	Alta. Trans.	Vanscoy		
Date Received:	Mar. 31, 20	122	Date Tested:		Mar. 31, 2022			
TEST	SPECIFICATION LIMITS			NUMBER	MULTIPLY			
СНЕМ СОМР	MIN	МАХ	TEST	OF UNITS OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1			T.			
MOISTURE CONTENT		1	0.00					
GRADATION								
10000μm	100	100						
5000μm	100	100	100	0				
2500μm	98	100	99.9					
1250μm	85	100	94.6					
630μm	35	100	54.5					
315µm	0	50	16.7					
160μm	0	8	2.6	0				
80µm	0	3	0.3	0				
PAYMENT A	DJUSTMENT	(PERCENT) :	= TOTAL OF A	ADJUSTMEN	T POINTS			
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.				
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)		
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER		
Comments:								
						Δ		
Tested by:	DL		R	eviewed by:	GM	1		



Lot No.:	24001-245		Lab No.:	49	Field No.:	49	
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	16-Dec-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	22	Date Tested	:	Mar. 31, 202	2	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION		***************************************		:			
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.7	0			
1250μm	85	100	93.4				
630µm	35	100	51.2				
315µm	0	50	15.0				
160μm	0	8	4.2	0			
80µm	0	3	0.7	9			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	Γ POINTS		
NOTE:	adjustment	will be asses adjustment i	s 5% or less, sed against t s 100% or mo e for the lot.	the lot.			
COPIES TO:					cari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
				2		1	
Tested by:	DL		Re	eviewed by:	GM		



Lot No.:	24501-250	00	Lab No.:	50	Field No.:	50	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	17-Dec-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	22	Date Tested	l:	Mar. 31, 202	2	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY		
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98					14	
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.5	0			
1250μm	85	100	95.2		26.5		
630µm	35	100	51.8				
315µm	0	50	16.3				
160μm	0	8	3.8	0			
80µm	0	3	0.4	0			
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment is will be asses	s 5% or less, sed against	no payment the lot.			
		adjustment i					
000150 70		will be mad					
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		S.	/AREA MANAGER	
Comments:							
						,	
Tested by:	DI		D.	eviewed by:	GM		



Lot No.:	25001-255	00	Lab No.:	51	Field No.:	51
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	Date Received: Mar. 31, 2022		Date Teste	d:	Mar. 31, 2022	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION				3)		
10000μm	100	100	Mary .			
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250µm	85	100	93.4			
630µm	35	100	52.6			
315µm	0	50	15.7			
160μm	0	8	4.2	0		
80μm	0	3	0.6	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	F POINTS	
NOTE:	adjustment If payment no paymen	will be asses adjustment i t will be mad	ssed against s 100% or m le for the lot	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab.ca	)
	Nelson Schi	utz, NSC Min	erals Ltd. (ns	schutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						
						1
Tested by:	DI		D	eviewed hy:	GM	1



Lot No.:	25501-260	00	Lab No.:	52	Field No.:	52		
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Alta. Trans. Fine		
Date Sampled:	18-Dec-21		Production Location:		Vanscoy			
Date Received:	Mar. 31, 2	022	Date Tested	d:	Mar. 31, 2022			
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY			
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.04					
GRADATION								
10000μm	100	100						
5000μm	100	100	100	0				
2500μm	98	100	99.8	0				
1250μm	85	100	95.3					
630µm	35	100	53.2					
315µm	0	50	17.0					
160μm	0	8	3.4	0				
80μm	0	3	0.3	0				
PAYMENT A	ADJUSTMEN <sup>-</sup>	Γ (PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS			
NOTE:	adjustmen	adjustment i t will be asses	ssed against	the lot.	:			
		adjustment i It will be mad						
COPIES TO:					cari@gov.ab.c	na)		
COPIES TO.			•	-	ninerals.com)	•		
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER		
Comments:								
						1		
Tested by:	DL		R	eviewed by:	GM			



Lot No.:	26001-26500		Lab No.:	53	Field No.:	53	
Manufacturer:	<b>NSC Miner</b>	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	20-Dec-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 202	2	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION					(n		
10000μm							
5000μm	100	100	100	0.0			
2500μm	98	100	99.7	0.			
1250μm	85	100	93.3	9			
630µm	35	100	52.0				
315µm	0	50	14.7				
160µm	0	8	3.0	9			
80μm	0	3	0.1	0			
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	, no payment the lot. nore			
COPIES TO:					ari@gov.ab.ca	a)	
			-	-	ninerals.com)		
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:					:5		
						1	
Tested bv:	DI		R	reviewed by:	GM	X	



# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	26501-270	00	Lab No.:	54	Field No.:	54	
Manufacturer:	er: NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	20-Dec-21		Production Location:		Vanscoy		
Date Received:	e Received: Mar. 31, 2022		Date Tested	:	Mar. 31, 2022	The late of the said	
TEST	SPECIFICATION LIMITS		· I I	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98					ı	
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION	**************************************	77					
10000μm	100	100					
5000µm	100	100	100	0.			
2500μm	98	100	99.4	. 0			
1250μm	85	100	93.0				
630µm	35	100	47.4				
315µm	0	50	12.6				
160µm	0	8	2.2	9	13		
80µm	0	3	0.2	0			
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	sed against t	he lot. ore			
COPIES TO:		ari, Alberta Ti utz, NSC Mino	=	=	kari@gov.ab.ca) ninerals.com)		
0	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						X.	



DL

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

	NSC Miner 20-Dec-21 Mar. 31, 20 SPECIFICA	022	Salt Type Production Date Teste	d:	Alta. Trans. I Vanscoy Mar. 31, 202	
	Mar. 31, 20 SPECIFICA			d:		2
TEST	SPECIFICA		Date Teste		Mar. 31, 202	2
		TION LIMITS				
CHEM COMP	MIN	SPECIFICATION LIMITS TEST NUMBER OF UNITS	MULTIPLY			
		MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	E 34 1 - 54 1			
5000μm	100	100	100			
2500μm	98	100	99.7	0		
1250μm	85	100	93.9			
630µm	35	100	55.5			
315µm	0	50	17.6			
160µm	0	8	4.4	0		
80µm	0	3	0.5	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	iore	97	
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:					3	
						i



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	27501-280	00	Lab No.:	56	Field No.:	56	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ns. Fine	
Date Sampled:	21-Dec-21	m to	Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	Date Tested: Ma		lar. 31, 2022	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.7				
1250μm	85	100	95				
630µm	35	100	52.8				
315µm	0	50	16.5				
160μm	0	8	3.4	0			
80μm	0	3	0.4	0			
PAYMENT A NOTE:	If payment		s 5% or less	ADJUSTMENT , no payment the lot.		)#	
		adjustment i t will be mad					
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	on (rishi.adhik	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT			/AREA MANAGER	
Comments:							



Lot No.:	28001-285		Lab No.:	57	Field No.:	57	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fi	ne	
Date Sampled:	21-Dec-21		Production		Vanscoy		
Date Received:	Mar. 31, 20	022	Date Tested	1:	Mar. 31, 2022		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS	
SOLUBLE	98		1				
CHLORIDE	30						
SODIUM	05						
CHLORIDE	95				1 1		
INSOLUBLE		1					
MATTER		1					
MOISTURE		1	0.00				
CONTENT		1	0.00				
GRADATION	**						
10000μm	100	100	WWW ST				
5000μm	100	100	100	15 18			
2500μm	98	100	99.7	0			
1250μm	85	100	91.9				
630µm	35	100	48.6				
315µm	0	50	13.3				
160µm	0	8	3.4	0			
80µm	0	3	0.5	0			
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS		
NOTE:		adjustment i t will be asses	-		:		
	If payment	adjustment i	s 100% or m	ore			
	no paymen	t will be mad	le for the lot				
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.ca	)	
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)		
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:						/AREA MANAGER	
						A	
Tested by:	DL		R	eviewed by:	GM		



Lot No.:	28501-290	00	Lab No.:	58	Field No.:	58	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	22-Dec-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested	:	Mar. 31, 2022	r. 31, 2022	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	: ×	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100	D 3 7 3				
5000μm	100	100	100	.0			
2500μm	98	100	99.7	0			
1250μm	85	100	94.2				
630µm	35	100	50.9				
315µm	0	50	14.3				
160μm	0	8	2.2	6			
80μm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	adjustment  If payment	adjustment is will be asses adjustment is t will be mad	sed against to	he lot. ore	_		
COPIES TO:			-	-	ari@gov.ab.ca) iinerals.com)	*	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
					•	0	
Tested by:	DL		Re	eviewed by:	GM		



Lot No.:	29001-295		Lab No.:	59	Field No.:	59
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	22-Dec-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	:	Mar. 31, 2022	in mistral masters and a second
TEST	SPECIFICAT	TION LIMITS	-	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100	200			
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	92.3			
630µm	35	100	48.7			
315µm	0	50	11.4			
160μm	0	8	2.4			
80μm	0	3	0.2	3		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i	sed against to	the lot.	:	ı
000150 50		t will be mad				
COPIES TO:					kari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
Tested by:	DL		R	eviewed by:	GM	$\times$



Lot No.:	29501-300		Lab No.:	60	Field No.:	60	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type Alta. Tra			ne	
Date Sampled:	22-Dec-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	022	Date Tested:		Mar. 31, 2022		
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		98.50	).			
SODIUM CHLORIDE	95		97.90				
INSOLUBLE MATTER		1	1.35	0.35			
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.05				
CN STRONG ACID DRY WEIGHT			0.03				
CN WEAK ACID DRY WEIGHT			0.03				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.6	0			
1250μm	85	100	94.0				
630µm	35	100	50.1				
315µm	0	50	14.9				
160μm	0	8	2.6				
80μm	0	3	0.1	0			
PAYMENT A NOTE:	If payment adjustment If payment	•	s 5% or less, sed against s 100% or m	ore	<u></u>		
COPIES TO:			-	n (rishi.adhik schutz@nscm	ari@gov.ab.ca) inerals.com)		
	APPROVED	FOR PAYMEN	IT			/AREA MANAGEF	
Comments:							

			1
Tested by:	DL	Reviewed by: GM	16



		•					
Lot No.:	30001-305		Lab No.:	61	Field No.:	61	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fi	ne	
Date Sampled:	23-Dec-21	222	Production		Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	d:	Mar. 31, 2022		
TEST	TEST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION					****		
10000μm	100	100					
5000μm	100	100	100	. 0			
2500μm	98	100	99.7	0			
1250μm	85	100	93.3				
630µm	35	100	50.4				
315µm	0	50	14.4				
160μm	0	8	3.0	Ü			
80µm	0	3	0.5	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS		
NOTE:	adjustment If payment no paymen	: will be asses adjustment i t will be mad	ssed against s 100% or m e for the lot	ore			
COPIES TO:			-		cari@gov.ab.ca) ninerals.com)	÷	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						<u> </u>	
Tested by:	DL		R	eviewed by:	GM		



Lot No.:	30501-305	00	Lab No.:	62	Field No.:	62		
Manufacturer:	NSC Minerals		Salt Type Alta. Trans. Fine					
Date Sampled:	27-Dec-21		Production	oduction Location: Vanscoy				
Date Received:	Date Received: Mar. 31, 2022		Date Tested	d:	Mar. 31, 2022			
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
CHEM COMP	MIN	MAX	4.	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE	98							
CHLORIDE	98							
SODIUM	0.5							
CHLORIDE	95							
INSOLUBLE			E LINE W					
MATTER		1						
MOISTURE			74.成.45.**					
CONTENT		1	0.00					
GRADATION	***							
10000μm	100	100						
5000μm	100	100	100	0				
2500μm	98	100	99.8	0				
1250µm	85	100	91.9					
630µm	35	100	51.5					
315µm	0	50	14.2					
160µm	0	8	3.6	Ð		<u>u</u>		
80µm	0	3	0.7	0.50				
PAYMENT A	ADJUSTMENT	Γ (PERCENT) =	TOTAL OF A	ADJUSTMEN	POINTS			
NOTE:	If payment adjustment	adjustment i t will be asses adjustment i	s 5% or less, ssed against s 100% or m	no payment the lot. ore	3.1			
		t will be mad						
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)							
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)			
	APPROVED	FOR PAYME	NT			/AREA MANAGER		
Comments:						,,		
						0.1		
						/		
Tested by:	DL		R	eviewed by:	GM	X		



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

l - b bl -	24264 24	20					
Lot No.:	31001-315		Lab No.:	63	Field No.:	63	
Manufacturer:	NSC Miner	rals	Salt Type		Alta. Trans. Fine		
Date Sampled:	27-Dec-21		Production		Vanscoy		
Date Received:	Mar. 31, 2	022	Date Tested	d: -	Mar. 31, 2022		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION				-111			
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.8	0			
1250μm	85	100	93.5				
630µm	35	100	50.8				
315µm	0	50	14.4				
160µm	0	8	2.6				
80µm	0	3	0.3	0			
PAYMENT A	NDJUSTMEN <sup>-</sup>	T (PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS		
NOTE:	adjustment	adjustment i t will be asses adjustment i it will be mad	ssed against s 100% or m	the lot.	:		
COPIES TO:			•		kari@gov.ab.ca ninerals.com)		
	APPROVED	FOR PAYMEN	NT		*	/AREA MANAGER	
Comments:							
						0	
						A	



Lot No.:	31501-320	00	Lab No.:	64	Field No.:	64	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine	
Date Sampled:	28-Dec-21		Production l	ocation:	Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested	Date Tested:		Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION			14				
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250µm	85	100	91.1				
630µm	35	100	48.9				
315µm	0	50	12.9	à-			
160μm	0	8	2.9	0			
80μm	0	3	0.4	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
			s 5% or less, r sed against tl				
		adjustment is t will be made	s 100% or mo e for the lot.	re			
			ransportation erals Ltd. (nsc		ari@gov.ab.ca inerals.com)	a)	
	APPROVED	FOR PAYMEN	ΙΤ		/#	AREA MANAGER	
Comments:							
						D	

Tested by: IH Review



Lot No.:	32001-325	00	Lab No.:	65	Field No.:	65
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	29-Dec-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	Mar. 31, 2022	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION				*	<u>,                                    </u>	
10000μm					-	
5000μm	100	100	100	0		
2500μm	98	100	99.8	Ū		
1250μm	85	100	93.0			
630µm	35	100	50.5			
315µm	0	50	14.6			
160μm	0	8	2.7	0		
80µm	0	3	0.1	0		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

			551
			A
Tested by:	IH	Reviewed by: GM	$-\chi$



Lot No.:	32501-330	00	Lab No.:	66	Field No.:	66	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Alta. Trans. Fine	
Date Sampled:	2-Jan-22		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	22	Date Teste	d:	Mar. 31, 202	2	
TEST	SPECIFICATION LIMITS		TEST OF U	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	TACION	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION		**				**	
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250μm	85	100	92.2				
630µm	35	100	52.1				
315µm	0	50	15.2				
160μm	0	8	4.0	9			
80μm	0	3	0.7	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	F POINTS		
NOTE:	adjustment  If payment	will be asses adjustment i	ssed against s 100% or m	nore			
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
COPIES TO.				· ·	ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT		11	AREA MANAGEI	
Commorts						ARCA WANAGE	
Comments:							



Lot No.:	33001-335	00	Lab No.:	67	Field No.:	67
Manufacturer:	NSC Minerals 3-Jan-22		Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled:			Production	Location:		
Date Received:	Mar. 31, 2022		Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000µm	100	100	100	9.		
2500μm	98	100	99.6	0		
1250μm	85	100	94.3			
630µm	35	100	50.3			
315μm	0	50	14.1			
160μm	0	8	2.5	0		
80μm	0	3	0.4	0		
PAYMENT A NOTE:	If payment	(PERCENT) = adjustment i will be asses	s 5% or less,	no payment		
		adjustment i				
		t will be mad				
COPIES TO:			1.5	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:						



Lot No.:	33501-340	00	Lab No.:	68	Field No.:	68
Manufacturer:	NSC Minerals 4-Jan-22		Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	Mar. 31, 2022		Date Tested	:	Mar. 31, 202	22
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98				÷	
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.2	0		
1250µm	85	100	91.8			
630µm	35	100	52.1			
315µm	0	50	13.2			
160μm	0	8	2.3	- 6		
80µm	0	3	0.2	. 0		
PAYMENT A NOTE:		(PERCENT) = adjustment i				
	If payment	will be asses adjustment i t will be mad	s 100% or m	ore		
COPIES TO:			·	-	cari@gov.ab.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						



Lot No.:	34001-345	00	Lab No.:	69	Field No.:	69
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	i: 5-Jan-22		Production	duction Location: Vanscoy		THE STATE OF STATE OF
Date Received: Mar. 31, 2022		Date Teste	d:	Mar. 31, 202	22	
TEST	SPECIFICA	TION LIMITS	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	_	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm						
5000μm	100	100	100			
2500μm	98	100	99.5	0		
1250μm	85	100	92.3			
630µm	35	100	46.4	20		
315µm	0	50	11.5	il.		
160μm	0	8	1.9	0		
80μm	0	3	0.3	0	l	
PAYMENT A NOTE:	If payment adjustment If payment	•	s 5% or less ssed against s 100% or n	nore		
COPIES TO:	Rishi Adhik Nelson Sch	ari, Alberta T utz, NSC Min	ransportation erals Ltd. (n	on (rishi.adhil	kari@gov.ab.c ninerals.com)	:a)
Comments:	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER

Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	34501-350	00	Lab No.:	70	Field No.:	70
Manufacturer:	NSC Minerals 5-Jan-22		Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled:			Production	Location:		
Date Received:	Mar. 31, 2022		Date Teste	d:	Mar. 31, 202	22
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.6			
630µm	35	100	52.0			
315µm	0	50	13.5			
160μm	0	8	2.7	0		
80μm	0	3	0.3	0		
PAYMENT A NOTE:	If payment	Γ (PERCENT) = adjustment i t will be asses	s 5% or less,	, no payment		
		adjustment i t will be mad				
COPIES TO:				-	cari@gov.ab.com)	ca)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:						


		0
Tested by:	<u>IH</u>	Reviewed by: GM



Lot No.:	35001-355	00	Lab No.:	71	Field No.:	71
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	6-Jan-22		Production	n Location: Vanscoy		
Date Received:	Mar. 31, 2	022	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm			And Maryletin			
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.2			
630μm	35	100	51.2			
315µm	0	50	12.8			
160μm	0	8	1.8	0		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment	adjustment i : will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		· //	AREA MANAGER
Comments:						

Tested by:

IH





Lot No.:	35501-360	00	Lab No.:	72	Field No.:	72
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Jan-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION				33		
10000μm						
5000μm	100	100	100	C		
2500μm	98	100	99.6	Û		
1250μm	85	100	93.0			
630µm	35	100	53.0			
315μm	0	50	13.8			
160μm	0	8	2.5	0		
80μm	0	3	0.2	0		
PAYMENT A NOTE:	If payment	(PERCENT) = adjustment i will be asses	s 5% or less,	no payment		
		adjustment i t will be mad				
COPIES TO:				-	cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:	C					



_ <b>* * * *</b>		<b>-</b>				
Lot No.:	36001-365	00	Lab No.:	73	Field No.:	73
Manufacturer:	NSC Miner	als	Salt Type	alt Type		Fine
Date Sampled:	11-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98		99.00			
CHLORIDE	56		33.00			
SODIUM	95		98.50			
CHLORIDE	95		36.30			
INSOLUBLE		1	0.89			
MATTER		1	0.63			
MOISTURE		1	0.00			
CONTENT		7	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.02			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.2	0		
1250μm	85	100	91.2			
630μm	35	100	49.4			
315μm	0	50	11.4			
160µm	0	8	1.7	Ü		
80µm	0	3	0.1	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less	no navment		
,,,,,,,		will be asses				
	If payment	adjustment is	s 100% or m	ore		
	no payment	will be made	e for the lot	•		
COPIES TO:	Rishi Adhika	ri, Alberta Tr	ansportatio	n (rishi.adhik	ari@gov.ab.ca	a)
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (ns	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	ΙΤ		/_	REA MANAGER
Comments:						

Tested by:

IH



Lot No.:	36501-370	00	Lab No.:	74	Field No.:	74
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	11-Jan-22	* h & * * * * * * * * * * * * * * * * *	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	Mar. 31, 202	22
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					Ì.
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				alača.		
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	93.5			
630µm	35	100	49.9			
315µm	0	50	13.4			
160μm	0	8	2.1	8	ef l	
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses		no payment the lot.		
		adjustment is : will be made				
		-	•	•	ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	IT		]#	AREA MANAGER
comments:						
						9



<b>WOOO</b> .		FOR GRANULAR SODIUM CHLORIDE				
Lot No.:	37001-375	00	Lab No.:	75	Field No.:	75
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	13-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	Mar. 31, 202	22
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION				-		•
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.8	0		
1250μm	85	100	92.2			
630µm	35	100	51.0			
315μm	0	50	13.2			
160µm	0	8	2.4	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
		adjustment is t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta Ti	ransportatio		ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/4	NREA MANAGER
Comments:						



Lot No.:	37501-380	000	Lab No.:	76	Field No.:	76
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	15-Jan-22	Married Control	Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tester	d:	Mar. 31, 202	2
TEST CHEM COMP	SPECIFICATION LIMITS OMP MIN MAX		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEW COM	IVIII V	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		4			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.12			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500µm	98	100	99.3	0		
1250µm	85	100	94.2			
630µm	35	100	49.7			
315µm	0	50	12.5			
160μm	0	8	1.5	0		
80μm	0	3	0.2	0		
NOTE:	If payment adjustment If payment	r (PERCENT) = adjustment is will be asses adjustment is t will be made	s 5% or less, sed against s 100% or m	no payment the lot. ore	POINTS	
		ari, Alberta Tr utz, NSC Mine	·	,	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	<b>!</b> T		/A	IREA MANAGEF
Comments:						



_ ** •		<b>J</b> .				
Lot No.:	38001-385	00	Lab No.:	77	Field No.:	77
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	16-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						-
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.1	0		
1250μm	85	100	91.5			
630µm	35	100	48.9			
315µm	0	50	11.5			
160μm	0	8	1.6	0		
80μm	0	3	0	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
	adjustment If payment	adjustment is will be asses adjustment is t will be mad	sed against s 100% or m	the lot. ore	į	
					ari@gov.ab.ca	a)
			-	chutz@nscm	_	-,
	APPROVED	FOR PAYMEN	lΤ		/4	REA MANAGER
Comments:						

Tested by:	<u>IH</u>	Reviewed by: GM	X



_ <b>** C</b>		┛.				
Lot No.:	38501-390	00	Lab No.:	78	Field No.:	78
Manufacturer:	<b>NSC Miner</b>	NSC Minerals			Alta. Trans.	Fine
Date Sampled:	17-Jan-22	Fall Sini	<b>Production Location:</b>		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	Mar. 31, 202	2
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.6	0		
1250μm	85	100	94.7			
630μm	35	100	50.3			
315µm	0	50	13.1			
160μm	0	8	1.6	0		
80μm	0	3	0.1	0		
PAYMENT A	DJUSTMEN	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against	the lot.		
COPIES TO:					ari@gov.ab.c	a)
		utz, NSC Mine	•	•	_ •	,
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	39001-395	00	Lab No.:	79	Field No.:	79
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	17-Jan-22		Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested:		Mar. 31, 202	22
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			7		
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT	8	1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.2	-0.8		
2500μm	98	100	98.9	Ū		
1250μm	85	100	90.9			
630µm	35	100	50.1			
315µm	0	50	12.8			
160μm	0	8	2.0	0		
80μm	0	3	0.2	0		
<b>PAYMENT A</b>	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
	adjustment  If payment	will be asses	s 5% or less, r sed against th s 100% or mo	ne lot.		
				(rishi adhik	ari@gov.ab.c	a)
			erals Ltd. (nsc			۵,
	APPROVED	FOR PAYMEN	IT		//	AREA MANAGER
Comments:						
						0

Tested by:

ΙH



Lot No.:	39501-40000		Lab No.:	80	Field No.:	80
Manufacturer:	<b>NSC Mineral</b>	S	Salt Type		Alta. Trans. I	Fine
Date Sampled:	17-Jan-22		Production		Vanscoy	
Date Received:	Mar. 31, 2022		Date Tested	:	Mar. 31, 202	2
TEST CHEM COMP	SPECIFICATION LIMITS  MIN MAX		TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CITEIVI COIVIF	IVIIIV	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00		5	
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7	0		
1250μm	85	100	93.5			
630µm	35	100	49.3			
315µm	0	50	13.5			
160μm	0	8	1.9	0		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT (I	PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
A	If payment ac adjustment w If payment ac no payment v	ill be asses ljustment is	sed against t s 100% or mo	he lot.	·	
COPIES TO:	Rishi Adhikari Nelson Schutz	, Alberta Tr	ransportation	-	_	a)
	APPROVED FO	OR PAYMEN	IT		/A	REA MANAGER
Comments:					•	

-			
		1	
Tested by:	IH	 Reviewed by: GM	7



DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	40001-405	00	Lab No.:	81	Field No.:	81
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	18-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	:	1-Apr-22	d Water
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.2	0		
1250μm	85	100	87.7			
630µm	35	100	41.1			
315µm	0	50	8.1			
160μm	0	8	1.2	0		
80μm	0	3_	0.2	0		
PAYMENT A NOTE:	If payment adjustment	adjustment i will be asses adjustment i	TOTAL OF As 5% or less, seed against to a 100% or more for the lot.	no payment he lot.		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportation	<u>-</u>	cari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						



Lot No.:	40501-410	00	Lab No.:	82	Field No.:	82	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Alta. Trans. Fine	
Date Sampled:	18-Jan-22		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Teste	d:	1-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	INDIVIDER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION						1504	
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.8	0			
1250μm	85	100	93.9	Y .			
630µm	35	100	50.9				
315μm	0	50	14.3				
160μm	0	8	2.2	0			
80μm	0	3	0.1	0			
PAYMENT A	If payment adjustment	adjustment i will be asses adjustment i	s 5% or less ssed against s 100% or m	nore			
		t will be mad					
COPIES TO:		-		on (rishi.adhil schutz@nscn		•	
	APPROVED	FOR PAYMEI	NT		/	AREA MANAGER	
Comments:							



ΙH

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	41001-415	00	Lab No.:	83	Field No.:	83	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine	
Date Sampled:	19-Jan-22		Production	Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	1-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm			100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.8	0			
1250μm	85	100	92.2				
630µm	35	100	53.1				
315µm	0	50	15.3				
160μm	0	8	3.2	0			
80μm	0	3	0.3	0			
NOTE:	adjustment	0.3 adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	the lot.			
COPIES TO:	Rishi Adhika	ari, Alberta Ti	ransportatio	n (rishi.adhik	cari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT		··· /F	AREA MANAGEF	
Comments:							



Lot No.:	41501-420	00	Lab No.:	84	Field No.:	84
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	20-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	1-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.5	0		
1250μm	85	100	93.9			
630µm	35	100	51.5			
315μm	0	50	15.7			
160μm	0	8	2.8	0		
80µm	0	3	0.3	0		
PAYMENT A	If payment adjustment		s 5% or less, sed against s 100% or m	ore		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab. ninerals.com)	
	APPROVED	FOR PAYMEN	NT		/	AREA MANAGER
Comments:						



Lot No.:	42001-4250	00	Lab No.:	85	Field No.:	85
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	20-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d:	1-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100	100		
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.5	G		
1250μm	85	100	91.6			
630μm	35	100	50.6			
315µm	0	50	14.0			
160μm	0	8	3.1	0		
80μm	0	3	0.5	0		
PAYMENT A NOTE:				ADJUSTMENT		
NOTE.	adjustment	will be asses adjustment i t will be mad	ssed against	ore		
COPIES TO:				n (rishi.adhik chutz@nscm	_	•
	APPROVED	FOR PAYMEI	NT		/	'AREA MANAGEF
Comments:						

			\$
Tested by:	<u>IH</u>	Reviewed by: GM	
			1



	1000			0.0	e. I I a	
Lot No.:	42501-4300		Lab No.:	86	Field No.:	86
Manufacturer:	NSC Minera 21-Jan-22	IS	Salt Type		Alta. Trans.	-ine
Date Sampled: Date Received:		22	Production		Vanscoy	
Date Received:	Mar. 31, 202	22	Date Tested	<u> </u>	1-Apr-22	
TEST	SPECIFICATI	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.80			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.3	0		
1250μm	85	100	93.2			
630µm	35	100	46.5			
315μm	0	50	12.5			
160μm	0	8	2.2	0		
80µm	0	3	0.4	3		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment a adjustment v	djustment i	s 5% or less,	no payment		
	If payment a no payment	-		ore		
COPIES TO:		ri, Alberta Tı	ransportation		ari@gov.ab.ca inerals.com)	a)
	APPROVED F	OR PAYMEN	NT		//	AREA MANAGER
Comments:						

Comments:

Tested by:

IH Re



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	43001-435	00	Lab No.:	87	Field No.:	87
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	23-Jan-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Teste	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100	rent Live			
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	95.7			
630µm	35	100	51.3			
315µm	0	50	13.9			
160µm	0	8	2.0	0		
80µm	0	3	0.1	0		
PAYMENT A	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore	L	
COPIES TO:		ari, Alberta T utz, NSC Mind			cari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						
						,
						1



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	43501-440	00	Lab No.:	88	Field No.:	88	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Fine		
Date Sampled:	23-Jan-22		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 2	022	Date Teste	d:	1-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1				2	
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.7	0			
1250μm	85	100	93.9				
630µm	35	100	46.8				
315μm	0	50	11.3	0			
160μm	0	8	1.6	100			
80μm	0	3	0.2	0			
PAYMENT A NOTE:	If payment	Γ (PERCENT) = adjustment i t will be asses	s 5% or less,	, no payment	- 5		
	no paymen	adjustment i t will be mad	e for the lot				
COPIES TO:			-		(ari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							



Lot No.:	44001-445	00	Lab No.:	89	Field No.:	89
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	24-Jan-22		Production Location: Vanscoy			
Date Received:	Mar. 31, 20	)22	Date Teste	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACION	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		5 2400			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100			=	
5000μm	100	100	100	1		
2500μm	98	100	99.8	0		
1250μm	85	100	92.9			
630µm	35	100	50.8			
315μm	0	50	12.6			
160µm	0	8	2.4	0		
80µm	0	3	0.3	0		
				ADJUSTMEN <sup>-</sup>		
NOTE:	adjustment	will be asses	ssed against			
		adjustment i				
		t will be mad				
COPIES TO:				· ·	ari@gov.ab.c	a)
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscm	ninerals.com)	
	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
						ii.

		<del></del>
DL	Reviewed by: GM	
	DL	DL Reviewed by: GM



Lat NI - V	44504 450	00	1 -1- 51	4	F1 - 1 - 1 × 1	
Lot No.:	44501-450		Lab No.:	90	Field No.:	90
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	24-Jan-22	222	Production I		Vanscoy	
Date Received:	Mar. 31, 20	UZZ	Date Tested	:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	6		
2500μm	98	100	99.7	0		
1250μm	85	100	93.8			
630µm	35	100	49.6			
315µm	0	50	13.9			
160µm	0	8	2.5	0		
80µm	0	3	0.2	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	= TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:	adjustment If payment	will be asses adjustment i	s 5% or less, ssed against t s 100% or mo	he lot.		
			le for the lot.			
COPIES TO:			-	-	cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						·
						0
Tested by:	DL		Re	eviewed by:	GM	



Lot No.:	45001-455	00	Lab No.:	91	Field No.:	91	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	ne			
Date Sampled:	led: 25-Jan-22		Production Location: Va		Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	d:	1-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100	Latin to				
5000μm	100	100	100	0			
2500μm	98	100	99.8	0			
1250μm	85	100	93.8				
630µm	35	100	50.4				
315µm	0	50	10.8				
160µm	0	8	1.7	0			
80µm	0	3	0.2	0			
PAYMENT A NOTE:	If payment		s 5% or less	ADJUSTMEN	L-		
	If payment	adjustment i	s 100% or m	nore			
		t will be mad					
COPIES TO:					kari@gov.ab.ca ninerals.com)	)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							
						D	

APPROVED FOR PAYMENT		
		/AREA MANAGER
		ρ
DL	Reviewed by: GM	



Lot No.:	45501-460	00	Lab No.:	92	Field No.:	92
Manufacturer:	: NSC Minerals		Salt Type Alta. Trans		Alta. Trans.	Fine
Date Sampled: 25-Jan-22		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	96.9			
630µm	35	100	54.6			
315µm	0	50	15.9			
160µm	0	8	2.7	6		
80µm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS	
NOTE:	adjustment	adjustment i will be asses	ssed against	the lot.	:	
		adjustment i				
CODIECTO		t will be mad				
COPIES TO:			-	-	kari@gov.ab.d	
	Neison Sch	utz, NSC IVIIn	erais Ltd. (ns	cnutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						

		λ
,		
Tested by:	DL	Reviewed by: GM



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	46001 465	00	Lab No.:	93	Field No.:	93
Manufacturer:	46001-46500 NSC Minerals		Salt Type		Alta. Trans. Fine	
		Production	Location		ine	
Date Sampled.  Date Received:	Mar. 31, 20	n22	Date Tested		Vanscoy 1-Apr-22	
Date Neceiveu.	IVIAI. 31, 20		Date restet	T	1-Api-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	94.5			
630µm	35	100	54.3			
315µm	0	50	14.9			
160µm	0	8	3.1	0		
80μm	0	3	0.3	0		
PAYMENT A	ADJUSTMENT	Γ (PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS	
NOTE:	adjustment	adjustment i : will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	:	
COPIES TO:			-	-	kari@gov.ab.ca ninerals.com)	1)
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						
						,



Lat Na	46504 470	20	I. I. M.	0.0	et tital	
Lot No.:	acturer: NSC Minerals		Lab No.:	94	Field No.:	94
Manufacturer:			Salt Type Production Location:		Alta. Trans. Fine	
Date Sampled: Date Received:	26-Jan-22	122			Vanscoy	
Date Received:	Mar. 31, 20	122	Date Tested	i _	1-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95			×		
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	100			
1250μm	85	100	96.9			
630µm	35	100	53.4			
315µm	0	50	16.0			
160µm	0	8	2.9	1		
80μm	0	3	0.3			
NOTE:	adjustment	will be asses	s 5% or less, ssed against t s 100% or mo	the lot.		
	no paymen	will be mad	e for the lot.			
COPIES TO:			•	•	(ari@gov.ab.ca) ninerals.com)	l
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:				'n		
						1

			/AREA MANAGER
Comments:		n	
Tested by:	DL	Reviewed by: GM	
			/ 0



SOLUBLE CHLORIDE   98   98   95   95   95   95   95   95	Lot No.:	47001-475	00	Lab No.:	95	Field No.:	95	
Date Received:   Mar. 31, 2022   Date Tested:   1-Apr-22	Manufacturer:			Salt Type		Alta. Trans. Fine		
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OF UNITS OUT OF SPEC   NUMBER OF ADJUSTMENT POIN	Date Sampled:			Production Location:		Vanscoy		
TEST   SPECIFICATION LIMITS   TEST   OF UNITS   OUT OF SPEC   SPEC   NUMBER OF ADJUSTMENT POIN	Date Received:	Mar. 31, 20	022	Date Tested	d:	1-Apr-22		
CHEM COMP	TEST	SPECIFICA	TION LIMITS	TEST	1	1		
CHLORIDE	СНЕМ СОМР	MIN	МАХ			FACTOR	NUMBER OF ADJUSTMENT POINTS	
CHLORIDE		98		at				
MATTER         1         0.04           MOISTURE CONTENT         1         0.04           GRADATION         10000μm         100         100           5000μm         100         100         0           2500μm         98         100         99.8         0           1250μm         85         100         93.6         0           630μm         35         100         52.5         0           315μm         0         50         13.9         0         1           160μm         0         8         2.8         0 <td></td> <td>95</td> <td></td> <td></td> <td></td> <td></td> <td></td>		95						
CONTENT   1   0.04			1					
10000μm 100 100 100 2500μm 100 100 2500μm 98 100 99.8 1250μm 85 100 93.6 630μm 35 100 52.5 315μm 0 50 13.9 160μm 0 8 2.8 80μm 0 3 0.2 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)			1	0.04				
5000μm 100 100 100 100 2500μm 98 100 99.8 1250μm 85 100 93.6 630μm 35 100 52.5 315μm 0 50 13.9 160μm 0 8 2.8 80μm 0 3 0.2 PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	GRADATION	-						
2500μm 98 100 99.8  1250μm 85 100 93.6  630μm 35 100 52.5  315μm 0 50 13.9  160μm 0 8 2.8  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	10000μm	100	100					
1250μm 85 100 93.6 630μm 35 100 52.5 315μm 0 50 13.9 160μm 0 8 2.8 80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	5000μm	100	100	100	0			
630μm 35 100 52.5  315μm 0 50 13.9  160μm 0 8 2.8  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	2500μm	98	100	99.8	2			
315μm 0 50 13.9  160μm 0 8 2.8  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGO	1250μm	85	100	93.6				
160μm 0 8 2.8  80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAGO	630µm	35	100	52.5				
80μm 0 3 0.2  PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG	315µm	0	50	13.9				
PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG	160μm	0		2.8	0			
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG	80μm	0	3	0.2	0			
no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG		If payment adjustment	adjustment i : will be asses	s 5% or less, ssed against	no payment the lot.			
COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG			=					
/AREA MANAG	COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik		a)	
Comments:		APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
	Comments:							

		d
DL	Reviewed by: GM	
	DL	DL Reviewed by: GM



Lot No.:	47501-480	00	Lab No.:	96	Field No.:	96	
Manufacturer:			Salt Type Production Location:		Alta. Trans. Fine Vanscoy		
Date Sampled:							
Date Received:	Mar. 31, 20	)22	Date Tested	<b>:</b>	1-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250μm	85	100	98.2				
630μm	35	100	58.6				
315µm	0	50	17.7				
160μm	0	8	2.7	0			
80μm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS		
NOTE:		adjustment i will be asses	-				
	If payment	adjustment i t will be mad	s 100% or m	ore			
COPIES TO:			-	-	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							

Tested by:	DL	Reviewed by: GM



Lot No.:	48001-485	00	Lab No.:	97	Field No.:	97
Manufacturer:			Salt Type Alta. Trans.			ne
Date Sampled:			Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	91.8			
630µm	35	100	49.1			
315µm	0	50	12.8			
160µm	0	8	2.4	3		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment		
6		: will be asses				
	If payment	adjustment i	s 100% or m	ore		
	no paymen	t will be mad	e for the lot.			
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	(ari@gov.ab.ca)	
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						12

•		
Tested by:	DL	Reviewed by: GM



DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	48501-490	00	Lab No.:	98	Field No.:	98	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:			Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	122	Date Teste		1-Apr-22		
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION	100						
10000μm	100	100	St forker			,	
5000μm	100	100	100	0			
2500μm	98	100	99.8	0			
1250μm	85	100	95.5	8			
630µm	35	100	54.1				
315µm	0	50	16.8				
160µm	0	8	2.8	0			
80μm	0	3	0.3	9			
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS		
NOTE:	adjustment	will be asses adjustment i	ssed against s 100% or n	nore	:		
		t will be mad					
COPIES TO:					kari@gov.ab.ca) ninerals.com)	)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							
						b	
						A.	



Lot No.:			Lab No.:	99	Field No.:	99	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fi	ne	
Date Sampled:	28-Jan-22		Production		Vanscoy		
Date Received:	Mar. 31, 2022		Date Tester	d:	1-Apr-22		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		98.50		=		
SODIUM CHLORIDE	95		97.80				
INSOLUBLE MATTER		1	1.34	0.34			
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE			<0.05				
CN STRONG ACID DRY WEIGHT			0.03				
CN WEAK ACID DRY WEIGHT			0.03				
GRADATION	44						
10000μm	100	100	A. Lady				
5000µm	100	100	100	0			
2500μm	98	100	99.7	į)			
1250μm	85	100	92.9				
630µm	35	100	53.3				
315µm	0	50	15.7				
160μm	0	8	3.4	0			
80μm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	Γ (PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment  If payment	adjustment is will be asses adjustment is t will be mad	sed against	the lot.			
COPIES TO:		ari, Alberta Tı utz, NSC Mine	•	•	ari@gov.ab.ca) inerals.com)		
	APPROVED	FOR PAYMEN	NŢ			/AREA MANAGER	
Comments:							



# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	49501-500		Lab No.:	100	Field No.:	100
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	29-Jan-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2022		Date Tested	d: 	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100		1		
5000μm	100	100	100	0		
2500μm	98	100	99.5	0		
1250μm	85	100	92.1			
630µm	35	100	53.1			
315µm	0	50	13.5			
160μm	0	8	2.7	0		
80µm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		•		no payment		
NOTE.		will be asses	-		•	
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.ca)	
			•	-	ninerals.com)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						/AREA MANAGER



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	50001-505		Lab No.:	101	Field No.:	101		
			Salt Type					
Date Sampled:				Location:	Vanscoy			
Date Received:	Mar. 31, 2022		Date Teste	d:	1-Apr-22			
TEST	SPECIFICA	TION LIMITS	TEST OF	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.00					
GRADATION								
10000μm	100	100						
5000μm	100	100	100	3				
2500μm	98	100	99.5	15 10 53				
1250μm	85	100	93.1					
630µm	35	100	48.2					
315µm	0	50	11.0					
160µm	0	8	1.4	0				
80μm	0	3	0.3	0				
PAYMENT A	DJUSTMENT	· Γ (PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS			
NOTE:		adjustment i						
NOTE.		will be asses			•			
		adjustment i t will be mad						
COPIES TO:					kari@gov.ab.ca			
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscm	ninerals.com)			
	APPROVED	FOR PAYMEI	NT			/AREA MANAGEF		
Comments:						•		
						l		



Lot No.:	50501-510	00	Lab No.:	102	Field No.:	102		
Manufacturer:	er: NSC Minerals		Salt Type	102	Alta. Trans. Fine			
Date Sampled:			Production Location:		Vanscoy			
Date Received:			Date Tested			1-Apr-22		
Date Received.	14101. 31, 20	,LL	Date rested	·	1-Api-22			
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE	98							
CHLORIDE	20		1000100116					
SODIUM	95							
CHLORIDE	33							
INSOLUBLE		1						
MATTER								
MOISTURE		1	0.00					
CONTENT		1	0.00					
GRADATION	11177							
10000µm	100	100						
5000μm	100	100	100	3				
2500μm	98	100	99.7	0				
1250μm	85	100	92.8					
630µm	35	100	55.0					
315µm	0	50	14.8					
160μm	0	8	2.9	d				
80μm	0	3	0.4					
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS			
NOTE:		•	s 5% or less, ssed against t		:			
			s 100% or mo le for the lot.	ore				
COPIES TO:					(ari@gov.ab.ca) ninerals.com)			
	APPROVED	FOR PAYMEI	NT	w.		/AREA MANAGER		
Comments:					K			
						1		
Tested by:	DL		Re	eviewed by:	GM			



DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	51001-515	00	Lab No.:	103	Field No.:	103	
Manufacturer:	NSC Miner		Salt Type	103	Alta. Trans. Fi		
Date Sampled:	1-Feb-22	dis	Production	Locations	Vanscoy	ne	
Date Sampled.  Date Received:	Mar. 31, 20	122	Date Tested:		1-Apr-22		
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.4	0			
1250μm	85	100	92.4				
630µm	35	100	48.9				
315μm	0	50	12.4				
160µm	0	8	1.8	0			
80µm	0	3	0.3	0			
PAYMENT A	DJUSTMEN	(PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	:		
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.ca ninerals.com)	)	
	APPROVED	FOR PAYME	NT		-	/AREA MANAGER	
Comments:							



Lot No.:	51501-520	00	Lab No.:	104	Field No.:	104	
Manufacturer:	NSC Minerals		Salt Type			ta. Trans. Fine	
Date Sampled:	1-Feb-22		Production	Location:	on: Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tester		1-Apr-22		
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	I MOIMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.6	0			
1250μm	85	100	90.9	ļ.			
630µm	35	100	50.6				
315μm	0	50	13.2				
160μm	0	8	2.4	0			
80µm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against s 100% or m	the lot.	,		
COPIES TO:		ari, Alberta Tı utz, NSC Mine			ari@gov.ab.ca inerals.com)	э)	
	APPROVED	FOR PAYMEN	NT		/4	AREA MANAGER	
Comments:							

-			¥7
Tested by:	<u>IH</u>	Reviewed by: GM	$\mathcal{X}$



Lot No.:	52001-5250	10	Lab No.:	105	Field No.:	105	
Manufacturer:				103	Alta. Trans.		
Date Sampled:				Salt Type Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Teste		1-Apr-22		
TEST		ION LIMITS		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC		ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER	#1	1					
MOISTURE CONTENT		1	0.08				
GRADATION							
10000μm			100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.4	0			
1250μm	85	100	96.0				
630µm	35	100	55.1	0			
315μm	0	50	16.1				
160µm	0	8	2.3	0			
80µm	0	3	0.1	0			
PAYMENT A NOTE:	ADJUSTMENT If payment a adjustment	adjustment i	s 5% or less	, no payment			
10	If payment a no payment	-					
COPIES TO:			=		kari@gov.ab.c ninerals.com)	ca)	
	APPROVED I	FOR PAYMEI	NT		//	AREA MANAGEF	
Comments:							



Lot No.:	52501-530	00	Lab No.:	106	Field No.:	106	
Manufacturer:			Salt Type		Alta. Trans. Fine		
Date Sampled:			Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	d:	1-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	1 1	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION				· ·		1	
10000μm			NI SALES				
5000μm	100	100	100	0			
2500μm	98	100	99.5	9			
1250μm	85	100	92.7				
630µm	35	100	54.1				
315µm	0	50	14.6				
160μm	0	8	2.6	0			
80μm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against		:		
	no paymen	t will be mad	le for the lot	t			
COPIES TO:			-		kari@gov.ab.( ninerals.com)	•	
	APPROVED	FOR PAYMEI	NT		_/.	AREA MANAGER	
Comments:							

5 <del></del>			P
Tested by:	<u>IH</u>	Reviewed by: GM	$\mathcal{A}$



Lot No.:	53001-535	00	Lab No.:	107	Field No.:	107
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	3-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1		7		=
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100	100		
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.7	8		
1250μm	85	100	95.4			
630µm	35	100	54.2			
315µm	0	50	15.7			
160μm	0	8	2.6	0		
80µm	0	3	0.3	0		
PAYMENT A NOTE:	If payment adjustment		s 5% or less, ssed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:						



Lot No.:	53501-540	00	Lab No.:	108	Field No.:	108
Manufacturer:	<b>NSC Miner</b>	NSC Minerals			Alta. Trans. Fine	
Date Sampled:	3-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		w v			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000μm	100	100	100	0 1		
2500μm	98	100	99.6	0		
1250µm	85	100	94.4			
630µm	35	100	54.2			
315µm	0	50	15.4			
160µm	0	8	3.6	0		
80µm	0	3	0.5	0		
PAYMENT A NOTE:	If payment adjustment		s 5% or less sed against s 100% or m	nore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

			- 1
			1
Tested by:	IH	Reviewed by: GM	



Lot No.:	54001-5450	0	Lab No.:	109	Field No.:	109
Manufacturer:	<b>NSC Minera</b>	NSC Minerals		Salt Type		Fine
Date Sampled:	4-Feb-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 202	22	Date Teste	d:	1-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98			8		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			Will William			1
5000μm	100	100	100	0		
2500μm	98	100	99.8	3		
1250μm	85	100	97.2			
630µm	35	100	56.9			
315µm	0	50	17.4			
160µm	0	8	3.2			
80μm	0	3	0.2	ALROET I		
PAYMENT A	DJUSTMENT (	(PERCENT) =	= TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS	
NOTE:	If payment a	djustment i	s 5% or less,	, no payment		
	adjustment v	will be asses	ssed against	the lot.		
	If payment a no payment					
COPIES TO:	Rishi Adhikar	i, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYMEI	NT		//	AREA MANAGEF
Comments:					·	
						13

			1
			P
Tested by:	IH	Reviewed by: GM	$\mathcal{A}$



Lot No.:	EAEO1 EEO	00	Lab No	110	Field No.	110
Lot No.:  Manufacturer:	54501-55000 NSC Minerals		Lab No.:	110	Field No.:	110
			Salt Type		Alta. Trans. Fine Vanscoy	
Date Sampled: Date Received:	5-Feb-22 Mar. 31, 2	022	Date Teste	Production Location:		
Date Received:	Iviar. 51, Z	UZZ	Date rester	u:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION	-					
10000μm			THE WEST			
5000μm	100	100	100	0		
2500μm	98	100	99.9	3		
1250μm	85	100	94.7			
630µm	35	100	54.6			
315µm	0	50	15.3			
160µm	0	8	3.5	0		
80µm	0	3	0.6	0		
PAYMENT A	NDJUSTMEN <sup>-</sup>	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	Γ POINTS	
NOTE:	If payment	adjustment i	s 5% or less.	. no pavment	:	
		t will be asses		• •		
	•		J			
	If payment	adjustment i	s 100% or m	nore		
		it will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Mine	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					•	

Tested by: IH

Reviewed by: GM



Let No.	FF001 FFF	00	Lab Na 3	444	Final Line in	
Lot No.:	55001-555		Lab No.:	111	Field No.:	111
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	1;	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				100	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION	···			1		1.
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0 0		
1250µm	85	100	93.8			
630µm	35	100	47.7			
315µm	0	50	12.2			
160μm	0	8	2.1	0		
80μm	0	3	0.2	0		
PAYMENT A NOTE:	If payment	(PERCENT) = adjustment i will be asses	s 5% or less,	no payment		
		adjustment i t will be mad				
COPIES TO:			-	-	(ari@gov.ab.o ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by:	IH	Reviewed by: GM	1



Lot No.: Manufacturer: Date Sampled:	55501-5600 NSC Minera		Lab No.:		riela ivo.:	112
Date Sampled:	TANK MINIST	als	Salt Type	112	Field No.:	
	7-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested		1-Apr-22	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	-98		99.10			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.80			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.8	0		
1250μm	85	100	94.1			
630µm	35	100	49.7			
315µm	0	50	15.1			
160µm	0	8	3.1	0		
80μm	0	3	0.5	. 0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
		adjustment is will be asses	-		,	,
		adjustment is will be made		ore		
COPIES TO:	Rishi Adhika	ıri, Alberta Tı	ansportatio	,	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	IT		/^	REA MANAGER

			0
			P
Tested by:	IH	Reviewed by: GM	A



Lot No.:	56001-5650	10	Lab No.:	113	Field No.:	113
Manufacturer: NSC Minerals		Salt Type Alta. Trans		Alta. Trans.	Fine	
Date Sampled:	7-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d:	1-Apr-22	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	89.9			
630µm	35	100	47.0			
315µm	0	50	12.5			
160µm	0	8	2.7	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	If payment a adjustment If payment a no payment	will be asses	sed against	ore		
COPIES TO:				•	(ari@gov.ab.c ninerals.com)	a)
	APPROVED F	FOR PAYMEN	NT		/	AREA MANAGER
Comments:						

			8
Tested by:	<u>IH</u>	Reviewed by: GM	
	***************************************		



Lot No.:	56501-570	000	Lab No.:	114	Field No.:	114
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	7-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE					al .	
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000µm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250µm	85	100	92.5			
630µm	35	100	46.2			
315μm	0	50	12.2			
160µm	0	8	2.1	3		
80μm	0	3	0.2	han Visit		
NOTE:	If payment adjustment	Γ (PERCENT) = adjustment is will be asses adjustment is	s 5% or less, sed against	no payment the lot.	POINTS	
		t will be made				
					ari@gov.ab.ca	a)
		utz, NSC Mine				-,
	APPROVED	FOR PAYMEN	ΙΤ		/A	AREA MANAGER
Comments:						
						0

Tested by: IH Reviewed by: GM



Lot No.:	57001-575		Lab No.:	115	Field No.:	115
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Feb-22		Production		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	1-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	17.6.6.1	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	i i		
1250μm	85	100	90.0			
630µm	35	100	46.2			
315μm	0	50	11.8			
160μm	0	8	2.3	ð		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				,
		adjustment is t will be mad				
COPIES TO:					ari@gov.ab.c	 a)
33.123.13					inerals.com)	<b>-</b> /
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

			/AREA MANAGE
Comments:			
			0
2			
Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	57501-58000		Lab No.:	116	Field No.:	116
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	8-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Teste	d:	1-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		(18 HEW)			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000µm	100	100	99.6	-0.4		
2500μm	98	100	99.5	0		
1250μm	85	100	94.3			
630µm	35	100	51.2	7		
315µm	0	50	14.9			
160μm	0	8	2.9	0		
80μm	0	3	0.4	0		
PAYMENT A NOTE:	If payment adjustment		s 5% or less, sed against s 100% or m	ore	POINTS	
COPIES TO:					ari@gov.ab.ca	a)
33112313.			-	chutz@nscm	_	
	APPROVED	FOR PAYMEN	NT			DEA MANAGER
Comments:						REA MANAGER

D
Reviewed by: GM



Lot No.:	58001-5850		Lab No.:	117	Field No.:	117
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans. I	ine
Date Sampled:	8-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 202	22	Date Tested	d::	1-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.5			
1250μm	85	100	91.4			
630µm	35	100	50.3			
315µm	0	50	13.7			
160μm	0	8	3.1	0		
80μm	0	3	0.5	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	Γ POINTS	
NOTE:	If payment a adjustment with the second seco	djustment i will be asses djustment i	s 5% or less, sed against s 100% or m	no payment the lot. ore		9
COPIES TO:					cari@gov.ab.c	a)
3				-	ninerals.com)	,
	APPROVED F	OR PAYMEI	NT		//	AREA MANAGER
Comments:						

			0
Tested by:	IH	Reviewed by: GM	



		<b>9</b> .				
Lot No.:	58501-590	00	Lab No.:	118	Field No.:	118
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Teste	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						-
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.2	0		
1250μm	85	100	92.1			
630µm	35	100	44.8			
315µm	0	50	11.8			
160μm	0	8	1.9			
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	<b>POINTS</b>	
NOTE:	If payment	adjustment is	s 5% or less,	no payment		
		will be asses				
	If payment	adjustment is	s 100% or m	ore		
		t will be mad				
COPIES TO:					ari@gov.ab.ca	a)
				schutz@nscm		-,
	APPROVED	FOR PAYMEN	NT			ADEA AAANA CER
Comments						AREA MANAGER
Comments:						

			-
Tested by:	<u>IH</u>	Reviewed by: GM	



** C						
Lot No.:	59001-595	00	Lab No.:	119	Field No.:	119
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	9-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	1-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			1		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION					:	
10000μm			100			
5000μm	100	100	99.3	-0.7		
2500μm	98	100	99.0	0		
1250μm	85	100	89.0			
630µm	35	100	45.0			
315µm	0	50	10.9			
160μm	0	8	2.3	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMEN <sup>-</sup>	Γ (PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
		adjustment is				
COPIES TO:		ari, Alberta Tı utz, NSC Mine	•	•	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	<b>V</b> I		//	AREA MANAGER
Comments:						

			0
Tested by:	<u>IH</u>	Reviewed by: GM	



***						-
Lot No.:	59501-600		Lab No.:	120	Field No.:	120
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	9-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	1-Apr-22	Carl Lin 38
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX	į.	OUT OF SPEC	TACTOR	ADJUSTMEN' POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000µm	100	100	99.7	-0.3		
2500μm	98	100	99.5	Ü		
1250μm	85	100	92.0			
630µm	35	100	45.2			
315µm	0	50	11.8			
160μm	0	8	1.9	2		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment adjustment	adjustment is will be asses	s 5% or less, sed against	no payment the lot.		
	no paymen	t will be mad	e for the lot			
COPIES TO:	Rishi Adhika	ari, Alberta Tı	ansportatio	n (rishi.adhik	ari@gov.ab.c	a)
		utz, NSC Mine				
	APPROVED	FOR PAYMEN	ΙΤ	1	//	AREA MANAGE
Comments:						
						P

Tested by: IH Reviewed by: GM



Lot No.:	60001-605	00	Lab No.:	121	Field No.:	121
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	11-Feb-22		Production Location:		Vanscoy	
Date Received:	31-Mar-22		Date Tested	:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION					3	
10000μm			100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.6	0		
1250μm	85	100	92.2			
630μm	35	100	50.6			
315µm	0	50	12.6			
160µm	0	8	2.4	0		
80µm	0	3	0.3	0		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:				=	cari@gov.ab.com)	ca)
×	APPROVED	FOR PAYMEI	NT		//	AREA MANAGEF
Comments:						

Tested by:	DL	Reviewed by: GM



Lot No.:	60501-61000 NSC Minerals		Lab No.:	122	Field No.:	122
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	11-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	1:	4-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7	ĵ		
1250μm	85	100	93.3			
630µm	35	100	49.7			
315μm	0	50	13.9			
160μm	0	8	4.9	0		
80μm	0	3	0.3	0		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment is will be asses adjustment is	s 5% or less, sed against s 100% or m	no payment the lot. ore		
		will be mad				
COPIES TO:			•	•	cari@gov.ab.com)	:a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

Tested by: IH Reviewed by: GM



Lot No.:	61001-615	00	Lab No.:	123	Field No.:	123
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	11-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	4-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						- <del>1</del>
10000μm			100			
5000μm	100	100	99.8	-0.2		
2500µm	98	100	99.7	0		
1250μm	85	100	92.6			
630µm	35	100	51.8			
315μm	0	50	13.2			
160μm	0	8	2.4	0		
80µm	0	3	0.3	0		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against t s 100% or m	no payment the lot. ore		
COPIES TO:		ari, Alberta Tı utz, NSC Mine	•	•		•
	APPROVED	FOR PAYMEN	NT		/	AREA MANAGER
Comments:						

Tested by: IH Reviewed by: GM



Lot No.:	61501-62000	)	Lab No.:	124	Field No.:	124
Manufacturer:	<b>NSC Mineral</b>	S	Salt Type		Alta. Trans. Fine	
Date Sampled:	11-Feb-22		Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 202	2	Date Tested	ii.	4-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95				A.	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						·
10000μm			100			
5000μm	100	100	99.2	-0.8		
2500μm	98	100	98.9	0		
1250μm	85	100	93.0			
630µm	35	100	49.2			e e
315µm	0	50	12.6			
160μm	0	8	1.8	0		
80μm	0	3	0.3	0		
PAYMENT A NOTE:	DJUSTMENT ( If payment ac adjustment v	djustment i	s 5% or less, ı	no payment		
	If payment ac	-		ore		
COPIES TO:	Rishi Adhikar Nelson Schut	-	•	•	- 0	ca)
	APPROVED FO	OR PAYMEN	NT		//	AREA MANAGER
Comments:						

			1
Tested by:	<u>IH</u>	Reviewed by: GM	



_ <b>** C</b>		<b>J</b> .				
Lot No.:	62001-625	00	Lab No.:	125	Field No.:	125
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	12-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.00			
SODIUM CHLORIDE	95		98.70			
INSOLUBLE MATTER		1	0.88			
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm			100	100		
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.7	0		
1250μm	85	100	90.5			
630μm	35	100	47.3			
315µm	0	50	11.8			
160μm	0	8	1.8	0		
80μm	0	3	0.1	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
	adjustment	adjustment is will be asses adjustment is t will be mad	sed against	the lot.		
					ari@gov.ab.ca	a)
	Nelson Schi	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	inerals.com)	
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						1.5

Comments:

Tested by: IH

Reviewed by: GM



Lot No.:	62501-630	00	Lab No.:	126	Field No.:	126
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Feb-22		Production	Location:	Vanscoy	OT HE IS NOT
Date Received:	Mar. 31, 20	)22	Date Tested	d:	4-Apr-22	
TEST	SPECIFICA	TEST		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm			100			
5000µm	100	100	99.8	-0.2		
2500μm	98	100	99.6	0		
1250μm	85	100	90.8			
630µm	35	100	51.1			
315μm	0	50	15.6			
160μm	0	8	3.7	9		
80µm	0	3	0.7	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against	the lot.		
	no paymen	t will be mad	e for the lot	1		
COPIES TO:					cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF
Comments:						

		1	2
Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	63001-635	00	Lab No.:	127	Field No.:	127
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	14-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	4-Apr-22	Stall with the same
TEST CHEM COMP	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
				SPEC		POINTS
SOLUBLE	98					
CHLORIDE	-		387 21 3			
SODIUM	95					
CHLORIDE			MELL SALE			
INSOLUBLE		1				
MATTER		_				
MOISTURE		1	0.04			
CONTENT						
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.6	-0.4		
2500μm	98	100	99.3	0		
1250μm	85	100	91.1			
630μm	35	100	45.8			
315μm	0	50	12.6			
160μm	0	8	2.1	0		
80μm	0	3	0.2	0	0	
PAYMENT A	DJUSTMEN	Γ (PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i t will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	,	e
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhik	ari@gov.ab.c	a)
-	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscm	ninerals.com)	
	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:						TANEA WIAWAGEN
Tested by:	DL		R	eviewed by:	GM	R



	100						
Lot No.:	63501-640		Lab No.:	128	Field No.:	128	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	14-Feb-22		Production	Location:	Vanscoy		
Date Received:	ed: Mar. 31, 2022		Date Tested	d:	4-Apr-22		
TEST	TEST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1	police for				
MOISTURE CONTENT		1	0.04		72		
GRADATION							
10000μm	100	100					
5000μm	100	100	100	9			
2500μm	98	100	99.8	0			
1250µm	85	100	91.0				
630µm	35	100	48.9				
315µm	0	50	13.0				
160µm	0	8	2.5	0			
80μm	0	3	0.4				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS		
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	:		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT			/AREA MANAGER	
Comments:							
Tested by:	DL		R	eviewed by:	GM	$\mathcal{L}$	



1 - + N1 -	C4004 C45	00					
Lot No.:	64001-64500 urer: NSC Minerals		Lab No.:	129	Field No.: 129		
Manufacturer:	NAME AND ADDRESS OF THE PARTY.	ais	Salt Type		Alta. Trans. Fine		
Date Sampled: Date Received:	15-Feb-22	000	Production Location:  Date Tested:		Vanscoy		
Date Received:	ved: Mar. 31, 2022		Date rested		4-Apr-22		
TEST	SPECIFICA	TION LIMITS		NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION		*//					
10000μm	100	100					
5000μm	100	100	100	0.			
2500μm	98	100	99.8	0			
1250μm	85	100	93.0				
630µm	35	100	48.0				
315µm	0	50	13.0				
160μm	0	8	2.2	0			
80µm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	adjustment  If payment	will be asses adjustment i	s 5% or less, seed against t s 100% or mo e for the lot.	he lot.			
COPIES TO:				•	cari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						d	
Гested by:	DL		Re	eviewed by:	GM	X	



Lot No.:	64501-650	00	Lab No.:	130	Field No.:	130
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	15-Feb-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2022		Date Tested:		4-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			3
GRADATION						
10000μm	100	100				
5000μm	100	100	100	Ó		
2500μm	98	100	99.7	0		
1250μm	85	100	91.9			
630µm	35	100	50.8			
315µm	0	50	12.7			
160µm	0	8	2.2	0		
80μm	0	3	0.3	. 0	2	
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	F POINTS	
NOTE:	adjustment  If payment	will be asses	s 5% or less, r sed against th s 100% or mo e for the lot.	he lot.		
COPIES TO:			ransportation erals Ltd. (nsc		cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	<b>N</b> T			/AREA MANAGER
Comments:						
Tested by:	DL		Re	viewed by:	GM	X



Tested by:

DL

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	65001-655	00	Lab No.:	131	Field No.:	131
Manufacturer:	NSC Miner	F-12-5-01-11	Salt Type		Alta. Trans. Fi	
Date Sampled:	16-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested		4-Apr-22	
TEST	TEST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1251	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER	à l	1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	9		
2500μm	98	100	99.8	9		
1250μm	85	100	95.2			
630µm	35	100	52.2			
315µm	0	50	15.2			
160μm	0	8	2.4	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	sed against t	the lot.		
COPIES TO:		ari, Alberta Ti utz, NSC Mino			ari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						1

Reviewed by: GM



Lot No.:	65501-660	00	Lab No.:	132	Field No.:	132	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	16-Feb-22		Production L	ocation:	Vanscoy		
Date Received:	Mar. 31, 20	022	Date Tested		4-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000µm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.8	9			
1250μm	85	100	90.4				
630µm	35	100	47.0				
315µm	0	50	10.9				
160µm	0	8	1.9	0			
80μm	0	3	0.2	0			
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS		
NOTE:	adjustment	will be asses	s 5% or less, i ssed against t s 100% or mo	he lot.	,		
	no paymen	t will be mad	e for the lot.				
COPIES TO:			ransportation erals Ltd. (nsc	•	cari@gov.ab.com)	a)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:						,	
						J	
Tested by:	DL		Re	viewed by:	GM	X	



Lot No.:	66001-665	00	Lab No.:	133	Field No.:	133
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	16-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	:	4-Apr-22	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	, 1251	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					_
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	94.9			
630µm	35	100	51.7			
315µm	0	50	14.7			
160μm	0	8	2.4	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	T POINTS	8
NOTE:	adjustment If payment no paymen	will be asses adjustment i t will be mad	s 5% or less, ssed against t s 100% or ma le for the lot.	the lot.		
COPIES TO:			-	-	cari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYME!	NT			/AREA MANAGER
Comments:						
Tested by:	DI		D	eviewed by:	GM	K



Lot No.:	66501-670	00	Lab No.:	134	Field No.:	134
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. Fi	ine
Date Sampled:	17-Feb-22	Bird Saul	Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested:	8	4-Apr-22	
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000µm	100	100	99.9	-0.1		
2500μm	98	100	99.6	0		
1250μm	85	100	92.9			
630µm	35	100	52.1			
315µm	0	50	13.7			
160µm	0	8	2.8	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	will be asses adjustment i	s 5% or less, r ssed against th s 100% or mo e for the lot.	he lot.	L	
COPIES TO:				(richi adhik	ari@gov.ab.ca	,
COTILS TO:			erals Ltd. (nsc		_	1
n	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						-
ested by:	DL		Re	viewed by:	GM	1



Lot No.:	67001-675	00	Lab No.:	135	Field No.:	135
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	17-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	l:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE	98		1 58.5			
CHLORIDE	36					
SODIUM	95					
CHLORIDE	93					
INSOLUBLE		1				
MATTER		1				
MOISTURE		1	0.08			
CONTENT		1	0.08			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	3		
2500μm	98	100	99.8	0		
1250μm	85	100	95.3			
630µm	35	100	52.4			
315µm	0	e 50	15.4			
160μm	0	8	2.4	0		
80μm	0	3	0.2	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against t s 100% or mo	the lot.	:	(4)
COPIES TO:				n (rishi.adhik	cari@gov.ab.c	a)
	Nelson Schi	utz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						0
Tested by:	DL		Re	eviewed by:	GM	



Lot No.:	67501-680	00	Lab No.:	136	Field No.:	136	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	Feb. 18, 20	22	Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Teste	d:	4-Apr-22		
TEST	SPECIFICATION LIMITS		SPECIFICATION LIMITS TEST NUMBER OF UNITS	MULTIPLY			
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100	100	0		14	
5000μm	100	100	99.5	-0.5			
2500μm	98	100	99.3	3			
1250μm	85	100	91.7				
630µm	35	100	53.2				
315µm	0	50	15.5				
160µm	0	8	3.5				
80µm	0	3	0.6	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	Γ POINTS		
NOTE:				, no payment			
		will be asses			•		
		adjustment i t will be mad					
COPIES TO:					kari@gov.ab.c	a)	
			-	schutz@nscm		-,	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:						/AREA MANAGER	

Tested by: DL Reviewed by: GM



Lot No.:	68001-685	00	Lab No.:	137	Field No.:	137
Manufacturer:	NSC Minerals 19-Feb-22		Salt Type		Alta. Trans. Fi	ne
Date Sampled:			Production	Production Location:		Vanscoy
Date Received:	Mar. 31, 20	)22	Date Tested	d:	4-Apr-22	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100	Port Say			
5000µm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	92.6			
630µm	35	100	43.8			
315µm	0	50	11.6			
160μm	0	8	1.9	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	Γ POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	ore		
COPIES TO:			•	•	cari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYME!	NT			/AREA MANAGER
Comments:						
						1
Tested by:	DL		R	eviewed by:	GM	K



Lot No.:	68501-690	00	Lab No.:	138	Field No.:	138	
Manufacturer:	NSC Minerals		Salt Type	Salt Type Alta. Trans. Fine			
Date Sampled:	20-Feb-22		Production Location:		Vanscoy		
Date Received:	Date Received: Mar. 31, 2022		Date Teste	d:	4-Apr-22		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		99.10				
SODIUM CHLORIDE	95		98.70				
INSOLUBLE MATTER		1	0.80				
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.05				
CN STRONG ACID DRY WEIGHT			0.03				
CN WEAK ACID DRY WEIGHT			0.03				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250μm	85	100	94.0				
630µm	35	100	47.3				
315µm	0	50	12.4				
160μm	0	8	1.9	0			
80μm	0	3	0.3	. 0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE:	adjustment  If payment	adjustment is will be asses adjustment is t will be mad	sed against s 100% or m	ore			
COPIES TO:			-	-	ari@gov.ab.ca) inerals.com)		
	APPROVED	FOR PAYMEN	NT			/AREA MANAGE	
Comments:							

Tested by: DL Reviewed by: GM



Lot No.:	69001-695	nn	Lab No.:	139	Field No.:	139
Manufacturer:	NSC Miner		Salt Type	133	Alta. Trans. Fi	
Date Sampled:	21-Feb-22	NES H	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	122	Date Tested		4-Apr-22	
TEST		TION LIMITS		NUMBER	MULTIPLY	
СНЕМ СОМР	MIN	МАХ	TEST	OF UNITS OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			0, 10		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.5	Ū		
1250μm	85	100	90.6			
630µm	35	100	50.0			
315µm	0	50	13.7			
160µm	0	8	3.0	0		
80μm	0	3	0.5	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.		
COPIES TO:			•	•	(ari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						,
						S
Tested by:	DL		R	eviewed by:	GM	X



Lot No.:	69501-700	00	Lab No.:	140	Field No.:	140	
Manufacturer:	NSC Miner	als	Salt Type Alta. Trans. Fine				
Date Sampled:	22-Feb-22		Production Location:		Vanscoy		
Date Received:	Mar. 31, 2022		Date Tested	:	4-Apr-22		
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX	1201	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.3	-0.7			
2500μm	98	100	98.8	0			
1250μm	85	100	92.5				
630µm	35	100	47.0				
315µm	0	50	13.4				
160μm	0	8	2.3	3			
80µm	0	3	0.3	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	T POINTS		
NOTE:	adjustment  If payment  no paymen	adjustment i will be asses adjustment i t will be mad	sed against t s 100% or mo e for the lot.	the lot.			
COPIES TO:					(ari@gov.ab.ca) ninerals.com)		
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						9	

		2
Гested by:	DL	Reviewed by: GM



Let Ne	70004 707	00	I ala At	4.4.4	er Livi	
Lot No.:	70001-705		Lab No.:	141	Field No.:	141
Manufacturer:	NSC Miner	ais	Salt Type		Alta. Trans. Fi	ne
Date Sampled: Date Received:			Production		Vanscoy	
Date Received:	Received: Mar. 31, 2022		Date Tested:		4-Apr-22	mër su kifarna
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98		MISS SW			
CHLORIDE	38					
SODIUM	95					
CHLORIDE	93					
INSOLUBLE		1	Edition.			
MATTER		1				
MOISTURE			0.00			
CONTENT		1	0.08			
GRADATION						
10000μm	100	100	100			
5000µm	100	100	99.7	-0.3		
2500µm	98	100	99.5	0		
1250μm	85	100	88.7			
630µm	35	100	45.1			
315µm	0	50	11.2			
160µm	0	8	2.3	0		
80μm	0	3	0.3	0		
PAYMENT A	ADJUSTMENT	(PERCENT) =	= TOTAL OF A	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:		adjustment i will be asses				
3		adjustment i t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.ca	
	Nelson Schi	utz, NSC Min	erals Ltd. (ns	chutz@nscn	ninerals.com)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER
Comments:						,
Tested by:	DL		R	eviewed by:	GM	R



Lot No.:	70501-710	00	Lab No.:	142	Field No.:	142	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type Alta. Tran		Alta. Trans. Fi	s. Fine	
Date Sampled:	22-Feb-22	RESEL	Production L	ocation:	Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested		4-Apr-22		
TEST	SPECIFICATION LIMITS		1	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
GRADATION			•		2'		
10000µm	100	100	100				
5000µm	100	100	99.7	-0.3			
2500μm	98	100	99.3	0			
1250μm	85	100	95.1				
630µm	35	100	49.9				
315µm	0	50	14.1				
160µm	0	8	2.3	0			
80µm	0	3	0.2	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	adjustment	will be asses	s 5% or less, a sed against t s 100% or mo e for the lot.	he lot.	ac.		
COPIES TO:	Rishi Adhika	ari, Alberta Ti	ransportation	rishi.adhik	ari@gov.ab.ca	)	
	Nelson Schu	utz, NSC Mine	erals Ltd. (nsc	:hutz@nscm	ninerals.com)		
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						0	
ested by:	DL		Re	viewed by:	GM		



Lot No.:	71001-715	00	Lab No.:	143	Field No.:	143	
Manufacturer:	NSC Minerals		Salt Type	ne			
Date Sampled:	23-Feb-22		Production Location:		Vanscoy		
Date Received:	Mar. 31, 2022		Date Tested:		4-Apr-22		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION	43						
10000μm	100	100	100				
5000μm	100	100	99.7	-0.3			
2500µm	98	100	99.5	\ O			
1250μm	85	100	91.4				
630µm	35	100	50.1				
315µm	0	50	12.0				
160μm	0	8	2.0	0			
80µm	0	3	0.2	1			
NOTE:	If payment adjustment  If payment no payment	adjustment i will be asses adjustment i t will be mad		no payment he lot. ore			
COPIES TO:					cari@gov.ab.ca) ninerals.com)		
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:							
						0	
Tested hy	DI		D <sub>0</sub>	viewed by:	GM		



Lot No.:	nufacturer: NSC Minerals e Sampled: 23-Feb-22		Lab No.:	144	Field No.:	144
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:			Date Tested:		4-Apr-22	
TEST CHEM COMP			TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			4		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT	,	1	0.12			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION		,				
10000μm			100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.5	0		
1250μm	85	100	93.2			
630µm	35	100	45.8			
315µm	0	50	11.8			
160µm	0	8	1.6	0		
80μm	0	3	0.2	8		
PAYMENT A NOTE:	If payment adjustment If payment	(PERCENT) = adjustment is will be asses adjustment is t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore	POINTS	
COPIES TO:	Rishi Adhik		ransportatio	n (rishi.adhik	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	NREA MANAGER
Comments:						AREA MAN

Tested by: IH Reviewed by: GM



Lot No.:	72001-7250	0	Lab No.:	145	Field No.:	145
Manufacturer:	<b>NSC Minera</b>	ls	Salt Type		Alta. Trans. I	Fine
Date Sampled:	23-Feb-22		Production l	_ocation:	Vanscoy	god Page 11.
Date Received:	Mar. 31, 202	22	Date Tested	;	4-Apr-22	IS WE BEEN
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100	100		
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.5	0		
1250μm	85	100	89.3			
630μm	35	100	43.9			
315μm	0	50	10.5			
160μm	0	8	2.1	0		
80µm	0	3	0.4	0		
PAYMENT A NOTE:	DJUSTMENT ( If payment a adjustment v	djustment i	s 5% or less,	no payment		
	If payment a	djustment i	s 100% or mo	ore		
	no payment	will be mad	e for the lot.			
COPIES TO:			-	-	ari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYMEN	NT		/#	AREA MANAGER
Comments:					_	

Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	72501-730	00	Lab No.:	146	Field No.:	146
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Feb-22		Production Location: \		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION				*		
10000μm			100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.5	-0		
1250μm	85	100	93.4			
630µm	35	100	47.6			
<b>31</b> 5μm	0	50	13.1			
160μm	0	8	2.1	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment	adjustment i will be asses adjustment is t will be mad	ssed against s 100% or m	nore		
COPIES TO:	Rishi Adhika	ari, Alberta Ti	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGEF
Comments:						


Tested by:	_IH	Reviewed by: GM	



Lot No.:	73001-735		Lab No.:	147	Field No.:	147
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Teste	d:	4-Apr-22	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEIVI COIVIP	IVIIIV	IVIAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION				***		
10000μm			100			
5000μm	100	100	99.6	-0.4		
2500µm	98	100	99.3	6		
1250μm	85	100	89.0			
630µm	35	100	45.1			
315μm	0	50	11.5			
160µm	0	8	2.4	0		
80μm	0	3	0.3	0		
PAYMENT A NOTE:	adjustment		s 5% or less, sed against s 100% or m	no payment the lot. ore	0	
COPIES TO:					cari@gov.ab.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGE
Comments:						

Tested by:

IH





Lot No.:	73501-740	00	Lab No.:	148	Field No.:	148	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine	
Date Sampled:	24-Feb-22		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	022	Date Teste	d:	4-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000µm			100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.5	0			
1250μm	85	100	92.0				
630µm	35	100	43.3				
315µm	0	50	10.6				
160µm	0	8	1.4	0			
80μm	0	3	0				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS		
NOTE:		adjustment i will be asses					
	If payment	adjustment i	s 100% or m	nore			
	no paymen	t will be mad	e for the lot				
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
	Nelson Sch	utz, NSC Min	erals Ltd. (n	schutz@nscm	ninerals.com)		
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER	
Comments:							

Tested by: IH Reviewed by: GM



Lot No.:	74001-7450	0	Lab No.:	149	Field No.:	149
Manufacturer:	<b>NSC Minera</b>	ls	Salt Type		Alta. Trans.	Fine
Date Sampled:	25-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d:	4-Apr-22	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						*
10000µm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.6	0		
1250μm	85	100	90.1			
630µm	35	100	47.7			
315µm	0	50	12.4			
160μm	0	8	2.4	9		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment a adjustment  If payment a no payment	will be asses	ssed against s 100% or m	ore		
COPIES TO:			·		ari@gov.ab. ninerals.com)	-
	APPROVED I	FOR PAYMEN	NT		/	AREA MANAGER
Comments:						

Tested by:	IH	Reviewed by: GM	



Lot No.:	74501-7500	0	Lab No.:	150	Field No.:	150
Manufacturer:	<b>NSC Mineral</b>	s	Salt Type		Alta. Trans.	Fine
Date Sampled:	27-Feb-22		Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 202	22	Date Tested		4-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		verfikke vil Rijeva usta			
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION	*					
10000μm			Will be the			
5000µm	100	100	100	9		
2500μm	98	100	99.8	0		
1250µm	85	100	93.2			
630µm	35	100	46.0			
315µm	0	50	12.0			
160µm	0	8	2.0	0		
80μm	0	3	0.1	0		
PAYMENT A	DJUSTMENT (	(PERCENT) =	TOTAL OF A	DJUSTMENT	<b>POINTS</b>	
NOTE:	adjustment v	will be asses djustment i	s 5% or less, i sed against t s 100% or mo e for the lot.	he lot.		
COPIES TO:			ransportatior erals Ltd. (nsc	•	_ •	•
	APPROVED F	OR PAYME	NT		/	AREA MANAGER
Comments:						

			0
=			
Tested by:	_IH	Reviewed by: GM	



		~ %				
Lot No.:	75001-755		Lab No.:	151	Field No.:	151
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Feb-22		Production		Vanscoy	Little II; J. S.
Date Received:	Mar. 31, 20	)22	Date Tested	d:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98		99.10			
CHLORIDE	36		33.10			
SODIUM	95		98.60			
CHLORIDE	- 33		38.00			
INSOLUBLE		1	0.83			
MATTER			0.65			
MOISTURE		1	0.00			
CONTENT		<u> </u>	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7	0		
1250μm	85	100	91.2			
630µm	35	100	48.5			
315µm	0	50	11.9			
160μm	0	8	2.2	0		
80µm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	no payment		
		will be asses				
	If payment	adjustment is	s 100% or m	ore		
		t will be mad				
COPIES TO:					ari@gov.ab.c	a)
		utz, NSC Mine	-	•	- •	,
	APPROVED	FOR PAYMEN	NT			
Comments:					//	REA MANAGER

Tested by:

<u>IH</u>



Tested by:

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	75501-760	00	Lab No.:	152	Field No.:	152
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	28-Feb-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			ě		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.2			
1250μm	85	100	90.5			
630µm	35	100	46.9			
315µm	0	50	11.2			
160μm	0	8	1.9	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMEN	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>*</sup>	T POINTS	
NOTE:	adjustment	adjustment i t will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	:	
COPIES TO:				-	kari@gov.ab.c ninerals.com)	a)
Comments:	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER
						A



Lot No.:	76501-770	00	Lab No.:	154	Field No.:	154
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	3-May-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2022		Date Tested	d:	4-Apr-22	King and a
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98	10				
SODIUM CHLORIDE	95					-
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			MI SWE			
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.6	- 0		
1250μm	85	100	93.5			
630μm	35	100	50.0			
315μm	0	50	12.5			
160μm	0	8	1.5	ð		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	Γ POINTS	
NOTE:	adjustment	adjustment is will be asses	sed against	the lot.		
	no paymen	t will be mad	e for the lot	-		
COPIES TO:					ari@gov.ab.ca ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						

		ŷ.
Tested by:	<u>IH</u>	Reviewed by: GM



Lot No.:	77001-775	00	Lab No.:	155	Field No.:	155
Manufacturer:	NSC Minerals		Salt Type Alta. Trai			ine
Date Sampled:	5-May-21		Production Location: Vanscoy			
Date Received:	Mar. 31, 20	022	Date Teste	d:	4-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95		a Process			
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500µm	98	100	99.7	0		
1250μm	85	100	90.2			
630µm	35	100	47.2			ĺ.
315µm	0	50	12.1			
160µm	0	8	2.3	0		
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMEN	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
		adjustment is t will be mad				
COPIES TO:		ari, Alberta Ti utz, NSC Mine			ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	<b>I</b> T		//	AREA MANAGER
Comments:					,,	

			8
Tested by:	IH	Reviewed by: GM	X
		· ·	



Date Sampled: 5-R Date Received: Ma	PECIFICATI MIN 98 95	ON LIMITS MAX	Salt Type Production Date Teste  TEST		Alta. Trans. I Vanscoy 4-Apr-22 MULTIPLY FACTOR	NUMBER OF	
TEST SP  CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE	PECIFICATI MIN 98	ON LIMITS MAX	Date Tested	NUMBER OF UNITS OUT OF	4-Apr-22 MULTIPLY	ADJUSTMENT	
TEST SP CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE	PECIFICATI MIN 98	ON LIMITS MAX		NUMBER OF UNITS OUT OF	MULTIPLY	ADJUSTMENT	
SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE	<b>MIN</b> 98	MAX	TEST	OF UNITS OUT OF	I	ADJUSTMENT	
SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE	98			1	FACTOR		
SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE							
INSOLUBLE MATTER MOISTURE	95						
MOISTURE							
		1					
		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	99.8	-0.2			
2500μm	98	100	99.6	0.00			
1250µm	85	100	92.8				
630μm	35	100	47.1				
315µm	0	50	12.3				
160µm	0	8	1.9				
80μm	0	3	0.2	0			
PAYMENT ADJU	JSTMENT (	PERCENT) =	TOTAL OF	ADJUSTMENT	Γ POINTS		
NOTE: If p	ayment a	djustment i	s 5% or less,	no payment			
adj	ustment v	vill be asses	sed against	the lot.			
		-	s 100% or m				
	<u> </u>		e for the lot			-1	
	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
API	PROVED F	OR PAYMEN	NT				
Comments:					/A	REA MANAGER	

L.

Tested by:

\_IH\_\_\_\_



_ <b>* * C</b>						
Lot No.:	78001-7850	0	Lab No.:	157	Field No.:	157
Manufacturer:	<b>NSC Minera</b>	İs	Salt Type		Alta. Trans. Fine	
Date Sampled:	12-May-22		Production Location: Vansco		Vanscoy	RISE TO BE
Date Received:	Mar. 31, 20	22	Date Teste	d:	4-Apr-22	Alexander of
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	92.9			
630µm	35	100	47.6			
315µm	0	50	7.8			
160μm	0	8	0.7	1		
80µm	0	3	0.1	2		
PAYMENT A	DJUSTMENT	(PERCENT) =	= TOTAL OF	ADJUSTMENT	T POINTS	
NOTE:	If payment a adjustment v	-		no payment the lot.		
	If payment a					
COPIES TO:					ari@gov.ab.ca	
COT 123 TO.			-	schutz@nscm		<b>-</b> /
	APPROVED F	OR PAYMEN	NT			
					//	AREA MANAGER
Comments:						

Comments:	
	1
Forted by:	Paviaured by CM

Tested by:

IH




Lot No.:	78501-790	00	Lab No.:	158	Field No.:	158
Manufacturer:	NSC Miner		Salt Type	130	Alta. Trans.	
Date Sampled:	2-Jun-21	013	Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested		4-Apr-22	
TEST		TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	IACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			81) 1 2 Z. J			
5000μm	100	100	100	0.		
2500μm	98	100	100			
1250µm	85	100	96.2			
630µm	35	100	51.6			
315µm	0	50	11.7			_
160µm	0	8	1.4	(8)		
80µm	0	3	0.3			
PAYMENT A	DJUSTMEN	Γ (PERCENT) =	= TOTAL OF A	DJUSTMENT	T POINTS	
NOTE:		adjustment is will be asses				
		adjustment is		ore		
COPIES TO:				rishi.adhik	ari@gov.ab.ca	 a)
		utz, NSC Mine	-	-	=	•
	APPROVED	FOR PAYMEN	NT		/#	AREA MANAGER
Comments:						

-		
Tested by:	<u>IH</u>	Reviewed by: GM



Manufacturer: Nate Sampled: 9 Date Received: Nate R	79001-7950 NSC Minera 9-Jun-21 Mar. 31, 20	als	Lab No.: Salt Type Production	159	Field No.: Alta. Trans. I	159 Fine	
Date Sampled: 9 Date Received: N	9-Jun-21 Mar. 31, 20				Alta. Trans.	Fine	
Date Received: N	Mar. 31, 20	22	Production				
		22		Production Location:		Vanscoy	
TEST S	CDECIEICAT		Date Tested	d:	4-Apr-22		
	SPECIFICAL	SPECIFICATION LIMITS		NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	99.9	-0.1			
2500μm	98	100	99.8	0			
1250µm	85	100	89.3				
630μm	35	100	42.4				
315μm	0	50	9.6				
160µm	0	8	1.9	0			
80μm	0	3	0.3	ę			
PAYMENT AD.	JUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS		
NOTE: If	f payment a	adjustment i	s 5% or less,	no payment			
а	djustment	will be asses	sed against	the lot.			
If	f payment a	adjustment is	s 100% or m	ore			
		will be mad					
COPIES TO: R	lishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhik	ari@gov.ab.c	a)	
N	Ielson Schu	ıtz, NSC Mine	erals Ltd. (ns	chutz@nscm	inerals.com)		
А	APPROVED	FOR PAYMEN	NT				
Comments:					//	AREA MANAGER	

Tested by: IH Reviewed by: GM





	- 356	TEL 150				
Lot No.:	79501-8000	00	Lab No.:	160	Field No.:	160
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	23-Jun-21		Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	:	4-Apr-22	1. 15 50 1
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000µm	100	100	99.9	-0.1		
2500μm	98	100	99.8	0		
1250μm	85	100	89.3			
630µm	35	100	43.1			
315µm	0	50	10.8			
160μm	0	8	1.5	0		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
	adjustment	will be asses	s 5% or less, r sed against tl s 100% or mo e for the lot.	he lot.		
			ransportation erals Ltd. (nsc	•	ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	IT		/A	REA MANAGER
Comments:						

ewed by: GM



Lot No.:	80001-805	00	Lab No.:	161	Field No.:	161
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Jul-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	i:	5-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000µm	100	100	100	0		u
2500μm	98	100	99.8	0		
1250μm	85	100	93.3			
630µm	35	100	51.8			
315µm	0	50	13.3			
160µm	0	8	2.7	0		
80μm	0	3	0.4	G .		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	adjustment  If payment	adjustment i will be asses adjustment i t will be mad	sed against s s 100% or m	the lot.		
COPIES TO:			-	-	ari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		[/	AREA MANAGER
Comments:						

Tested by: DL Reviewed by: GM



Lot No.:	80501-810		Lab No.:	162	Field No.:	162
Manufacturer:			Salt Type		Alta. Trans.	Fine
Date Sampled:	12-Jul-21		Production		Vanscoy	
Date Received:	Mar. 31, 20	022	Date Teste	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	•					
10000μm		¥	Marke IV			
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	96.9			
630µm	35	100	57.3			
315µm	0	50	17.4			
160μm	0	8	2.7	0		
80μm	0	3	0.3	Q		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment is will be asses adjustment is	s 5% or less, ssed against	, no payment the lot.	3	
		t will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta Tı	ransportatio	n (rishi.adhik	cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT	ı	/4	AREA MANAGER
Comments:						

			-
Tested by:	IH	Reviewed by: GM	X



Lot No.:	81001-815		Lab No.:	163	Field No.:	163
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	5-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04	-		
GRADATION	т					
10000μm						
5000μm	100	100	100	0		5
2500µm	98	100	100			
1250µm	85	100	95.5			
630µm	35	100	58.7			
315µm	0	50	17.1			
160μm	0	8	3.4	0		
80μm	0	3	0.5	0		
PAYMENT A NOTE:	If payment adjustment  If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:	Rishi Adhika	ari, Alberta Tı	ransportatio	n (rishi.adhik	cari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	REA MANAGER

Tested by: IH Reviewed by: GM




Lot No.:	81501-820	00	Lab No.:	164	Field No.:	164
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	20-Jul-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tester	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.60			
INSOLUBLE MATTER		1	0.67			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm						
5000µm	100	100	100	0		
2500µm	98	100	99.9	0.		
1250μm	85	100	96.8			
630µm	35	100	55.4			
315μm	0	50	16.1			
160μm	0	8	2.2	0		
80μm	0	3	0	8		
<b>PAYMENT A</b>	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment If payment	adjustment is will be asses	sed against is 100% or m	the lot.		
		t will be mad			-,,	
		ari, Alberta Ti utz, NSC Mine			ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	IT		/^	REA MANAGER
Comments:						INLA IVIAINAGER

Comments:

Tested by:

IH





Lot No.:	82001-8250	0	Lab No.:	165	Field No.:	165
Manufacturer:	nufacturer: NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	23-Jul-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 202	22	Date Tested	l:	5-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	97.2			
630µm	35	100	58.3			
315µm	0	50	17.5			
160µm	0	8	2.5	0		
80μm	0	3	0.1	0		
PAYMENT A	DJUSTMENT (	(PERCENT) =	TOTAL OF A	DJUSTMENT	<b>POINTS</b>	N.
NOTE:	If payment a adjustment v	-		•	!	
	If payment a	djustment i	s 100% or mo	ore		
	no payment	will be mad	e for the lot.			
COPIES TO:	Rishi Adhikar	i, Alberta Tı	ransportation	n (rishi.adhik	ari@gov.ab.c	a)
	Nelson Schut	tz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)	
	APPROVED F	OR PAYMEN	NT		/4	IREA MANAGER
Comments:						

Tested by: IH Reviewed by: GM



Lot No.:	82501-8300	00	Lab No.:	166	Field No.:	166
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	26-Jul-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	:	5-Apr-22	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	9		
1250μm	85	100	92.5			
630µm	35	100	45.9			
315µm	0	50	5.5			
160μm	0	8	0.5	0		
80µm	0	3	0.2	0		
PAYMENT A NOTE:			TOTAL OF A			
.,	adjustment	will be asses	sed against t s 100% or mo e for the lot.	he lot.		
COPIES TO:					ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		/A	IREA MANAGER
Comments:						

			_
		P	Š
Tested by:	_IH	Reviewed by: GM	



Lot No.:	83001-835	00	Lab No.:	167	Field No.:	167
Manufacturer:	Manufacturer: NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	6-Aug-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.6	-0.4		
2500μm	98	100	99.5	. 0		
1250μm	85	100	94.1			
630µm	35	100	47.4			
315µm	0	50	6.3			
160µm	0	8	0.4	0		
80μm	0	3	0.2	0		
PAYMENT A NOTE:	If payment adjustment	Γ (PERCENT) = adjustment i t will be asses adjustment i it will be mad	s 5% or less, ssed against s 100% or m	no payment the lot. ore		
COPIES TO:		ari, Alberta T utz, NSC Mino			cari@gov.ab.co ninerals.com)	a)
t.	APPROVED	FOR PAYME	NT			/AREA MANAGER
Comments:						

Comments:		, race to the same	, to E
Tested by:	DL	Reviewed by: GM	<u> </u>



Lot No.:	83501-840	00	Lab No.:	168	Field No.:	168	
Manufacturer:	anufacturer: NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled:	ate Sampled: 9-Aug-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	022	Date Tested	l:	5-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98	·					
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION						<u> </u>	
10000μm	100	100	100				
5000µm	100	100	99.8	-0.2			
2500μm	98	100	99.7	0			
1250μm	85	100	92.5				
630µm	35	100	44.2				
315µm	0	50	5.0				
160μm	0	8	0.4	0			
80μm	0	3	0.1	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMEN	T POINTS		
NOTE:	adjustment  If payment  no paymen	adjustment i : will be asses adjustment i t will be mad	ssed against t s 100% or mo le for the lot.	the lot.			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYMEI	NT			/AREA MANAGER	
Comments:							
						X	
Tested by:	DL		Re	eviewed by:	GM	A	



Lot No.:	84001-845	00	Lab No.:	169	Field No.:	169
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	11-Aug-21		Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested		5-Apr-22	
TEST	TEST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm	100	100	100			
5000µm	100	100	99.7	-0.3		
2500μm	98	100	99.7	0		
1250μm	85	100	94.7			
630µm	35	100	44.9			
315µm	0	50	6.3			
160µm	0	8	0.4	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	Γ POINTS	
NOTE:	adjustment	will be asses adjustment i	s 5% or less, is sed against to s 100% or mo e for the lot.	he lot.	4	
COPIES TO:	Rishi Adhika	ri, Alberta Ti	ransportation	(rishi.adhik	cari@gov.ab.c	a)
			erals Ltd. (nsc			,
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						8
Tested by:	DL		Re	viewed by:	GM	1



Tested by:

DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	84501-850	00	Lab No.:	170	Field No.:	170
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	16-Aug-22		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	
СНЕМ СОМР	MIN	MAX				NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	6		
2500μm	98	100	100	0		
1250μm	85	100	93.4			
630µm	35	100	48.4			
315µm	0	50	7.5			
160µm	0	8	0.7	0		
80μm	0	3	0.1	0	: 4	
PAYMENT A	ADJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	Γ POINTS	
NOTE:	adjustment  If payment	will be asses adjustment i	s 5% or less, ssed against t s 100% or me e for the lot.	he lot.		
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab.c ninerals.com)	a)
Comments	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						p



Lot No.:	85001-855	00	Lab No.:	171	Cald No.	474	
Manufacturer:	NSC Miner		Salt Type	1/1	Field No.: Alta. Trans. Fi	171	
Date Sampled:	16-Aug-21	ais					
Date Received:	Mar. 31, 20	022	Date Tested: 5-Apr-22		Vanscoy		
Date Neceived.	14101. 31, 20		Date reste	u.	3-Api-22		
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98						
CHLORIDE	30			All			
SODIUM	0.5						
CHLORIDE	95						
INSOLUBLE							
MATTER		1		*			
MOISTURE							
CONTENT		1	0.08		1		
GRADATION							
10000μm	100	100	100		T T		
5000μm	100	100	99.4	-0.6			
2500μm	98	100	99.3	0.00			
1250μm	85	100	95.1				
630µm	35	100	45.4				
315µm	0	50	5.3				
160µm	0	8	0.2	0			
80μm	0	3	0	0			
				ADJUSTMEN <sup>-</sup>	T DOINTS		
NOTE:		adjustment i : will be asses		, no payment the lot.	3		
			_				
	If payment	adjustment i	s 100% or m	nore			
		t will be mad					
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
	Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
			•				
	ADDROVED	FOR PAYMEI	MT				
	ATTROVED	TORTATIVILI				/AREA MANAGER	
Comments:							
						17	
Tested by:	DL		F	Reviewed by:	GM	$\checkmark$	



Lot No.:	85501-860	00	Lab No.:	172	Field No.:	172
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	23-Aug-21		Production L	oduction Location: Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Tested:		5-Apr-22	
TEST	SPECIFICAT	TION LIMITS		NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	91.6			
630µm	35	100	48.1			
315µm	0	50	11.9			
160µm	0	· 8	2.1	0		
80µm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, r ssed against th s 100% or mo e for the lot.	he lot.		
COPIES TO:	Rishi Adhika	ri, Alberta Ti	ransportation	rishi.adhik	ari@gov.ab.c	a)
	Nelson Schu	utz, NSC Mine	erals Ltd. (nsc	hutz@nscm	ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments;						
						- A-
Tested by:	DL		Re	viewed by:	GM	



Tested by:

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	86001-865	00	Lab No.:	173	Field No.:	173
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Aug-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	5-Apr-22	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm			100	¥		
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.8	0		
1250μm	85	100	96.3			
630µm	35	100	50.0			
315µm	0	50	9.0			
160μm	0	8	0.9	0		
80µm	0	3	0	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN1	POINTS	
NOTE:	adjustment	adjustment is will be asses	sed against	the lot.		
		adjustment i				
CODIEC TO		t will be mad			.0 1	
COPIES TO:		utz, NSC Mine	•	•	cari@gov.ab.ca ninerals.com)	1)
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						



Tested by:

DL

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	86501-870	00	Lab No.:	174	Field No.:	174
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fi	ne
Date Sampled:	24-Aug-21		Production Location: Vanscoy			
Date Received:	e Received: Mar. 31, 2022		Date Tested	l:	5-Apr-22	
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION				N2		
10000μm	100	100	100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.7	0		
1250μm	85	100	93.4			
630µm	35	100	46.0			
315µm	0	50	6.7			
160μm	0	8	0.7	0		
80µm	0	3	0.1	0		
NOTE:	adjustment	adjustment i will be asses adjustment i t will be mad	sed against	the lot.		
COPIES TO:		ari, Alberta Tı utz, NSC Mine			ari@gov.ab.ca) inerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						
						0



Lot No.:	87001-8750	00	Lab No.:	175	Field No.:	175	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	24-Aug-21		Production I	ocation:	Vanscoy		
Date Received:	Mar. 31, 20	22	Date Tested	:	5-Apr-22		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100					
5000μm	100	100	100	0			
2500µm	98	100	100	0			
1250μm	85	100	94.1				
630µm	35	100	42.9				
315μm	0	50	6.0				
160μm	0	8	0.7	.0			
80μm	0	3	0.3	0			
PAYMENT A	adjustment  If payment a	adjustment i will be asses adjustment i	TOTAL OF A s 5% or less, is sed against t s 100% or mo e for the lot.	no payment he lot.			
COPIES TO:			ransportatior erals Ltd. (nsc		ari@gov.ab.ca ninerals.com)	a)	
	APPROVED I	FOR PAYMEN	NT			/AREA MANAGEF	
Comments:	<i></i>						

Tested by:	DL	Reviewed by: GM	$\prec$



Tested by:

DL

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	87501-880		Lab No.:	176	Field No.:	176
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	25-Aug-21		Production Location: Vanscoy		Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	86.4			
630µm	35	100	45.0			
315µm	0	50	14.6			
160μm	0	8	4.3	0		
80μm	0	3	0.5	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:		adjustment i				
11012.		will be asses	-			
		adjustment i				
CODIEC TO		t will be mad				
COPIES TO:			-	-	cari@gov.ab.com)	a)
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:						1
						A



Lot No.:	88001-885	00	Lab No.:	177	Field No.:	177	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	25-Aug-21		Production Location: Vansc		Vanscoy	coy	
Date Received:	Mar. 31, 20	022	Date Tested	d:	5-Apr-22		
TEST	SPECIFICATION LIMITS			NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98		99.00				
SODIUM CHLORIDE	95		98.60				
INSOLUBLE MATTER		1	0.91				
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE			<0.05				
CN STRONG ACID DRY WEIGHT	,		0.03				
CN WEAK ACID DRY WEIGHT			0.03				
GRADATION		-			16.		
10000μm	100	100					
5000µm	100	100	100	0			
2500μm	98	100	100	0			
1250μm	85	100	86.6				
630µm	35	100	44.7				
315μm	0	50	14.3				
160µm	0	8	3.8	0			
80μm	0	3	0.4	0			
		(PERCENT) =			POINTS		
NOTE:	adjustment	adjustment is will be asses adjustment is	sed against	the lot.			
		t will be made					
COPIES TO:		ari, Alberta Tr utz, NSC Mine	-	-	ari@gov.ab.ca) iinerals.com)		
	APPROVED	FOR PAYMEN	IT			/AREA MANAGER	
Comments:						THE THE THE THE	

Tested by: DL Reviewed by: GM



Lot No.:	88501-890		Lab No.:	178	Field No.:	178
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fi	ne
Date Sampled:	26-Aug-21		Production Location: Vanscoy			
Date Received:	Mar. 31, 20	)22	Date Tested: 5-Apr-22			
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm	100	100				
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	88.6			
630µm	35	100	42.8			
315µm	0	50	14.3			
160µm	0	8	3.1	0		
80µm	0	3	0.3	1		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment  If payment  no payment	adjustment is will be asses adjustment is t will be mad	sed against to s 100% or more for the lot.	the lot.		
COPIES TO:					cari@gov.ab.ca) ninerals.com)	
	APPROVED	FOR PAYMEN	ΝΤ			/AREA MANAGER
Comments:						
						1
						P
ested by:	וח		D	aviowed by:	GM	X



	,					
Lot No.:	89001-895	00	Lab No.:	179	Field No.:	179
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Aug-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	5-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.7	0		
1250μm	85	100	83.9	-1.1		
630µm	35	100	39.0			
315µm	0	50	12.5			
160μm	0	8	3.3	0		
80µm	0	3	0.3	9		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is t will be mad	sed against	the lot.	_	
COPIES TO:					ari@gov.ab.ca)	
			-		ninerals.com)	
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER
Comments:				Ξ		
						λ
ested by:	DL		R	eviewed by:	GM	1



Tested by:

DL

#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	89501-900	00	Lab No.:	180	Field No.:	180
Manufacturer: NSC Minerals		Salt Type Alta. Trans. Fine				
Date Sampled: 30-Aug-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 2022		Date Tested:		5-Apr-22	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm	100	100	100			
5000µm	100	100	99.9	-0.1		
2500μm	98	100	99.8	3		
1250μm	85	100	86.1			
630µm	35	100	40.5			
315µm	0	50	13.9			
160µm	0	8	3.2	9		
80μm	0	3	0.5	0		
<b>PAYMENT A</b>	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, resed against the s 100% or mo e for the lot.	he lot.		
COPIES TO:			ransportation erals Ltd. (nsc	•	cari@gov.ab.ca ninerals.com)	
<b></b>	/AREA MANAGER					
Comments:						



Tested by:

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:			Lab No.:	181	Field No.:	181		
Manufacturer:			Salt Type		Alta. Trans. Fine			
Date Sampled:			Production Location: Date Tested:		Vanscoy			
Date Received:					5-Apr-22			
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF		
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS		
SOLUBLE CHLORIDE	98							
SODIUM CHLORIDE	95							
INSOLUBLE MATTER		1						
MOISTURE CONTENT		1	0.00					
GRADATION	il.	10						
10000µm	100	100						
5000μm	100	100	100	0				
2500μm	98	100	99.9	0				
1250µm	85	100	84.6	-0.4				
630µm	35	100	41.4					
315µm	0	50	13.6					
160μm	0	8	3.7	0				
80μm	0	3	0.4	0				
PAYMENT A	NDJUSTMEN <sup>*</sup>	T (PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS			
NOTE:	adjustment	adjustment is t will be asses adjustment is	sed against s 100% or m	the lot.	_			
COPIES TO:	no payment will be made for the lot.  PIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)							
CO11E3 10.		utz, NSC Mine						
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER		
Comments:					1:			
						D		



	0.42						
Lot No.:	90501-910	00	Lab No.:	182	Field No.:	182	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. Fi	ne	
Date Sampled:	31-Aug-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 2022		Date Tested	:	5-Apr-22		
TEST	TEST SPECIFICATION LIMIT		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98				-		
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100					
5000µm	100	100	100	0			
2500μm	98	100	100	0			
1250μm	85	100	86.9				
630µm	35	100	43.7				
315µm	0	50	15.7				
160μm	0	8	3.4	0			
80µm	0	3	0.4	0			
<b>PAYMENT A</b>	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	8	
NOTE:	adjustment	adjustment i will be asses adjustment is t will be mad	sed against s s 100% or m	the lot.			
COPIES TO:					ari@gov.ab.ca)		
001123102			•	•	inerals.com)		
	APPROVED	FOR PAYMEN	NT			/AREA MANAGER	
Comments:						•	
						8	
ested by:	DL		R	eviewed by:	GM	1	



Lot No.:	91001-915	00	Lab No.:	183	Field No.:	183	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	1-Sep-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 2022		Date Tested	:	5-Apr-22		
TEST	EST SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm	100	100	100				
5000μm	100	100	99.5	-0.5			
2500μm	98	100	99.4	0			
1250μm	85	100	93.3				
630µm	35	100	61.8				
315µm	0	50	24.4				
160µm	0	8	6.2	0			
80µm	0	3	0.6	8			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS		
NOTE:	adjustment	will be asses adjustment is	s 5% or less, is sed against to see against the lot.	he lot.			
COPIES TO:				(rishi adhik	ari@gov.ab.ca)		
			erals Ltd. (nsc				
	APPROVED	FOR PAYMEN	ΝT			/AREA MANAGER	
Comments:							
Tested by:	DL		Re	viewed by:	GM	X	



Lot No.:	91501-9200	00	Lab No.:	184	Field No.:	184	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type	Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Sep-21		Production	Location:	Vanscoy		
Date Received:	Mar. 31, 20	22	Date Tested	d:	5-Apr-22		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
CN WATER SOLUBLE					10		
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	99.4	-0.6			
2500μm	98	100	99.3	3			
1250µm	85	100	95.6				
630µm	35	100	63.3				
315µm	0	50	26.8				
160µm	0	8	5.4	0			
80μm	0	3	0.5	0			
	If payment a	(PERCENT) = adjustment is will be asses	5% or less,		POINTS		
	· ·	ndjustment is will be made		ore			
COPIES TO:	Rishi Adhika	ri, Alberta Tr	ansportatio	n (rishi.adhik chutz@nscm	ari@gov.ab.ca inerals.com)	a)	
	APPROVED I	FOR PAYMEN	lΤ		/^		
Comments:					/A	REA MANAGER	


Comments:			
Tested by:	ІН	Reviewed by: GM	



Lot No.:	92001-925	00	Lab No.:	185	Field No.:	185
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	2-Sep-21		Production	Location:	Vanscoy	K. P. S.
Date Received:	Mar. 31, 20	)22	Date Tested	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			2		
SODIUM CHLORIDE	95				E)	
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.3	£ .		
1250μm	85	100	92.2			
630µm	35	100	58.8			
315µm	0	50	20.7			
160μm	0	8	4.4	0		
80μm	0	3	0.4	0		
PAYMENT A NOTE:	If payment adjustment  If payment	(PERCENT) = adjustment i will be asses adjustment i t will be mad	s 5% or less, sed against s 100% or m	no payment the lot. ore		
COPIES TO:			-		cari@gov.ab.c ninerals.com)	a) •
	APPROVED	FOR PAYMEN	NT		/	AREA MANAGER
Comments:						

Tested by: IH

Reviewed by: GM





Lot No.:	92501-930	00	Lab No.:	186	Field No.:	186
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans.	Fine
Date Sampled:	2-Sep-21		Production I	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested		5-Apr-22	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100			
5000μm	100	100	99.4	-0.6		
2500μm	98	100	99.2	0		
1250μm	85	100	95.3			
630µm	35	100	89.0			
315µm	0	50	21.2			
160μm	0	8	3.5	0		
80μm	0	3	0.1	0		
PAYMENT A NOTE:	If payment adjustment	adjustment is will be asses adjustment is	TOTAL OF A s 5% or less, sed against t s 100% or mo e for the lot.	no payment he lot.		
COPIES TO:	Rishi Adhika	ıri, Alberta Tı		-	ari@gov.ab.c iinerals.com)	a)
Comments:	APPROVED	FOR PAYMEN	NT		//	AREA MANAGEF

Tested by:	<u>IH</u>	Reviewed by: GM	$\mathcal{K}$



Lot No.:	93001-9350	0	Lab No.:	187	Field No.:	187
Manufacturer:	<b>NSC Mineral</b>	s	Salt Type		Alta. Trans. I	ine
Date Sampled:	7-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2022		Date Tested	1:	5-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION				2		
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.4	0		
1250μm	85	100	89.0			1
630µm	35	100	42.4			
315µm	0	50	5.3			
160μm	0	8	0.8	0		
80μm	0	3	0.1	0		
<b>PAYMENT A</b>	DJUSTMENT (	PERCENT) =	TOTAL OF A	ADJUSTMENT	Γ POINTS	
NOTE:	If payment adjustment v	-			!	
	If payment a					
COPIES TO:					cari@gov.ab.c	a)
	Nelson Schut	z, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)	,
	APPROVED F	OR PAYMEN	<b>N</b> T		/A	REA MANAGER
Comments:					•	



Lot No.:	93501-94000		Lab No.:	188	Field No.:	188	
Manufacturer:	<b>NSC Mineral</b>	s	Salt Type		Alta. Trans. Fine		
Date Sampled:	7-Sep-21		Production	Location:	Vanscoy	Vanscoy	
Date Received:	Mar. 31, 202	22	Date Teste	d:	5-Apr-22		
TEST CHEM COMP	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF	
60111015				SPEC		POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
GRADATION							
10000μm							
5000μm	100	100	100				
2500μm	98	100	99.6	0			
1250μm	85	100	93.0				
630µm	35	100	52.5				
315µm	0	50	18.7				
160μm	0	8	3.8	0			
80μm	0	3	0.4	0			
PAYMENT A NOTE:  COPIES TO:	If payment adjustment volument adjustment volument ad no payment volument volument ad no payment volument additional volument vol	djustment i vill be asses djustment i will be mad i, Alberta Ti	s 5% or less, sed against s 100% or m e for the lot ransportatio	no payment the lot. ore on (rishi.adhik	ari@gov.ab.c	a)	
Comments:	APPROVED F	OR PAYMEN	NT	5.	/A	REA MANAGE	



Lot No.:	94001-9450	00	Lab No.:	189	Field No.:	189	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. Fine		
Date Sampled:	7-Sep-21	THE TANK	Production	Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	d;	5-Apr-22		
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.08				
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.7	0			
1250μm	85	100	90.8				
630µm	35	100	52.2				
315µm	0	50	17.6				
160μm	0	8	4.5	0			
80μm	0	3	0.4				
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	T POINTS		
NOTE:	adjustment	adjustment i will be asses adjustment i	ssed against				
	no payment	will be mad	le for the lot				
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhik	kari@gov.ab.c	a)	
	Nelson Schu	ıtz, NSC Mine	erals Ltd. (ns	chutz@nscm	ninerals.com)		
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER	
Comments:							
						.)	



Lot No.:	94501-950	00	Lab No.:	190	Field No.:	190
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. Fine	
Date Sampled:	9-Sep-21	112 41	Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Tested	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.70			
SODIUM CHLORIDE	95		96.90			
INSOLUBLE MATTER		1	1.13	0.13		
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			0.03			
CN WEAK ACID DRY WEIGHT			0.03			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	6		
1250μm	85	100	94.5			
630µm	35	100	55.0			
315μm	0	50	19.8			
160μm	0	8	4.1	0		
80μm	0	3	0.2	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:		adjustment is will be asses				
		adjustment is t will be made				
		ari, Alberta Tr utz, NSC Mine	•	•	ari@gov.ab.ca inerals.com)	3)
	APPROVED	FOR PAYMEN	iT		/A	REA MANAGER
Comments:						

Tested by: IH Reviewed by: GM





Lot No.:	95001-9550	00	Lab No.:	191	Field No.:	191
Manufacturer:	<b>NSC Miner</b>	NSC Minerals			Alta. Trans.	Fine
Date Sampled:	13-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	:	5-Apr-22	
TEST	SPECIFICAT	TON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.6	0		
1250μm	85	100	93.5			
630µm	35	100	52.6			
315μm	0	50	18.5			
160μm	0	8	4.0	0		
80μm	0	3	0.4	6		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	adjustment	will be asses	s 5% or less, i sed against t s 100% or mo	he lot.		
		will be mad				
COPIES TO:			ransportatior erals Ltd. (nsc		ari@gov.ab.c inerals.com)	a)
	APPROVED	FOR PAYMEN	<b>N</b> T		//	AREA MANAGER
Comments:						



Lot No.:	95501-960	00	Lab No.:	192	Field No.:	192
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans.	Fine
Date Sampled:	13-Sep-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.5	0.		
1250μm	85	100	92.0			
630µm	35	100	56.9			
315µm	0	50	22.1			
160μm	0	8	6.7	0		
80µm	0	3	0.6	0		
PAYMENT A NOTE:	If payment adjustment	(PERCENT) = adjustment i will be asses	s 5% or less, ssed against	no payment the lot.		
	no paymen	t will be mad	e for the lot	•		
COPIES TO:			-	•	(ari@gov.ab.( ninerals.com)	•
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						



Lot No.:	96001-9650	0	Lab No.:	193	Field No.:	193
Manufacturer:	acturer: NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 202	22	Date Tested	d:	5-Apr-22	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
GRADATION						
10000μm			100			
5000μm	100	100	99.8	-0.2		
2500μm	98	100	99.3	0		
1250μm	85	100	92.2			
630μm	35	100	49.8			
315µm	0	50	16.5			
160μm	0	8	3.5	0		
80µm	0	3	0.2	0		
PAYMENT A NOTE:	DJUSTMENT ( If payment a adjustment v	djustment i	s 5% or less,	no payment		
	If payment a no payment	•				
COPIES TO:	Rishi Adhikar Nelson Schut	-	· · · · · ·	•	ari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYMEN	NT		/#	AREA MANAGER
Comments:						



Manufacturer: NSC Mines Date Sampled: 16-Sep-21 Date Received: Mar. 31, 2  TEST SPECIFICA  CHEM COMP MIN  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION 10000μm 5000μm 100 2500μm 98 1250μm 98 1250μm 98 1250μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment If payment no payment no payment	<u>J.</u>	Lab No.:			
Date Sampled: 16-Sep-21 Date Received: Mar. 31, 2  TEST SPECIFICA  CHEM COMP MIN  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION 10000µm 5000µm 1000 2500µm 100 2500µm 98 1250µm 98 1250µm 35 315µm 0 160µm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment If payment no payment no payment			194	Field No.:	194
TEST SPECIFICA  CHEM COMP MIN  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION 10000μm 5000μm 100 2500μm 98 1250μm 98 1250μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment If payment adjustment COPIES TO: Rishi Adhik			Salt Type		Alta. Trans. Fine
TEST SPECIFICA  CHEM COMP MIN  SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  1000 2500µm  98  1250µm  98  1250µm  35  315µm  0  160µm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment  If payment no payment  COPIES TO: Rishi Adhikita		<b>Production Location:</b>		Vanscoy	
CHEM COMP  SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  2500µm  98  1250µm  85  630µm  35  315µm  0  160µm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment  If payment no payment	2022	Date Tested	d:	5-Apr-22	
SOLUBLE CHLORIDE 98  SODIUM CHLORIDE 95  INSOLUBLE MATTER MOISTURE CONTENT  CN WATER SOLUBLE CONSTRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION 10000µm 1000 2500µm 98 1250µm 85 630µm 35 315µm 0 160µm 0 80µm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment no payment COPIES TO: Rishi Adhikitation of the content	ATION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
SOLUBLE CHLORIDE  SODIUM CHLORIDE  INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  2500µm  98  1250µm  85  630µm  35  315µm  0  160µm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment  If payment no payment	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
INSOLUBLE MATTER  MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION 10000µm 5000µm 100 2500µm 98 1250µm 98 1250µm 35 315µm 0 160µm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustmen If payment no paymen					
MOISTURE CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000μm  5000μm  100  2500μm  98  1250μm  85  630μm  35  315μm  0  160μm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment					
CONTENT  CN WATER SOLUBLE  CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  2500µm  98  1250µm  85  630µm  35  315µm  0  160µm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment  If payment no payment	1				
CN STRONG ACID DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000µm  5000µm  100  2500µm  98  1250µm  85  630µm  35  315µm  0  160µm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment  If payment no payment	1	0.00			
DRY WEIGHT  CN WEAK ACID DRY WEIGHT  GRADATION  10000μm  5000μm  1000 2500μm  98  1250μm  85  630μm  35  315μm  0  160μm  0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment no payment no payment no payment COPIES TO: Rishi Adhikitation and the companyment of t					
WEIGHT           GRADATION           10000µm         100           5000µm         98           1250µm         85           630µm         35           315µm         0           160µm         0           80µm         0           PAYMENT ADJUSTMEN           NOTE:         If payment adjustment           If payment no payment           no payment         no payment           COPIES TO:         Rishi Adhik					
10000μm 5000μm 100 2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustmen					
5000μm 100 2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustmen					
2500μm 98 1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment no payment no payment COPIES TO: Rishi Adhik		n innerv			
1250μm 85 630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment no payment no payment COPIES TO: Rishi Adhik	100	100	0		
630μm 35 315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustmen If payment no payment no payment COPIES TO: Rishi Adhik	100	100	9		
315μm 0 160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustment no payment no payment COPIES TO: Rishi Adhik	100	92.3			
160μm 0 80μm 0 PAYMENT ADJUSTMEN NOTE: If payment adjustmen If payment no payment COPIES TO: Rishi Adhik	100	50.9			
80µm 0  PAYMENT ADJUSTMEN  NOTE: If payment adjustment of payment no payment COPIES TO: Rishi Adhik	50	16.3			
PAYMENT ADJUSTMEN  NOTE: If payment adjustment  If payment no payment COPIES TO: Rishi Adhik	8	4.0	0		
NOTE: If payment adjustment If payment no payment COPIES TO: Rishi Adhik	3	0.3	0.		
NOTE: If payment adjustment If payment no payment COPIES TO: Rishi Adhik	T (PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
	t adjustment is t will be assess adjustment is nt will be made	sed against to	the lot.	1	
	kari, Alberta Tr nutz, NSC Mine	-	-	_	a)
APPROVED	FOR PAYMEN	IT		/A	REA MANAGER
Comments:					

			1
Tested by:	<u>IH</u>	Reviewed by: GM	



		•				
Lot No.:	97001-975	00	Lab No.:	195	Field No.:	195
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	20-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.2	- 0		
1250µm	85	100	93.2			
630µm	35	100	52.0			
315µm	0	50	17.7			
160μm	0	8	3.7	0		
80µm	0	3	0.1			
PAYMENT A	DJUSTMEN	T (PERCENT) =	TOTAL OF	ADJUSTMEN <sup>-</sup>	T POINTS	
NOTE:	If payment	adjustment i	s 5% or less,	, no payment		
	adjustmen	t will be asses	sed against	the lot.		
	If payment	adjustment i	s 100% or m	ore		
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)					
		utz, NSC Min	-	•	_	-,
	APPROVED	FOR PAYMEN	NT			
					//	AREA MANAGER
Comments:						

		- Q
ested by:	IH	Reviewed by: GM



Last No.	07504 000	•	1 1 41 -			
Lot No.:	NSC Minerals		Lab No.:	196	Field No.:	196
Manufacturer:			Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Teste	d:	5-Apr-22	e tento lite
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.08			
CN WATER SOLUBLE					3	
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100	100		
5000μm	100	100	99.6	-0.4		
2500μm	98	100	99.2	0		
1250μm	85	100	90.5			
630µm	35	100	51.0			
315µm	0	50	16.1			
160μm	0	8	4.0	C.		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	adjustment	adjustment is will be asses adjustment is	sed against	the lot.		
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)					
COTIES TO:		utz, NSC Mine		-	_	a <i>j</i>
	APPROVED	FOR PAYMEN	ΙΤ		//	AREA MANAGER
Comments:						

Comments.

Tested by:

<u>IH</u>

Reviewed by: GM



Lot No.:	00001 005	00	Lab No.:	197	Field No.:	107
Manufacturer:	98001-98500			197		197
	NSC Minerals		Salt Type Production Location:		Alta. Trans. Fine	
Date Sampled: Date Received:	22-Sep-21	022			Vanscoy	
Date Received:	Mar. 31, 2	UZZ	Date Teste	u:	5-Apr-22	VILLEAD IN BALL
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000μm	100	100	99.4	-0.6		
2500μm	98	100	99.0	. 0		
1250μm	85	100	92.6			
630µm	35	100	49.5			
315μm	0	50	16.4			
160µm	0	8	3.6	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMEN	Γ (PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment	adjustment is	s 5% or less.	no payment		
		will be asses				
	If navment	adjustment is	100% or m	ore		
		t will be mad				
COPIES TO:					ari@gov.ab.ca	2)
COLIES TO:		utz, NSC Mine				<b>1</b> )
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						INER WIRINAUEN

0

Tested by:

<u>IH</u>

Reviewed by: GM



Lot No.:	98501-990	00	Lab No.:	198	Field No.:	198	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans.	Fine	
Date Sampled:	23-Sep-21		Production Location:		Vanscoy		
Date Received:	Mar. 31, 20	)22	Date Teste	d:	5-Apr-22		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.04				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			100				
5000μm	100	100	98.3	-1.7			
2500μm	98	100	97.8	-0.2			
1250μm	85	100	87.8				
630µm	35	100	46.8				
315μm	0	50	12.6				
160µm	0	8	2.4	0			
80µm	0	3	0.4	0			
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMEN	POINTS		
NOTE:		adjustment is will be asses		no payment the lot.			
		adjustment is t will be mad					
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)						
				schutz@nscm	-	,	
	APPROVED	FOR PAYMEN	NT			ADEA MANACES	
Comments:	•				//	AREA MANAGER	

			0
Tested by:	<u>IH</u>	Reviewed by: GM	



Lot No.:	99001-9950	0	Lab No.:	199	Field No.:	199
Manufacturer:	NSC Minerals 24-Sep-21		Salt Type		Alta. Trans. Fine	
Date Sampled:			Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	:	5-Apr-22	
TEST	SPECIFICAT	ION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION	4					
10000μm			100			
5000μm	100	100	98.8	-1.2		
2500μm	98	100	98.4	0		
1250μm	85	100	89.9			
630µm	35	100	43.7			
315µm	0	50	10.8			
160μm	0	8	1.7	0		
80μm	0	3	0.3	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
	adjustment :	will be asses adjustment is	s 5% or less, r sed against th s 100% or mo e for the lot.	he lot.		
			ansportation erals Ltd. (nsc	-	ari@gov.ab.ca inerals.com)	a)
	APPROVED F	OR PAYMEN	IT		/A	REA MANAGER
Comments:					,,,	

		<u> </u>
Tested by:	<sub>z</sub> IH	Reviewed by: GM



Lot No.:	99501-1000		Lab No.:	200	Field No.:	200
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	27-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tester	d:	5-Apr-22	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			S .		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.5	0		
1250μm	85	100	89.4			
630µm	35	100	46.8			
315µm	0	50	12.9			
160μm	0	8	3.1	0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:		idjustment is will be asses		no payment the lot.		
	If payment a	ıdjustment is	s 100% or m	ore		
	no payment	will be mad	e for the lot	•		
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED I	OR PAYMEN	NT			
					/A	REA MANAGER
Comments:						

Comments:			
0			1
Tested by:	IH	Reviewed by: GM	



		•				
Lot No.:	100001-10		Lab No.:	201	Field No.:	201
Manufacturer:	NSC Miner	als	Salt Type	Fine		
Date Sampled:	27-Sep-21	Larles - Inc.	Production		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT				Y .		
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.7	0		
1250µm	85	100	91.8			
630µm	35	100	42.7			
315µm	0	50	4.8			
160μm	0	8	0.5	0		
80μm	0	3	0.1	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF	ADJUSTMENT	POINTS	
NOTE:	If payment	adjustment is will be asses	s 5% or less,	no payment		
		adjustment is				
COPIES TO:					ari@gov ah ca	 a1
	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYMEN	٧T			DEA 144111
					/A	AREA MANAGER
Comments:						

			•
			1
Tested by:	IH	Reviewed by: GM	



	20000 20					
Lot No.:	100501-10	1000	Lab No.:	202	Field No.:	202
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	27-Sep-21		Production L	ocation:	Vanscoy	
Date Received:	Mar. 31, 20	)22	Date Tested:	id io	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm			100			
5000µm	100	100	99.9	-0.1		
2500μm	98	100	99.6	0		
1250μm	85	100	91.3			
630µm	35	100	45.4			
315µm	0	50	5.1			
160µm	0	8	0.6	0		
80μm	0	3	0	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
	adjustment If payment	will be asses	s 5% or less, r sed against th s 100% or mo e for the lot.	ne lot.		
			ransportation erals Ltd. (nsc		ari@gov.ab.ca inerals.com)	1)
	APPROVED	FOR PAYMEN	IT		/Δ	REA MANAGER
omments:						

Tested by: <u>IH</u>	Reviewed by: GM	



Lot No.:	101001-101		Lab No.:	203	Field No.:	203
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Sep-21		Production Location:		Vanscoy	
Date Received:	Mar. 31, 20	22	Date Tested	l:	5-Apr-22	191 151 1
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	.,.c.c.	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1	N. N			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	9		
2500μm	98	100	100	0		
1250μm	85	100	93.5			
630µm	35	100	45.6			
315µm	0	50	6.3			
160µm	0	8	0.8	1		
80μm	0	3	0.3	. 0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.					
	If payment a no payment	=		ore		
		ri, Alberta Tr	ansportatio	•	ari@gov.ab.ca inerals.com)	a)
Comments:	APPROVED F	OR PAYMEN	ΙΤ		/#	AREA MANAGER

			R
Tested by:	IH	Reviewed by: GM	1
			)



Lot No.:	101501-10	2000	Lab No.:	204	Field No.:	204
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	29-Sep-21		Production	Location:	Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	5-Apr-22	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.6	0		
1250μm	85	100	90.2			
630µm	35	100	42.3			
315μm	0	50	4.7			
160μm	0	8	0.7	0 "-		
80μm	0	3	0.3	9		
PAYMENT A	DJUSTMEN	「(PERCENT) =	TOTAL OF	ADJUSTMENT	Γ POINTS	
NOTE:		adjustment is will be asses				
		adjustment is				
		t will be mad				
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYMEN	NT			
					/A	REA MANAGER
Comments:						

			×
Tested by:	<u>IH</u>	Reviewed by: GM	



ot No.:	102001-10	2500	Lab No.;	205	Field No.:	205
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. f	ine
Date Sampled:	29-Sep-21	H. K. C. K. C.	Production	Location:	Vanscoy	
Date Received:	Mar. 31, 20	022	Date Tested	l:	5-Apr-22	
TEST CHEM COMP		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
		I III		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
NSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
ON WATER SOLUBLE					¥	
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION					33	
10000μm						
5000µm	100	100	100	0		
2500µm	98	100	99.7	. 0		
1250μm	85	100	93.4			
630µm	35	100	44.7			
315µm	0	50	5.5			
160μm	0	8	0.8	0.0		
80μm	0	3	0.4	0		
PAYMENT A	DJUSTMENT	(PERCENT) =	TOTAL OF A	ADJUSTMENT	POINTS	
NOTE:	If payment adjustment If payment no paymen	adjustment is will be asses adjustment is t will be mad	s 5% or less, sed against t s 100% or mo e for the lot.	no payment the lot. ore		
COPIES TO:		ari, Alberta Ti utz, NSC Mine			ari@gov.ab.ca inerals.com)	a)
	APPROVED	FOR PAYMEN	NT		//	AREA MANAGER
Comments:						6

		00
ested by:	IH	Reviewed by: GM



Lot No.:	102501-103	3000	Lab No.:	206	Field No.:	206	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine		
Date Sampled: 29-Sep-21		Production Location:		Vanscoy			
Date Received:	Mar. 31, 20	122	Date Teste	d:	5-Apr-22	150 700 n. 83	
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACIOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95	c .					
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
CN WATER SOLUBLE							
CN STRONG ACID DRY WEIGHT							
CN WEAK ACID DRY WEIGHT							
GRADATION							
10000μm			Series in the				
5000μm	100	100	100	0			
2500μm	98	100	99.4	0			
1250μm	85	100	90.7				
630µm	35	100	44.2				
315μm	0	50	4.9				
160µm	0	8	0.6	0			
80μm	0	3	0	0			
PAYMENT A NOTE:	If payment adjustment	adjustment is will be asses	s 5% or less, sed against		POINTS		
		adjustment is					
608:50 50		will be mad				,	
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	APPROVED	FOR PAYMEN	NT		//	DEA MANIACTI	
					/ <i>P</i>	REA MANAGEI	

Tested by:	IH	Reviewed by: GM	$\times$



Lot No.:	103001-10		Lab No.:	207	Field No.:	207
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Sep-22		Production Location:		Vanscoy	
Date Received:	Mar. 31, 2	022	Date Teste	d:	5-Apr-22	THE PERSON
TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	МАХ	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE						
CN STRONG ACID DRY WEIGHT						
CN WEAK ACID DRY WEIGHT						
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.5			
1250μm	85	100	89.9			
630µm	35	100	41.2			
315µm	0	50	6.6			
160μm	0	8	0.8	3.0		
80μm	0	3	0.2	0		
PAYMENT AI	DJUSTMENT	(PERCENT) =	TOTAL OF A	DJUSTMENT	POINTS	
NOTE:	If payment	adjustment is will be assess	5% or less,	no payment	ı	
		adjustment is will be made				
					ari@gov.ab.ca	`
		itz, NSC Mine				)
	APPROVED	FOR PAYMEN	Т		/A	REA MANAGER
omments:					,,,,	
						0
						1/

Tested by: IH

Reviewed by: GM