



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 0-500	Lab No.: 1	Field No.: 1
Manufacturer: NSC Minerals	Salt Type:	Alta. Trans. Fine
Date Sampled: 3-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.2			
1250µm	85	100	94.7			
630µm	35	100	57.3			
315µm	0	50	18.0			
160µm	0	8	3.6			
80µm	0	3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 501-1000	Lab No.: 2	Field No.: 2
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 3-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.3			
630µm	35	100	55.7			
315µm	0	50	17.8			
160µm	0	8	2.7			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 1001-1500	Lab No.: 3	Field No.: 3
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 5-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.2			
630µm	35	100	57.6			
315µm	0	50	17.0			
160µm	0	8	3.4			
80µm	0	3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 1501-2000	Lab No.: 4	Field No.: 4
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 5-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.4			
630µm	35	100	53.2			
315µm	0	50	16.3			
160µm	0	8	2.5			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	2001-2500	Lab No.:	5	Field No.:	5
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Oct-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.4			
630µm	35	100	53.6			
315µm	0	50	15.8			
160µm	0	8	3.9			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 2501-3000	Lab No.: 6	Field No.: 6
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 10-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.7			
630µm	35	100	54.6			
315µm	0	50	17.2			
160µm	0	8	2.9			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 3001-3500	Lab No.: 7	Field No.: 7
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 11-Oct-22	Production Location: Vanscoy	
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.7			
630µm	35	100	54.4			
315µm	0	50	15.1			
160µm	0	8	3.3			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	3501-4000	Lab No.:	8	Field No.:	8
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	12-Oct-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.7			
630µm	35	100	53.9			
315µm	0	50	16.3			
160µm	0	8	2.5			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 4001-4500	Lab No.: 9	Field No.: 9
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	95.3			
630µm	35	100	59.2			
315µm	0	50	21.2			
160µm	0	8	5.2			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 4501-5000	Lab No.: 10	Field No.: 10
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.90			
INSOLUBLE MATTER		1	0.70			
MOISTURE CONTENT		1	0.20			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	95.1			
630µm	35	100	55.3			
315µm	0	50	17.5			
160µm	0	8	2.8			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 5001-5500	Lab No.: 11	Field No.: 11
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 14-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.2			
630µm	35	100	55.9			
315µm	0	50	15.8			
160µm	0	8	3.4			
80µm	0	3	0.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 5501-6000	Lab No.: 12	Field No.: 12
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 14-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.9			
630µm	35	100	54.6			
315µm	0	50	17.8			
160µm	0	8	2.9			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 6001-6500	Lab No.: 13	Field No.: 13
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 25-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	95.6			
630µm	35	100	58.5			
315µm	0	50	17.4			
160µm	0	8	3.9			
80µm	0	3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 6501-7000	Lab No.: 14	Field No.: 14
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 28-Oct-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	94.3			
630µm	35	100	56.1			
315µm	0	50	18.4			
160µm	0	8	3.4			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	7001-7500	Lab No.:	15	Field No.:	15
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	31-Oct-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST			
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.2			
630µm	35	100	52.9			
315µm	0	50	15.9			
160µm	0	8	2.6			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	7501-8000	Lab No.:	16	Field No.:	16
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Nov-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.8			
630µm	35	100	57.1			
315µm	0	50	16.6			
160µm	0	8	3.4			
80µm	0	3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	8001-8500	Lab No.:	17	Field No.:	17
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Nov-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.4			
630µm	35	100	54.2			
315µm	0	50	17.4			
160µm	0	8	2.9			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 8501-9000	Lab No.: 18	Field No.: 18
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.20			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.77			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	95.8			
630µm	35	100	57.7			
315µm	0	50	15.3			
160µm	0	8	2.7			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 9001-9500	Lab No.: 19	Field No.: 19
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 8-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	95.5				
	35	100	56.6				
	0	50	17.7				
	0	8	2.6				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	9501-10000	Lab No.:	20	Field No.:	20
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Nov-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	96.1			
630µm	35	100	57.9			
315µm	0	50	16.3			
160µm	0	8	3.2			
80µm	0	3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 10001-10500	Lab No.: 21	Field No.: 21
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 8-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	96.1				
	35	100	58.0				
	0	50	18.7				
	0	8	2.7				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 10501-11000	Lab No.: 22	Field No.: 22
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	96.1			
630µm	35	100	57.1			
315µm	0	50	15.3			
160µm	0	8	2.8			
80µm	0	3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 11001-11500	Lab No.: 23	Field No.: 23
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 10-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	96.1			
630µm	35	100	59.9			
315µm	0	50	20.1			
160µm	0	8	3.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 11501-12000	Lab No.: 24	Field No.: 24
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 10-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	94.6			
630µm	35	100	54.2			
315µm	0	50	14.8			
160µm	0	8	3.5			
80µm	0	3	1.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	12001-12500	Lab No.:	25	Field No.:	25
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	11-Nov-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		18-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.7			
1250µm	85	100	93.1			
630µm	35	100	50.1			
315µm	0	50	14.9			
160µm	0	8	2.1			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	12501-13000	Lab No.:	26	Field No.:	26
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	12-Nov-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	94.1			
630µm	35	100	52.9			
315µm	0	50	15.2			
160µm	0	8	2.2			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 13001-13500	Lab No.: 27	Field No.: 27
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 14-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	95.2				
	35	100	57.5				
	0	50	18.8				
	0	8	3.8				
	0	3	1.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	13501-14000	Lab No.:	28	Field No.:	28
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Nov-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		18-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.69			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.7			
630µm	35	100	51.3			
315µm	0	50	14.5			
160µm	0	8	2.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 14001-14500	Lab No.: 29	Field No.: 29
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 14-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	94.4				
	35	100	56.2				
	0	50	19.0				
	0	8	2.9				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	14501-15000	Lab No.:	30	Field No.:	30
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Nov-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.8			
630µm	35	100	52.5			
315µm	0	50	13.9			
160µm	0	8	2.5			
80µm	0	3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 15001-15500	Lab No.: 31	Field No.: 31
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 15-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.7			
630µm	35	100	50.7			
315µm	0	50	13.7			
160µm	0	8	1.6			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 15501-16000	Lab No.: 32	Field No.: 32
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 15-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	96.3			
630µm	35	100	59.4			
315µm	0	50	18.3			
160µm	0	8	4.5			
80µm	0	3	1.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 16001-16500	Lab No.: 33	Field No.: 33
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 16-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	95.6			
630µm	35	100	58.2			
315µm	0	50	19.8			
160µm	0	8	3.1			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 16501-17000	Lab No.: 34	Field No.: 34
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 17-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	95.5			
630µm	35	100	57.5			
315µm	0	50	16.6			
160µm	0	8	3.2			
80µm	0	3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 17001-17500	Lab No.: 35	Field No.: 35
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 17-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	92.8			
630µm	35	100	52.3			
315µm	0	50	16.8			
160µm	0	8	2.9			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 17501-18000	Lab No.: 36	Field No.: 36
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 20-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.4			
630µm	35	100	54.3			
315µm	0	50	14.6			
160µm	0	8	2.9			
80µm	0	3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 18001-18500	Lab No.: 37	Field No.: 37
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 21-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	94.1			
630µm	35	100	52.2			
315µm	0	50	16.2			
160µm	0	8	3.2			
80µm	0	3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 18501-19000	Lab No.: 38	Field No.: 38
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 21-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	94.9				
	35	100	55.5				
	0	50	16.0				
	0	8	4.1				
	0	3	1.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 19001-19500	Lab No.: 39	Field No.: 39
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 23-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.00			
SODIUM CHLORIDE	95		98.50			
INSOLUBLE MATTER		1	1.00			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	92.6			
630µm	35	100	46.8			
315µm	0	50	13.6			
160µm	0	8	2.8			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	19501-20000	Lab No.:	40	Field No.:	40
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	24-Nov-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	94.5			
630µm	35	100	57.1			
315µm	0	50	17.5			
160µm	0	8	4.3			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 20001-20500	Lab No.: 41	Field No.: 41
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 27-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	98.8			
1250µm	85	100	94.2			
630µm	35	100	53.1			
315µm	0	50	15.7			
160µm	0	8	2.2			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 20501-21000	Lab No.: 42	Field No.: 42
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 29-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	95.2				
	35	100	57.7				
	0	50	17.6				
	0	8	3.8				
	0	3	1.0				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 21001-21500	Lab No.: 43	Field No.: 43
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 30-Nov-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	95.0				
	35	100	57.2				
	0	50	16.4				
	0	8	3.5				
	0	3	1.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	21501-22000	Lab No.:	44	Field No.:	44
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	5-Dec-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	18-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	92.5			
630µm	35	100	51.0			
315µm	0	50	14.8			
160µm	0	8	2.2			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 22001-22500	Lab No.: 45	Field No.: 45
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 5-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.6				
	35	100	56.0				
	0	50	15.5				
	0	8	3.2				
	0	3	0.8				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 22501-23000	Lab No.: 46	Field No.: 46
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 6-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.50			
SODIUM CHLORIDE	95		97.80			
INSOLUBLE MATTER		1	1.40	0.40		
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	91.0			
630µm	35	100	49.2			
315µm	0	50	15.2			
160µm	0	8	2.4			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 23001-23500	Lab No.: 47	Field No.: 47
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 6-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	92.8				
	35	100	54.2				
	0	50	16.5				
	0	8	3.8				
	0	3	1.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 23501-24000	Lab No.: 48	Field No.: 48
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 8-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	91.8			
630µm	35	100	50.7			
315µm	0	50	14.6			
160µm	0	8	2.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 24001-24500	Lab No.: 49	Field No.: 49
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 8-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	90.9			
630µm	35	100	47.0			
315µm	0	50	12.6			
160µm	0	8	3.2			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 24501-25000	Lab No.: 50	Field No.: 50
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	91.3			
630µm	35	100	48.0			
315µm	0	50	14.3			
160µm	0	8	2.6			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 25001-25500	Lab No.: 51	Field No.: 51
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	90.6				
	35	100	48.9				
	0	50	13.2				
	0	8	3.4				
	0	3	1.6				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 25501-26000	Lab No.: 52	Field No.: 52
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 12-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	91.3			
630µm	35	100	49.8			
315µm	0	50	15.7			
160µm	0	8	2.7			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 26001-26500	Lab No.: 53	Field No.: 53
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 12-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	90.2			
630µm	35	100	48.6			
315µm	0	50	13.9			
160µm	0	8	3.5			
80µm	0	3	1.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 26501-27000	Lab No.: 54	Field No.: 54
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.82			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	89.6			
630µm	35	100	45.9			
315µm	0	50	13.5			
160µm	0	8	2.3			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 27001-27500	Lab No.: 55	Field No.: 55
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 14-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.4			
630µm	35	100	55.4			
315µm	0	50	14.9			
160µm	0	8	2.8			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 27501-28000	Lab No.: 56	Field No.: 56
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 16-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.0			
630µm	35	100	53.9			
315µm	0	50	18.1			
160µm	0	8	3.4			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 28001-28500	Lab No.: 57	Field No.: 57
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 19-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	94.2				
	35	100	50.2				
	0	50	11.6				
	0	8	2.3				
	0	3	1.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 28501-29000	Lab No.: 58	Field No.: 58
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 19-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100.0				
	98	100	99.8				
	85	100	94.8				
	35	100	55.4				
	0	50	17.9				
	0	8	2.8				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 29001-29500	Lab No.: 59	Field No.: 59
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 20-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	93.6			
630µm	35	100	53.2			
315µm	0	50	15.3			
160µm	0	8	3.4			
80µm	0	3	1.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 29501-30000	Lab No.: 60	Field No.: 60
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 20-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.2			
630µm	35	100	50.6			
315µm	0	50	14.2			
160µm	0	8	2.0			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	30001-30500	Lab No.:	61	Field No.:	61
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Dec-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	19-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	91.3			
630µm	35	100	46.3			
315µm	0	50	9.9			
160µm	0	8	1.7			
80µm	0	3	1.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 30501-31000	Lab No.: 62	Field No.: 62
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 22-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.4			
630µm	35	100	55.5			
315µm	0	50	15.0			
160µm	0	8	2.9			
80µm	0	3	1.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 31001-31500	Lab No.: 63	Field No.: 63
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 29-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.7			
630µm	35	100	54.5			
315µm	0	50	16.6			
160µm	0	8	2.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	31501-32000	Lab No.:	64	Field No.:	64
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	29-Dec-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		19-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
	MIN	MAX	TEST			
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	94.3			
630µm	35	100	56.8			
315µm	0	50	15.8			
160µm	0	8	3.0			
80µm	0	3	1.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 32001-32500	Lab No.: 65	Field No.: 65
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 29-Dec-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	94.7			
630µm	35	100	52.1			
315µm	0	50	14.8			
160µm	0	8	1.8			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	32501-33000	Lab No.:	66	Field No.:	66
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Dec-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	19-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.00			
SODIUM CHLORIDE	95		98.60			
INSOLUBLE MATTER		1	0.96			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.3				
	85	100	93.8				
	35	100	54.3				
	0	50	14.6				
	0	8	2.9				
	0	3	1.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 33001-33500	Lab No.: 67	Field No.: 67
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 2-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	94.2			
630µm	35	100	52.8			
315µm	0	50	15.3			
160µm	0	8	1.8			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 33501-34000	Lab No.: 68	Field No.: 68
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 2-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	92.7			
630µm	35	100	52.9			
315µm	0	50	15.1			
160µm	0	8	3.3			
80µm	0	3	1.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	34001-34500	Lab No.:	69	Field No.:	69
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	3-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	19-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	94.8			
630µm	35	100	54.3			
315µm	0	50	16.2			
160µm	0	8	2.4			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 34501-35000	Lab No.: 70	Field No.: 70
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 3-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

GRADATION	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	94.4			
630µm	35	100	55.2			
315µm	0	50	15.4			
160µm	0	8	3.4			
80µm	0	3	1.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	35001-35500	Lab No.:	71	Field No.:	71
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	3-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	19-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	94.3			
630µm	35	100	53.8			
315µm	0	50	16.7			
160µm	0	8	2.9			
80µm	0	3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 35501-36000	Lab No.: 72	Field No.: 72
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 4-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.8			
630µm	35	100	51.7			
315µm	0	50	12.3			
160µm	0	8	2.2			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)


APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM





**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 36001-36500	Lab No.: 73	Field No.: 73
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 5-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.2			
630µm	35	100	54.8			
315µm	0	50	16.0			
160µm	0	8	2.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 36501-37000	Lab No.: 74	Field No.: 74
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 5-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.2			
630µm	35	100	57.5			
315µm	0	50	15.9			
160µm	0	8	3.0			
80µm	0	3	1.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.


COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	37001-37500	Lab No.:	75	Field No.:	75
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	5-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	19-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.40			
SODIUM CHLORIDE	95		99.00			
INSOLUBLE MATTER		1	0.56			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	95.8				
	35	100	56.4				
	0	50	17.4				
	0	8	2.6				
	0	3	0.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 37501-38000	Lab No.: 76	Field No.: 76
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 6-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	100				
	85	100	94.1				
	35	100	52.0				
	0	50	14.0				
	0	8	2.8				
	0	3	1.7				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 38001-38500	Lab No.: 77	Field No.: 77
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.1				
	35	100	52.6				
	0	50	16.7				
	0	8	2.8				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 38501-39000	Lab No.: 78	Field No.: 78
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	18-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	95.4				
	35	100	58.4				
	0	50	17.1				
	0	8	3.4				
	0	3	1.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	39001-39500	Lab No.:	79	Field No.:	79
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	9-Jan-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		19-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	95.0			
630µm	35	100	54.7			
315µm	0	50	16.7			
160µm	0	8	2.6			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	39501-40000	Lab No.:	80	Field No.:	80
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Jan-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		19-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	91.8			
630µm	35	100	47.1			
315µm	0	50	11.4			
160µm	0	8	2.0			
80µm	0	3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	40001-40500	Lab No.:	81	Field No.:	81
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	19-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.4			
630µm	35	100	50.9			
315µm	0	50	14.4			
160µm	0	8	1.9			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	40501-41000	Lab No.:	82	Field No.:	82
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	11-Jan-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		19-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.9			
630µm	35	100	54.6			
315µm	0	50	15.3			
160µm	0	8	3.2			
80µm	0	3	1.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 41001-41500	Lab No.: 83	Field No.: 83
Manufacturer: NSC Minerals	Salt Type:	Alta. Trans. Fine
Date Sampled: 12-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.90			
INSOLUBLE MATTER		1	0.64			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	100				
	85	100	95.4				
	35	100	55.3				
	0	50	17.3				
	0	8	2.7				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 41501-42000	Lab No.: 84	Field No.: 84
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 12-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.0			
630µm	35	100	54.8			
315µm	0	50	14.2			
160µm	0	8	2.6			
80µm	0	3	1.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 42001-42500	Lab No.: 85	Field No.: 85
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.9			
630µm	35	100	53.9			
315µm	0	50	16.2			
160µm	0	8	2.4			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 42501-43000	Lab No.: 86	Field No.: 86
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.8			
630µm	35	100	54.3			
315µm	0	50	14.9			
160µm	0	8	3.3			
80µm	0	3	2.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 43001-43500	Lab No.: 87	Field No.: 87
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 14-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.5				
	35	100	53.5				
	0	50	14.4				
	0	8	3.3				
	0	3	2.0				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 43501-44000	Lab No.: 88	Field No.: 88
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 16-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.5				
	85	100	93.9				
	35	100	51.4				
	0	50	15.4				
	0	8	2.4				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 44001-44500	Lab No.: 89	Field No.: 89
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 16-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.6				
	85	100	94.1				
	35	100	56.8				
	0	50	17.8				
	0	8	4.6				
	0	3	2.9				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 44501-45000	Lab No.: 90	Field No.: 90
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 17-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	19-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.7			
630µm	35	100	54.6			
315µm	0	50	18.2			
160µm	0	8	3.4			
80µm	0	3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 45001-45500	Lab No.: 91	Field No.: 91
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 17-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	92.8			
630µm	35	100	48.6			
315µm	0	50	11.4			
160µm	0	8	2.0			
80µm	0	3	1.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 45501-46000	Lab No.: 92	Field No.: 92
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 18-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	95.2			
630µm	35	100	53.6			
315µm	0	50	14.9			
160µm	0	8	1.7			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	46001-46500	Lab No.:	93	Field No.:	93
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	18-Jan-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		20-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.20			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.78			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.1			
630µm	35	100	54.2			
315µm	0	50	14.9			
160µm	0	8	3.1			
80µm	0	3	1.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 46501-47000	Lab No.: 94	Field No.: 94
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 19-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.1			
630µm	35	100	52.0			
315µm	0	50	15.8			
160µm	0	8	2.7			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	47001-47500	Lab No.:	95	Field No.:	95
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	19-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	20-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.6			
630µm	35	100	54.9			
315µm	0	50	15.4			
160µm	0	8	3.4			
80µm	0	3	2.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 47501-48000	Lab No.: 96	Field No.: 96
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 21-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.9			
630µm	35	100	55.4			
315µm	0	50	16.7			
160µm	0	8	2.4			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 48001-48500	Lab No.: 97	Field No.: 97
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 24-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	94.6				
	35	100	55.0				
	0	50	13.7				
	0	8	2.5				
	0	3	1.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 48501-49000	Lab No.: 98	Field No.: 98
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 25-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	95.4			
630µm	35	100	55.1			
315µm	0	50	17.1			
160µm	0	8	2.3			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)


APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 49001-49500	Lab No.: 99	Field No.: 99
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 26-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.8			
630µm	35	100	53.9			
315µm	0	50	14.1			
160µm	0	8	2.6			
80µm	0	3	1.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	49501-50000	Lab No.:	100	Field No.:	100
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	27-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	20-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	100				
	85	100	99.6				
	35	100	71.6				
	0	50	25.5				
	0	8	4.1				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 50001-50500	Lab No.: 101	Field No.: 101
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 28-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.2			
630µm	35	100	54.2			
315µm	0	50	15.1			
160µm	0	8	3.2			
80µm	0	3	2.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 50501-51000	Lab No.: 102	Field No.: 102
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 30-Jan-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.6			
630µm	35	100	50.8			
315µm	0	50	15.3			
160µm	0	8	2.2			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	51001-51500	Lab No.:	103	Field No.:	103
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	20-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		99.00			
INSOLUBLE MATTER		1	0.64			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100.0				
	98	100	99.9				
	85	100	94.5				
	35	100	55.1				
	0	50	15.4				
	0	8	3.2				
	0	3	2.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	51501-52000	Lab No.:	104	Field No.:	104
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	31-Jan-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	20-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	93.7				
	35	100	49.8				
	0	50	14.8				
	0	8	2.5				
	0	3	0.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 52001-52500	Lab No.: 105	Field No.: 105
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 1-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.1			
630µm	35	100	52.9			
315µm	0	50	16.4			
160µm	0	8	2.8			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 52501-53000	Lab No.: 106	Field No.: 106
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 2-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.4			
630µm	35	100	52.7			
315µm	0	50	15.3			
160µm	0	8	2.2			
80µm	0	3	1.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	53001-53500	Lab No.:	107	Field No.:	107
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Feb-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	20-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	95.5			
630µm	35	100	56.8			
315µm	0	50	17.7			
160µm	0	8	2.3			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 53501-54000	Lab No.: 108	Field No.: 108
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 2-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	94.0				
	35	100	49.9				
	0	50	12.1				
	0	8	2.2				
	0	3	1.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	54001-54500	Lab No.:	109	Field No.:	109
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	2-Feb-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		20-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	94.3			
630µm	35	100	51.1			
315µm	0	50	15.0			
160µm	0	8	2.1			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 54501-55000	Lab No.: 110	Field No.: 110
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 3-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	20-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	97.2			
630µm	35	100	72.4			
315µm	0	50	30.1			
160µm	0	8	5.8			
80µm	0	3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 55001-55500	Lab No.: 111	Field No.: 111
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 6-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	100				
	85	100	97.8				
	35	100	73.6				
	0	50	32.0				
	0	8	3.5				
	0	3	0.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 55501-56000	Lab No.: 112	Field No.: 112
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 6-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	98.2			
630µm	35	100	78.2			
315µm	0	50	32.8			
160µm	0	8	5.0			
80µm	0	3	1.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 56001-56500	Lab No.: 113	Field No.: 113
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.9			
1250µm	85	100	97.6			
630µm	35	100	73.2			
315µm	0	50	33.5			
160µm	0	8	4.6			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	56501-57000	Lab No.:	114	Field No.:	114
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	7-Feb-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		24-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.60			
INSOLUBLE MATTER		1	0.90			
MOISTURE CONTENT		1	0.00			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	100.0			
1250µm	85	100	97.4			
630µm	35	100	72.5			
315µm	0	50	29.4			
160µm	0	8	5.4			
80µm	0	3	2.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 57001-57500	Lab No.: 115	Field No.: 115
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.6			
1250µm	85	100	95.1			
630µm	35	100	61.3			
315µm	0	50	26.4			
160µm	0	8	6.6			
80µm	0	3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 57501-58000	Lab No.: 116	Field No.: 116
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.9			
1250µm	85	100	95.4			
630µm	35	100	62.2			
315µm	0	50	22.8			
160µm	0	8	6.5			
80µm	0	3	3.3	0.3		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	58001-58500	Lab No.:	117	Field No.:	117
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Feb-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		24-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	95.1				
	35	100	60.2				
	0	50	23.9				
	0	8	5.6				
	0	3	0.9				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	58501-59000	Lab No.:	118	Field No.:	118
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	9-Feb-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	24-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	92.2			
630µm	35	100	49.5			
315µm	0	50	13.4			
160µm	0	8	3.3			
80µm	0	3	2.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	59001-59500	Lab No.:	119	Field No.:	119
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	10-Feb-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	24-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	91.6			
630µm	35	100	47.2			
315µm	0	50	13.0			
160µm	0	8	2.1			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 59501-60000	Lab No.: 120	Field No.: 120
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	92.0			
630µm	35	100	48.7			
315µm	0	50	12.7			
160µm	0	8	3.6			
80µm	0	3	2.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 60001-60500	Lab No.: 121	Field No.: 121
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.1			
630µm	35	100	53.3			
315µm	0	50	17.5			
160µm	0	8	3.0			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 60501-61000	Lab No.: 122	Field No.: 122
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 13-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	93.1				
	35	100	53.8				
	0	50	14.6				
	0	8	2.9				
	0	3	2.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	61001-61500	Lab No.:	123	Field No.:	123
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Feb-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	24-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.9				
	35	100	55.2				
	0	50	18.1				
	0	8	3.3				
	0	3	0.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 61501-62000	Lab No.: 124	Field No.: 124
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 15-Feb-23	Production Location: Vanscoy	
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.60			
SODIUM CHLORIDE	95		98.20			
INSOLUBLE MATTER		1	1.36	0.36		
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.8			
1250µm	85	100	95.0			
630µm	35	100	58.3			
315µm	0	50	18.7			
160µm	0	8	4.6			
80µm	0	3	1.8			

1.8

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 62001-62500	Lab No.: 125	Field No.: 125
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 15-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	24-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	94.2			
630µm	35	100	54.4			
315µm	0	50	16.8			
160µm	0	8	2.5			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	62501-63000	Lab No.:	126	Field No.:	126
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	17-Feb-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	26-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.8			
630µm	35	100	55.3			
315µm	0	50	15.5			
160µm	0	8	4.0			
80µm	0	3	2.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 63001-63500	Lab No.: 127	Field No.: 127
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 20-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.5				
	85	100	93.2				
	35	100	52.5				
	0	50	15.3				
	0	8	2.8				
	0	3	0.7				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 63501-64000	Lab No.: 128	Field No.: 128
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 21-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	93.7			
630µm	35	100	53.3			
315µm	0	50	13.7			
160µm	0	8	3.2			
80µm	0	3	2.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 64001-64500	Lab No.: 129	Field No.: 129
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 21-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.2			
630µm	35	100	51.1			
315µm	0	50	14.6			
160µm	0	8	2.2			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 64501-65000	Lab No.: 130	Field No.: 130
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 22-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.2				
	35	100	54.6				
	0	50	13.6				
	0	8	2.5				
	0	3	2.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 65001-65500	Lab No.: 131	Field No.: 131
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 23-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.4			
630µm	35	100	54.9			
315µm	0	50	16.9			
160µm	0	8	2.9			
80µm	0	3	0.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 65501-66000	Lab No.: 132	Field No.: 132
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 24-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	93.8				
	35	100	54.5				
	0	50	14.6				
	0	8	2.9				
	0	3	2.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 66001-66500	Lab No.: 133	Field No.: 133
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 27-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.60			
INSOLUBLE MATTER		1	0.88			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.0			
630µm	35	100	51.4			
315µm	0	50	14.3			
160µm	0	8	1.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 66501-67000	Lab No.: 134	Field No.: 134
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 27-Feb-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	26-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.5			
630µm	35	100	51.5			
315µm	0	50	12.3			
160µm	0	8	2.3			
80µm	0	3	1.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	67001-67500	Lab No.:	135	Field No.:	135
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Feb-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	26-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	93.8				
	35	100	50.2				
	0	50	13.5				
	0	8	1.9				
	0	3	0.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	67501-68000	Lab No.:	136	Field No.:	136
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Mar-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	27-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	95.0			
630µm	35	100	53.7			
315µm	0	50	13.6			
160µm	0	8	2.5			
80µm	0	3	1.9			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.: 68001-68500	Lab No.: 137	Field No.: 137
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 2-Mar-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	27-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	94.8				
	35	100	54.9				
	0	50	16.7				
	0	8	2.5				
	0	3	0.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	68501-69000	Lab No.:	138	Field No.:	138
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	3-Mar-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		27-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.9				
	85	100	93.3				
	35	100	49.8				
	0	50	12.2				
	0	8	2.5				
	0	3	1.8				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	69001-69500	Lab No.:	139	Field No.:	139
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Mar-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		27-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	92.8			
630µm	35	100	51.7			
315µm	0	50	16.4			
160µm	0	8	2.6			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	39501-70000	Lab No.:	140	Field No.:	140
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Mar-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		27-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	94.8				
	35	100	58.3				
	0	50	17.7				
	0	8	4.0				
	0	3	2.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	70001-70500	Lab No.:	141	Field No.:	141
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Mar-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	27-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	94.7			
630µm	35	100	56.7			
315µm	0	50	18.5			
160µm	0	8	2.8			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.: 70501-71000	Lab No.: 142	Field No.: 142
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Mar-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	27-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	94.6				
	35	100	56.9				
	0	50	16.4				
	0	8	3.6				
	0	3	2.5				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	71001-71500	Lab No.:	143	Field No.:	143
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	13-Mar-23	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		27-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		98.50			
INSOLUBLE MATTER		1	0.98			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	95.0			
630µm	35	100	56.8			
315µm	0	50	18.9			
160µm	0	8	3.2			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.: 71501-72000	Lab No.: 144	Field No.: 144
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 16-Mar-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	27-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.5				
	35	100	55.5				
	0	50	15.5				
	0	8	3.2				
	0	3	2.2				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.: **72001-72500** Lab No.: **145** Field No.: **145**

Manufacturer: **NSC Minerals** Salt Type: **Alta. Trans. Fine**

Date Sampled: **21-Mar-23** Production Location: **Vanscoy**

Date Received: **13-Apr-23** Date Tested: **27-Apr-23**

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	93.8			
630µm	35	100	52.5			
315µm	0	50	15.5			
160µm	0	8	2.4			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.: 72501-73000	Lab No.: 146	Field No.: 146
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 24-Mar-23	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	27-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.7			
630µm	35	100	57.9			
315µm	0	50	16.9			
160µm	0	8	4.0			
80µm	0	3	2.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project Number EA16475

Lot No.:	73001-73500	Lab No.:	147	Field No.:	147
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	28-Mar-23	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	27-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	98	85	35	0	0	0
	100	100	100	100	50	8	3
	100	99.8	94.7	56.6	17.3	2.4	0.1

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	96000-96500	Lab No.:	47	Field No.:	193
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Aug-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		17-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		98.50			
INSOLUBLE MATTER		1	1.00			
MOISTURE CONTENT		1	0.20			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.0			
630µm	35	100	86.4			
315µm	0	50	20.7			
160µm	0	8	3.9			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 96501-97000	Lab No.: 48	Field No.: 194
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 8-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

SIZE	MIN	MAX	TEST	ADJUSTMENT		
10000µm			100			
5000µm	100	100	99.1	-0.9		
2500µm	98	100	97.9	-0.1		
1250µm	85	100	92.2			
630µm	35	100	62.1			
315µm	0	50	22.5			
160µm	0	8	4.2			
80µm	0	3	1.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 97001-97500	Lab No.: 49	Field No.: 195
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.1			
1250µm	85	100	94.1			
630µm	35	100	54.5			
315µm	0	50	17.8			
160µm	0	8	2.9			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 97501-98000	Lab No.: 50	Field No.: 196
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 12-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm			100			
5000µm	100	100	99.5	-0.5		
2500µm	98	100	99.0			
1250µm	85	100	91.5			
630µm	35	100	50.4			
315µm	0	50	14.7			
160µm	0	8	2.5			
80µm	0	3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	98001-98500	Lab No.:	51	Field No.:	197
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	15-Aug-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	93.4			
630µm	35	100	54.0			
315µm	0	50	17.6			
160µm	0	8	1.6			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 98501-99000	Lab No.: 52	Field No.: 198
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 15-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100					
	98	100					
	85	100					
	35	100					
	0	50					
	0	8					
	0	3					

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 99001-99500	Lab No.: 53	Field No.: 199
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 17-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm			100			
5000µm	100	100	99.2	-0.8		
2500µm	98	100	98.9			
1250µm	85	100	94.2			
630µm	35	100	58.8			
315µm	0	50	19.1			
160µm	0	8	4.0			
80µm	0	3	2.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	99501-100000	Lab No.:	54	Field No.:	200
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	22-Aug-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	94.6			
630µm	35	100	55.6			
315µm	0	50	15.3			
160µm	0	8	3.3			
80µm	0	3	2.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 100001-100500	Lab No.: 55	Field No.: 201
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 23-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm			100			
5000µm	100	100	99.7	-0.3		
2500µm	98	100	99.1			
1250µm	85	100	93.0			
630µm	35	100	46.8			
315µm	0	50	9.6			
160µm	0	8	0.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 100501-101000	Lab No.: 56	Field No.: 202
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 24-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm			100			
5000µm	100	100	99.3	-0.7		
2500µm	98	100	98.5			
1250µm	85	100	92.0			
630µm	35	100	51.7			
315µm	0	50	14.0			
160µm	0	8	2.3			
80µm	0	3	1.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	101001-101500	Lab No.:	57	Field No.:	203
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	26-Aug-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		98.40			
INSOLUBLE MATTER		1	1.07	0.07		
MOISTURE CONTENT		1	0.20			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm			100			
5000µm	100	100	99.1	-0.9		
2500µm	98	100	98.4			
1250µm	85	100	91.5			
630µm	35	100	49.2			
315µm	0	50	15.0			
160µm	0	8	2.3			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	1001501-102000	Lab No.:	58	Field No.:	204
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	29-Aug-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm			100			
5000µm	100	100	99.2	-0.8		
2500µm	98	100	98.5			
1250µm	85	100	91.9			
630µm	35	100	49.4			
315µm	0	50	15.0			
160µm	0	8	2.4			
80µm	0	3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	102001-102500	Lab No.:	59	Field No.:	205
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	30-Aug-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	98	85	35	0	0	0
100	100	100	100	100	50	8	3
	99.0	97.3	90.5	53.3	16.7	3.4	2.1
		-0.7					

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 102501-103000	Lab No.: 60	Field No.: 206
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 31-Aug-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.7			
1250µm	85	100	92.1			
630µm	35	100	46.5			
315µm	0	50	10.4			
160µm	0	8	0.9			
80µm	0	3	0.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	103001-103500	Lab No.:	61	Field No.:	207
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	1-Sep-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		17-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	94.2			
630µm	35	100	52.9			
315µm	0	50	12.5			
160µm	0	8	2.2			
80µm	0	3	1.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 103501-104000	Lab No.: 62	Field No.: 207
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 2-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	93.9			
630µm	35	100	54.3			
315µm	0	50	16.8			
160µm	0	8	2.4			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 104001-104500	Lab No.: 63	Field No.: 209
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 6-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	94.0				
	35	100	56.9				
	0	50	17.1				
	0	8	3.4				
	0	3	2.0				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	104501-105000	Lab No.:	64	Field No.:	210
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	6-Sep-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		17-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.6				
	85	100	93.9				
	35	100	56.3				
	0	50	18.9				
	0	8	3.1				
	0	3	0.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 105001-105500	Lab No.: 65	Field No.: 211
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm			100			
5000µm	100	100	99.9	-0.1		
2500µm	98	100	99.8			
1250µm	85	100	96.6			
630µm	35	100	64.2			
315µm	0	50	21.0			
160µm	0	8	4.6			
80µm	0	3	2.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 105501-106000	Lab No.: 66	Field No.: 212
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 7-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	98	85	35	0	0	0
100	100	100	100	100	50	8	3
	99.8	99.5	95.9	61.2	20.4	2.8	0.2

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	106001-106500	Lab No.:	67	Field No.:	213
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.00			
SODIUM CHLORIDE	95		98.60			
INSOLUBLE MATTER		1	0.93			
MOISTURE CONTENT		1	0.10			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION

10000µm			100			
5000µm	100	100	99.6	-0.4		
2500µm	98	100	99.1			
1250µm	85	100	95.4			
630µm	35	100	61.5			
315µm	0	50	19.9			
160µm	0	8	4.4			
80µm	0	3	1.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	106501-107000	Lab No.:	68	Field No.:	214
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	8-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

	MIN	MAX	TEST	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm			100		
5000µm	100	100	99.5	-0.5	
2500µm	98	100	99.2		
1250µm	85	100	94.6		
630µm	35	100	55.7		
315µm	0	50	17.0		
160µm	0	8	2.2		
80µm	0	3	0.1		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 107001-107500	Lab No.: 69	Field No.: 215
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 9-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

SIZE	MIN	MAX	TEST	MULTIPLY FACTOR	ADJUSTMENT POINTS
10000µm			100		
5000µm	100	100	99.8	-0.2	
2500µm	98	100	99.4		
1250µm	85	100	94.1		
630µm	35	100	53.7		
315µm	0	50	13.4		
160µm	0	8	2.5		
80µm	0	3	1.8		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 107501-108000	Lab No.: 70	Field No.: 216
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 11-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	92.6			
630µm	35	100	44.2			
315µm	0	50	8.5			
160µm	0	8	0.7			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT /AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	108001-108500	Lab No.:	71	Field No.:	217
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	12-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.4			
1250µm	85	100	93.3			
630µm	35	100	49.0			
315µm	0	50	8.9			
160µm	0	8	1.0			
80µm	0	3	0.5			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	108501-109000	Lab No.:	72	Field No.:	218
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Sep-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		17-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION

10000µm						
5000µm	100	100	100.0			
2500µm	98	100	99.5			
1250µm	85	100	93.0			
630µm	35	100	45.9			
315µm	0	50	9.5			
160µm	0	8	0.7			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	109001-109500	Lab No.:	73	Field No.:	219
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	14-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.7				
	85	100	93.5				
	35	100	48.0				
	0	50	8.5				
	0	8	0.6				
	0	3	0.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	109501-110000	Lab No.:	74	Field No.:	220
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	15-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.5			
1250µm	85	100	95.2			
630µm	35	100	58.2			
315µm	0	50	20.6			
160µm	0	8	3.8			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 110001-110500	Lab No.: 75	Field No.: 221
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 15-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm			100			
5000µm	100	100	99.3	-0.7		
2500µm	98	100	99.1			
1250µm	85	100	93.3			
630µm	35	100	48.7			
315µm	0	50	8.5			
160µm	0	8	1.1			
80µm	0	3	1.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	110501-111000	Lab No.:	76	Field No.:	222
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	19-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

SIZE	MIN	MAX	TEST	ADJUSTMENT		
10000µm			100			
5000µm	100	100	98.6	-1.4		
2500µm	98	100	98.1			
1250µm	85	100	93.7			
630µm	35	100	51.9			
315µm	0	50	11.8			
160µm	0	8	1.2			
80µm	0	3	0.0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	111001-111500	Lab No.:	77	Field No.:	223
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	19-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.20			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.76			
MOISTURE CONTENT		1	0.30			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			
GRADATION						
10000µm			100			
5000µm	100	100	98.4	-1.6		
2500µm	98	100	97.5	-0.5		
1250µm	85	100	92.7			
630µm	35	100	52.2			
315µm	0	50	10.3			
160µm	0	8	2.2			
80µm	0	3	2.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	111501-112000	Lab No.:	78	Field No.:	224
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	19-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm			100			
5000µm	100	100	98.7	-1.3		
2500µm	98	100	97.7	-0.3		
1250µm	85	100	90.4			
630µm	35	100	42.6			
315µm	0	50	8.8			
160µm	0	8	0.7			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 112001-112500	Lab No.: 79	Field No.: 225
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 20-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100	100	100	100	100
	100	100	99.4	-0.6			
	98	100	98.4				
	85	100	91.9				
	35	100	44.8				
	0	50	8.6				
	0	8	1.3				
	0	3	1.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	112501-113000	Lab No.:	80	Field No.:	226
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	21-Sep-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		17-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100.0				
	98	100	99.1				
	85	100	94.5				
	35	100	54.2				
	0	50	16.0				
	0	8	2.0				
	0	3	0.1				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	113001-113500	Lab No.:	81	Field No.:	227
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	22-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm			100			
5000µm	100	100	99.3	-0.7		
2500µm	98	100	99.0			
1250µm	85	100	95.2			
630µm	35	100	59.7			
315µm	0	50	18.7			
160µm	0	8	4.1			
80µm	0	3	2.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	113501-114000	Lab No.:	82	Field No.:	228
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	22-Sep-22	Production Location:	Vanscoy		
Date Received:	13-Apr-23	Date Tested:	17-Apr-23		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

GRADATION	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	95.6			
630µm	35	100	58.6			
315µm	0	50	19.1			
160µm	0	8	3.4			
80µm	0	3	0.8			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 114001-114500	Lab No.: 83	Field No.: 229
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 23-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.4			
1250µm	85	100	95.4			
630µm	35	100	58.6			
315µm	0	50	17.4			
160µm	0	8	3.4			
80µm	0	3	2.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 114501-115000	Lab No.: 84	Field No.: 230
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 26-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	100			
1250µm	85	100	95.7			
630µm	35	100	57.2			
315µm	0	50	19.3			
160µm	0	8	3.4			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.


If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT _____ /AREA MANAGER

Comments: _____

Tested by: IH

Reviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 115001-115500	Lab No.: 85	Field No.: 231
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 26-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	95.1			
630µm	35	100	55.8			
315µm	0	50	18.7			
160µm	0	8	3.4			
80µm	0	3	2.6			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.:	115501-116000	Lab No.:	86	Field No.:	232
Manufacturer:	NSC Minerals	Salt Type		Alta. Trans. Fine	
Date Sampled:	27-Sep-22	Production Location:		Vanscoy	
Date Received:	13-Apr-23	Date Tested:		17-Apr-23	

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	99.8				
	85	100	95.3				
	35	100	56.2				
	0	50	17.7				
	0	8	2.8				
	0	3	0.3				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 116001-116500	Lab No.: 87	Field No.: 233
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 27-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98		99.40			
SODIUM CHLORIDE	95		99.00			
INSOLUBLE MATTER		1	0.61			
MOISTURE CONTENT		1	0.19			
CN WATER SOLUBLE			<0.05			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.02			

GRADATION						
10000µm			100			
5000µm	100	100	99.5	-0.5		
2500µm	98	100	99.3			
1250µm	85	100	94.5			
630µm	35	100	57.7			
315µm	0	50	16.5			
160µm	0	8	3.5			
80µm	0	3	2.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM 

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 116501-117000	Lab No.: 88	Field No.: 234
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 28-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm			100			
5000µm	100	100	99.8	-0.2		
2500µm	98	100	98.9			
1250µm	85	100	94.3			
630µm	35	100	52.7			
315µm	0	50	15.5			
160µm	0	8	2.0			
80µm	0	3	0.2			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Wood Project No: EA16475

Lot No.: 117001-117500	Lab No.: 89	Field No.: 235
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 28-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION

10000µm	5000µm	2500µm	1250µm	630µm	315µm	160µm	80µm
	100	100	100				
	98	100	100				
	85	100	97.2				
	35	100	61.9				
	0	50	19.1				
	0	8	3.8				
	0	3	2.9				

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM

**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 117501-118000	Lab No.: 90	Field No.: 236
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 29-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.6			
1250µm	85	100	95.4			
630µm	35	100	56.4			
315µm	0	50	17.6			
160µm	0	8	2.6			
80µm	0	3	0.4			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IHReviewed by: GM 



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

WSP Project No: EA16475

Lot No.: 118001-118500	Lab No.: 91	Field No.: 237
Manufacturer: NSC Minerals	Salt Type	Alta. Trans. Fine
Date Sampled: 29-Sep-22	Production Location:	Vanscoy
Date Received: 13-Apr-23	Date Tested:	17-Apr-23

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.19			

GRADATION						
10000µm			100			
5000µm	100	100	99.5	-0.5		
2500µm	98	100	99.2			
1250µm	85	100	94.8			
630µm	35	100	56.7			
315µm	0	50	15.9			
160µm	0	8	3.2			
80µm	0	3	2.7			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:

Tested by: IH

Reviewed by: GM



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	0-500	Lab No.:	1	Field No.:	1
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Nov. 1, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.33			

GRADATION

10000µm						
5000µm	100	100	99.8	-0.2		
2500µm	98	100	99.6			
1250µm	85	100	94.2			
630µm	35	100	56.8			
315µm	0	50	15.8			
160µm	0	8	1.8			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

 /AREA MANAGER

Comments:



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	500-1000	Lab No.:	2	Field No.:	2
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Nov. 2, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.38			

GRADATION						
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.6			
630µm	35	100	58.3			
315µm	0	50	16.7			
160µm	0	8	1.8			
80µm	0	3	0.3			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	1000-1500	Lab No.:	3	Field No.:	3
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Nov. 7, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.22			

GRADATION						
10000µm						
5000µm	100	100	99.5	-0.5		
2500µm	98	100	99.3			
1250µm	85	100	93.7			
630µm	35	100	55.9			
315µm	0	50	14.8			
160µm	0	8	1.5			
80µm	0	3	0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT  /AREA MANAGER

Comments:



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	1500-2000	Lab No.:	4	Field No.:	4
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Nov. 13, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
	MIN	MAX	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
10000µm						
5000µm	100	100	100			
2500µm	98	100	99.8			
1250µm	85	100	94.1			
630µm	35	100	56.3			
315µm	0	50	14.6			
160µm	0	8	1.5			
80µm	0	3	0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	14000-14500	Lab No.:	5	Field No.:	29
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Mar. 6, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.04			

GRADATION						
10000µm						
5000µm	100	100	99.8	-0.2		
2500µm	98	100	99.5			
1250µm	85	100	90.5			
630µm	35	100	25.2	-9.8		
315µm	0	50	0.5			
160µm	0	8	0.1			
80µm	0	3	0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT  /AREA MANAGER

Comments:



**TEST REPORT & PAY ADJUSTMENT
FOR GRANULAR SODIUM CHLORIDE**

Lot No.:	14500-15000	Lab No.:	6	Field No.:	30
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Mar. 22, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.14			

GRADATION						
10000µm						
5000µm	100	100	99.5	-0.5		
2500µm	98	100	99.5			
1250µm	85	100	88.6			
630µm	35	100	19.7	-15.3		
315µm	0	50	0.4			
160µm	0	8	0.1			
80µm	0	3	0.1			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT  /AREA MANAGER

Comments:



TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	15000-15500	Lab No.:	7	Field No.:	31
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Mar. 22, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.17			

GRADATION						
10000µm						
5000µm	100	100	99.8	-0.2		
2500µm	98	100	99.7			
1250µm	85	100	94.0			
630µm	35	100	56.0			
315µm	0	50	16.1			
160µm	0	8	1.9			
80µm	0	3	0			

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

 /AREA MANAGER

Comments:



TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Lot No.:	15500-16000	Lab No.:	8	Field No.:	32
Manufacturer:	NSC Minerals	Salt Type	Alta. Trans. Fine		
Date Sampled:	Aug. 17, 2023	Production Location:	Vanscoy		
Date Received:	Nov. 17, 2023	Date Tested:	Dec. 15, 2023		

TEST	SPECIFICATION LIMITS		TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
	MIN	MAX				
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.21			

GRADATION						
10000µm						
5000µm	100	100	99.9	-0.1		
2500µm	98	100	99.5	0		
1250µm	85	100	94.5			
630µm	35	100	58.8			
315µm	0	50	16.3			
160µm	0	8	1.3	0		
80µm	0	3	0.2	0		

PAYMENT ADJUSTMENT (PERCENT) = TOTAL OF ADJUSTMENT POINTS

NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments: