					Bridg	e Culve								
	dge File Number 01065 -1 Bridge Culvert							Form Type		CUL1				
Year Built 1994							Lot No.		4					
Bridge or Town	n Name	PEKISK					Inspector Name			Jon Davies				
Located Over		IIMAL, OVER SP				tor Class		BR CLS B						
Located On 540:02 C1 5.980						Assistant Name								
Water Body Cl./Year							Assistant Class							
Navigabil. Cl./Year							Inspection Date		09-Mar-2013					
Legal Land Location NW SEC 13				13 TWP 17 RGE 2 W5M				Data Entry By		Lauren Korte				
Longitude, Lat	:24, 50:26:17	24, 50:26:17				Data Entry Date		01-Apr-2013						
Road Authority Alberta Tr			Fransportation (AIT)				Reviewer Name		Garry Roberts					
Contract Main.	,					Review Date		17-Mar-2013						
Clear Roadway/Skew 9.5 /							Dept. Reviewer Name		Tim Davies					
AADT/Year		150 / 20	011 (A)				Dept. Review Date		08-Apr-2013					
Road Classific	ation	RCU-20	09-110				Follow-Up By							
Detour Length	(km)	3												
Bridge Culver		ation												
Number of Cul	verts		1											
Pipe #	Barrel		Span	Rise (or		Туре		Length		Corr. Profile	PI./Slab Thickness	Shape		
1	MAIN		-	2200		MP		42		125X26	2.8	ROUND		
Special Featur	es		CONC FLOO	OR										
Special Featur	es Comi	ment												
					Ро	sting Ir	nformat	ion						
Required Vert.														
Posted Vertica														
Posted: Lane			Bridge (m)	In Adv	/ance (	(Y/N)	No L	ane SB	0	n Bridge (m)	In Advar	nce (Y/N) No		
Remarks	Not re	equired.												
					Uti	ilities (L	ocated	at)						
Utility Attachm														
Telephone	West						Gas							
Power	East F	R/W.					Munici							
Others							Proble	m (Y/N)	No					
Remarks	Powe	r crossin	g 30m South											
				Α				ankment						
					Last	Now		nation of C						
Horizontal Alig					6	6	Curve	Curve & hill to South with poor site distance						
Vertical Alignm	nent				6	6								
Roadway Widt	h (m)		9.500											
	()		0.000											
Embankment				7	7									
Sideslope (:1)		3.0												
(Height of Co	over(m) :	: 3)												
Guardrail (Y/N)		Yes			West side only.									
Approach Road / Embankment		nt General R	ating	6	6									
						Haatus	om En							
Culvert Comp	onent				Last		Evola	nation of C	Condi	tion				
Culvert Component Direction				E	140W	LAPIdi	iation of C	Jonali						
	· (Conor	nto Star	J QTEF!		_		-							
Others, None)	Concr	ele, Siee	el, STEEL		V	V								
Headwall					X	X								

01065 -1 Bridge Culvert

	Upstream End										
Culvert Component		Last	Now	Explanation of Condition							
Collar		X	X								
Wingwalls		Х	Х								
(Shape: )			1								
Cutoff Wall		Х	X								
Bevel End		7	7								
Heaving (mm)	50										
Invert Above/Below Stream Bed	BELOW										
Above/Below (mm)	1000										
Scour Protection		7	7								
(Type : <b>NATURAL</b> )											
(Avg. Rock Size(mm):)											
Scour/Erosion		7	7								
Beavers (Y/N)	No										
Upstream End General Rating		7	7								
		Brid	dae Cu	lvert Barrel							
Culvert Component		Last	Now	Explanation of Condition							
(Pipe # : 1, Primary Span, Loca	tion Code: MAIN. Spa			, Rise (mm): 2200, Type: MP)							
Barrel Last Accessible Date	08-Mar-2013		<del>/·</del>	, rues (min): <b>22</b> 55, 13ps: min /							
Dairor East / toossolbie Date	00 Mai 2010										
Special Features			1								
Special Feature			7								
(Type : CONC FLOOR)											
Special Feature											
(Type:)											
Roof		8	8	Estimate.							
Measured Rise (mm)											
Measured At Ring No.											
Sag (mm)	20										
Percent Sag	1		1								
Sidewall		8	8								
Measured Span (mm)	2190										
Measured At Ring No.	3			Inward.							
Deflection (mm)	10			iliwalu.							
Percent Deflection	1		_								
Floor		N	N	Concrete covered - 150mm deep.							
Bulge (mm)	0										
Measured At Ring No.											
Abrasion (Y/N)	No										
Circumferential Seams		7	7								
Separation (mm)	35										
Longitudinal Seams		Х	X								
Total No. of Cracked Rings	0										
Total No. of Rings with Two Cracked Seams	0										
Min. Remaining Steel Between Cracks (mm)	0										
Proper Lap (Y/N)											
Longitudinal Stagger (Y/N)											

Bridge Culvert Barrel									
<b>Culvert Component</b>		Last	Now	Explanation of Condition					
(Pipe # : 1, Primary Span, Loca	tion Code: MAIN, Spa	n (mm	):	, Rise (mm): 2200, Type: MP)					
Coating		7	7						
Corrosion By Soil (Y/N)	No								
Corrosion By Water (Y/N)	No								
Camber POS/ZERO/NEG	ZERO								
Ponding (Y/N)	No								
Fish Passage Adequacy		Х	Х						
Baffle		Х	Х						
(Type:)									
Waterway Adequacy		7	7	Handles drainage.					
Icing (Y/N)	No								
Silting (Y/N)	No								
Drift (Y/N)	No								
Barrel General Rating		8	8						
		D	ownstr	eam End					
Culvert Component		Last	Now	Explanation of Condition					
Direction		W		West.					
End Treatment (Concrete, Steel, Others, None)	STEEL								
Headwall		Х	X						
Collar		Х	Х						
Wingwalls		Х	Х						
(Shape: )									
Cutoff Wall		Х	X						
Bevel End		7	7						
Heaving (mm)	0								
Invert Above/Below Stream Bed	ABOVE								
Above/Below (mm)	250								
Scour Protection		7	7						
(Type: RIP RAP)									
(Avg. Rock Size(mm):)			_						
Scour/Erosion		7	7						
Beavers (Y/N)	No								
Downstream End General Ratio	ng	7	7						
		s	tructur	re Usage					
		Last	Now	Explanation of Condition					
Grade Separation									
Road Alignment		X	X	Concrete apron extends 3m.					
Roadway Surface		7	7						
(Type : <b>SOIL</b> )									
Icing (Y/N)	No								
Traffic Safety Features		Х	Х						
Туре	NONE								

Structure Usage									
· ·		Last	Now	Explanation of Condition					
Lighting		X	X						
Barrel Leakage (Y/N) No									
Drainage		7	7						
Structure In Use (Y/N) Yes									
Grade Separation General Rating			7						

			Mainter	nance Recomme	ndations					
Inspector Recommendations	Year	Inspecto	or Comments		Department Con	nments		Target Year	Est. Cost	Cat #
SHOTCRETE REPAIRS										
PLACE ADDITIONAL RIP RAP										
REMOVE DRIFT ACCUMULATION										
INSTALL CONCRETE/STEEL LINING	3									
INSTALL STRUTS										
INSTALL CONCRETE COLLAR/CUT	OFF									
REPAIR SEAMS										
OTHER ACTION										
OTHER ACTION										
OTHER ACTION										
OTHER ACTION										
Structural Condition Rating (Last/N (%)	low) 88.9/	88.9	Sufficiency Rating (Last/Now) (%)		82.8/82.8	Est. Repl. Yr	2045 Maint		qd. (Y/N)	No
Special Comments for Next Inspection					Department Comments					
Maintenance Reviewed By					Date		E	Estimated Tota	1 0	
Proposed Long-Term Strategy										
On 3-Year Program (Y/N)										
Proposed Action										
Previous Inspector's Name	Garry Rober	ts		Previou	s Assistant's Name					
Next Inspection Date	09-Jun-2016			Previou	s Inspection Date	07-Oct-2009				
Inspection Cycle (Default) (months)	39			'						
Comment										