Shape								
ROUND								
ROUND								
-								
Utilities (Located at) Utility Attachments Gas								

			Upstre	am End
Culvert Component		Last		Explanation of Condition
(Pipe # : 1 , Span Type:)	I			
Wingwalls		Х		
(Shape :)	I			
Cutoff Wall		Х		
Bevel End		9		
Heaving (mm)				
Invert Above/Below Stream Bed				-
Above/Below (mm)				
Scour Protection		9		
(Type : RIP RAP)				-
(Avg. Rock Size(mm) : 300)			1	
Scour/Erosion		9		
Beavers (Y/N)				
Upstream End General Rating		9		
Culvert Compensat				Ivert Barrel
Culvert Component (Pipe # : 1, Primary Span, Locat			Now	Explanation of Condition , Rise (mm): 1400, Type: MP)
	ion Code. MAIN, Spai	<u>, (iiiiii</u>	<u>)</u> .	
Barrel Last Accessible Date				
Special Features	· · · · · · · · · · · · · · · · · · ·			
Special Feature				
(Туре:)				
Special Feature				
(Туре:)				
Roof		9		
Measured Rise (mm)				
Measured At Ring No.				
Sag (mm)				
Percent Sag				
Sidewall		9		
Measured Span (mm)				
Measured At Ring No.				
Deflection (mm)				
Percent Deflection				
Floor		9		
Bulge (mm)				
Measured At Ring No.				
Abrasion (Y/N)				
Circumferential Seams		8		
Separation (mm)				
Longitudinal Seams		Х		
Total No. of Cracked Rings				
Total No. of Rings with Two Cracked Seams				
Min. Remaining Steel Between Cracks (mm)				
Proper Lap (Y/N)				
				1

Alberta Transportation

		Brid	dge Cu	lvert Barrel
Culvert Component		Last		Explanation of Condition
(Pipe # : 1, Primary Span, Loc	ation Code: MAIN, Spar	n (mm):	, Rise (mm): 1400, Type: MP)
Coating		9		
Corrosion By Soil (Y/N)				
Corrosion By Water (Y/N)				
Camber POS/ZERO/NEG				
Ponding (Y/N)				
Fish Passage Adequacy		9		
Baffle		Х		
(Туре :)				
Waterway Adequacy		9		
Icing (Y/N)				
Silting (Y/N)				
Drift (Y/N)				
Barrel General Rating		9		
		-		
Outrast Osman su su t				vert Barrel
Culvert Component		Last	Now	Explanation of Condition
(Pipe # : 2, Secondary Span, L	ocation Code: MAIN, 5	pan (r	nm):	, Rise (mm): 1400, Type: MP)
Barrel Last Accessible Date				
Special Features			1	
Special Feature				
(Type :)				
Special Feature				
(Туре :)				
Roof		9		
Measured Rise (mm)				
Measured At Ring No.				
Sag (mm)				
Percent Sag				
Sidewall		9		
Measured Span (mm)				
Measured At Ring No.				
Deflection (mm)				
Percent Deflection				
Floor		9		
Bulge (mm)				
Measured At Ring No.				
Abrasion (Y/N)				
Circumferential Seams		8		
Separation (mm)				
Longitudinal Seams		Х		
Total No. of Cracked Rings				
Total No. of Rings with Two Cracked Seams				
Min. Remaining Steel Between Cracks (mm)				
Proper Lap (Y/N)				
Longitudinal Stagger (Y/N)				

Alberta Transportation

	В	ridge Cu	Ivert Barrel
Culvert Component	Last		Explanation of Condition
(Pipe # : 2, Secondary Span, Loc	ation Code: MAIN, Span	(mm):	, Rise (mm): 1400, Type: MP)
Coating	9		
Corrosion By Soil (Y/N)			
Corrosion By Water (Y/N)			
Camber POS/ZERO/NEG			
Ponding (Y/N)			
Fish Passage Adequacy	9		
Baffle	X		
(Type :)			
Waterway Adequacy	9		
Icing (Y/N)			
Silting (Y/N)			
Drift (Y/N)			
Barrel General Rating	9		
		Downst	ream End
Culvert Component	Last	t Now	Explanation of Condition
(Pipe # : 2, Span Type:)			
Direction	S		
End Treatment (Concrete, Steel, Others, None)			
Headwall	X		
Collar	X		
Wingwalls	X		
(Shape :)			
Cutoff Wall	X		
Bevel End	X		
Heaving (mm)			
Invert Above/Below Stream Bed			
Above/Below (mm)			
Scour Protection	9		
(Type : RIP RAP)			
(Avg. Rock Size(mm) : 300)			
Scour/Erosion	9		
Beavers (Y/N)			
Downstream End General Rating	g 9		
		Structu	re Usage
	Last		Explanation of Condition
Channel (U/S and D/S)			
Alignment	8		
Bank Stability	9		
HWM (m below Top of Culvert)			_
Drift (Y/N)			

Structure Usage						
		Last	Now	Explanation of Condition		
Channel Bottom Degrading/Aggrading						
Beavers (Y/N)						
(Fish Compensation Measure 1 : NONE)						
(Fish Compensation Measure 2 : NONE)						
Channel General Rating		8				

86016 W-2 Bridge Culvert

Maintenance Recommendations										
Inspector Recommendations	Year		Inspector Comments	Department Comments		Target Ye		Est. Cost	Cat #	
SHOTCRETE REPAIRS										
PLACE ADDITIONAL RIP RAP										
REMOVE DRIFT ACCUMULATION										
INSTALL CONCRETE/STEEL LINING	INSTALL CONCRETE/STEEL LINING									
INSTALL STRUTS	INSTALL STRUTS									
INSTALL CONCRETE COLLAR/CUTC	DFF									
REPAIR SEAMS										
OTHER ACTION										
OTHER ACTION										
OTHER ACTION										
OTHER ACTION										
Structural Condition Rating (Last/Now) 100.0/ (%)		100.0/	Sufficiency Rating (Last/Now) (%)	99.3/	99.3/ Est. Repl. Yr		Maint. Reqd. (Y/N)			
Special Comments for Next Inspection										
Maintenance Reviewed By	Aaintenance Reviewed By					Es	stimated Total	0		
Proposed Long-Term Strategy										
On 3-Year Program (Y/N)										
Proposed Action										
Previous Inspector's Name Brian Pientsch Previ			vious Assistant's Name	Brian Cote						
Next Inspection Date 29-Jan-2015 Pre			vious Inspection Date	04-Jul-2011						
Inspection Cycle (Default) (months)	21									
Comment										