

Tested by:

ΙH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

	0-500					
Manufacturer:			Lab No.:	1	Field No.:	1
	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 2, 2023	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	:	Jan. 18, 2024	}
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.7			
630µm	35	100	51.3			
315µm	0	50	19.3			
160μm	0	8	3.2	0		
80μm	0	3	0.3	0		
	adjustment	0 adjustment i will be asses	ssed against	the lot.	:	
	no paymen	adjustment i t will be mad	le for the lot			
			-		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			AREA MANAGE



#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE FOR GRANULAR SODIUM CHLORIDE

ot No.:	501-1000		Lab No.:	2	Field No.:	2
Manufacturer:	<b>NSC Mineral</b>	s	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 3, 2023		Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024		Date Tested	:	Jan. 18, 2024	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER O
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	93.6			
630µm	35	100	52.8			
315µm	0	50	16.8			
160μm	0	8	2.7	0		
80μm	0	3	0.3	0		
NOTE:	If payment a adjustment with the second seco	will be asses	ssed against s 100% or m	the lot.	i.	
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYME	NT		//	AREA MANAG

			A
Tested by:	<u>IH</u>	Reviewed by: GM	/0(



			FOR GRAN	ULAR SODI	UM CHLORIL	DE
Lot No.:	1001	-1500	Lab No.:	3	Field No.:	3
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 3, 202	3	Production I	_ocation:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 18, 2024	
TEST	SPECIFICAT	TION LIMITS	· TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC		POINTS
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.70			
INSOLUBLE MATTER		1	0.85			
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.03			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.10			
GRADATION	T.	1	1	T.	T.	•
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.9			
630µm	35	100	55.5			
315µm	0	50	18.6			
160μm	0	8	3.0	0		
80μm	0	3	0.2	0		
NOTE:  COPIES TO:	If payment no paymen Rishi Adhika	will be assessadjustment in the maderial arrivation of the maderial arrivat		he lot. ore n (rishi.adhik	cari@gov.ab.co ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Tested by: IH Reviewed by: GM

Comments:





Tested by:

ΙH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

ot No.:	1501-2000		Lab No.:	4	Field No.:	4
Manufacturer:	NSC Minera	S	Salt Type		Alta. Trans. I	
Date Sampled:	Oct. 4, 2023		Production		Vanscoy - Sa	
Date Received:	Jan. 8, 2024		Date Tested	<u>d:</u>	Jan. 18, 2024	l 
TEST	SPECIFICATI	ON LIMITS		NUMBER	MULTIPLY	
1121	3FECIFICATI	ON LIMITS	TEST	OF UNITS	FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMEN' POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.1			
630µm	35	100	57.2			
315µm	0	50	19.7			
160μm	0	8	3.4	0		
80µm	0	3	0.3	0		
NOTE:	If payment a adjustment of the second of the	will be asses	ssed against s 100% or m	the lot.	t	
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	ca)
	APPROVED F	OR PAYME	NT		//	AREA MANAGE

		Sh



• • •	יור	FOR GRANULAR SODIUM CHLORIDE				DE
Lot No.:	2001-2500		Lab No.:	5	Field No.:	5
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 10, 20	23	Production I	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	:	Jan. 18, 2024	l .
TEST	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.70			
INSOLUBLE MATTER		1	0.90			
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.20			
GRADATION	_			_		
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250µm	85	100	95.0			
630µm	35	100	53.8			
315μm	0	50	16.3	0		
160μm	0	8	2.5 0.1	0		
80μm  NOTE:  COPIES TO:	If payment adjustment If payment no paymen	0 adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against t s 100% or mo le for the lot.	no payment the lot. ore	I kari@gov.ab.c	a)
		utz, NSC Min		chutz@nscn	ninerals.com)	

Comments:

Tested by: IH Reviewed by: GM



/AREA MANAGER



			FOR GRAIN	OLAK SODI	OWI CHLOKIL	)E
Lot No.:	2501-3000		Lab No.:	6	Field No.:	6
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 11, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	:	Jan. 18, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	92.9			
630µm	35	100	50.2			
315μm	0	50	14.7			
160μm	0	8	2.1	0		
80μm	0	3	0.2	0		
NOTE:	adjustment  If payment	0 adjustment i will be asses adjustment i	ssed against is 100% or m	the lot.	t	
		t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	ra)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:					7.	

			_
Tested by:	_IH	Reviewed by: GM	A



Tested by: IH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

Manufacturer: Nate Sampled: C	3001-3500 NSC Minera Oct. 12, 202	l.	Lab No.:	7	Field No.:	-
Date Sampled: C		la .		,	rieid ivo	7
· ·	act 12 202	IS	Salt Type		Alta. Trans. F	ine
Date Received: J	JCL. 12, 202	.3	Production	Location:	Vanscoy - Sas	skatchewan
	an. 8, 2024		Date Tested	:	Jan. 18, 2024	
TEST S	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	. 20.	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	95.1			
630µm	35	100	57.6			
315μm	0	50	19.5			
160μm	0	8	3.1	0		
80μm	0	3	0.4	0		
a	adjustment	will be asses	s 5% or less, ssed against	the lot.		
n	no payment	will be mad	s 100% or m e for the lot			
			-		kari@gov.ab.c ninerals.com)	a)
Α	APPROVED	FOR PAYMEI	NT			AREA MANAGE

		Sh



Tested by:

ΙH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE


Lot No.:	3501-4000		Lab No.:	8	Field No.:	8	
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F		
Date Sampled:	Oct. 17, 202	23	Production I		Vanscoy - Sas	skatchewan	
Date Received:	Jan. 8, 2024	<u> </u>	Date Tested	•	Jan. 18, 2024		
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT	
SOLUBLE CHLORIDE	98			SPEC		POINTS	
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.10				
GRADATION	1				l		
10000μm	100	100	100	0			
5000μm	100 98	100 100	100 99.8	0			
2500μm 1250μm	85	100	94.0				
630μm	35	100	54.6				
315μm	0	50	19.4				
160μm	0	8	4.2	0			
80μm	0	3	0.5	0			
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.							
COPIES TO:	no paymen	t will be mad	s 100% or modele for the lot.		kari@gov.ab.c	a)	
CO. 123 TO.			•	•	ninerals.com)	~, 	
	APPROVED	FOR PAYME	NT			AREA MANAGEI	

		Sh



			FUR GRAIN	ULAK SUDI	OWI CHLOKIL	JE
Lot No.:	4001-4500		Lab No.:	9	Field No.:	9
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 20, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 18, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000µm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250µm	85	100	92.9			
630µm	35	100	51.6			
315µm	0	50	15.8			
160μm	0	8	2.6	0		
80μm	0	3	0.1	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	t	
		t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	ARFA MANAGF
Comments:					//	AREA MANAGE

			_
			Sh
Tested by:	<u>IH</u>	Reviewed by: GM	/ 0(



Lot No.:	4501-5000		Lab No.:	10	Field No.:	10
Manufacturer:	NSC Minera	ıls	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 23, 2023		Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	ļ.	Date Tested	l:	Jan. 18, 2024	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	92.9			
630µm	35	100	52.6			
315μm	0	50	16.6			
160μm	0	8	2.6	0		
80μm	0	3	0.3	0		
NOTE:		0 adjustment i will be asses		no paymen <sup>:</sup> the lot.	t	
		adjustment i t will be mad				
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

		~!

Reviewed by: GM

Tested by: IH



			FOR GRAIN	ULAK SUDI	UM CHLORIE	)E
Lot No.:	5001-5500		Lab No.:	11	Field No.:	11
Manufacturer:	NSC Minera	ıls	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 26, 202	Oct. 26, 2023		Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	ļ.	Date Tested	l:	Jan. 18, 2024	l e
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	94.4			
630µm	35	100	55.4			
315µm	0	50	18.4			
160μm	0	8	2.9	0		
80μm	0	3	0.3	0		
NOTE:		0 adjustment i will be asses		no paymen <sup>:</sup> the lot.	t	
		adjustment i t will be mad				
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

		~!

Reviewed by: GM

Tested by: IH



Tested by:

IH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

4501-5000 NSC Minera Oct. 30, 202	nls	Lab No.:	12	Field No.:	
	ıls			rielu No.:	12
Oct. 30, 202		Salt Type		Alta. Trans. F	ine
	23	Production	Location:	Vanscoy - Sa	skatchewan
Jan. 8, 2024		Date Tested	l:	Jan. 18, 2024	ı
SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
98					
95					
	1				
	1	0.10			
T					
100			0		
98			0		
	100				
35	100				
0	50	14.2			
0	8	1.8	0		
0	3	0	0		
adjustment	will be asses	ssed against	the lot.	:	
	-				
Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	_	a)
APPROVED	FOR PAYME	NT		//	AREA MANAGEI
	98 95 100 98 85 35 0 0 0 of payment adjustment of payment and paym	98  95  1  100 100 98 100 98 100 85 100 35 100 0 50 0 8 0 35 0 f payment adjustment is adjustment will be assessed f payment adjustment in payment will be made Rishi Adhikari, Alberta Teleson Schutz, NSC Min	MIN         MAX           98         95           1         1           100         100           98         100           100         99.8           85         100           93.0         35           100         50.2           0         50           14.2         0           0         8           1.8         0           0         3           0         0           If payment adjustment is 5% or less, adjustment will be assessed against           If payment adjustment is 100% or mono payment will be made for the lot Rishi Adhikari, Alberta Transportation	SPECIFICATION LIMITS MIN MAX  98  95  1  1 0.10  100 100 98 100 98 100 98 85 100 93.0 35 100 50.2 0 0 14.2 0 8 1.8 0 0 3 0 0 of payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhil Nelson Schutz, NSC Minerals Ltd. (nschutz@nscn	SPECIFICATION LIMITS   MIN   MAX   SPEC   SPEC

		Sh



## TEST REPORT & PAY ADJUSTMENT

• •	''		FOR GRANULAR SODIUM CHLORIDE			
Lot No.:	6001-6500		Lab No.:	13	Field No.:	13
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Oct. 31, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 18, 2024	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		98.90	31 20		TOINTS
SODIUM CHLORIDE	95		98.50			
INSOLUBLE MATTER		1	1.07	0.07		
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.20			
GRADATION	T		1		T	1
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	93.4			
630µm	35	100	52.5			
315µm	0	50	16.6			
160µm	0	<u>8</u> 3	2.6	0		
80μm NOTE: COPIES TO:	If payment adjustment If payment no paymen Rishi Adhika	0 adjustment i will be asses adjustment i t will be mad ari, Alberta T	ssed against s 100% or m le for the lot ransportatio	the lot. ore n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT			

APPROVED FOR PAYMENT

Comments:

/AREA MANAGER

Tested by:	IH	Reviewed by: GM





			FOR GRAIN	OLAR SODI	OW CHLOKIL	)L
Lot No.:	8001-8500		Lab No.:	14	Field No.:	17
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 2, 202	.3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 18, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION		1			T	1
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	91.8			
630µm	35	100	47.8			
315µm	0	50	12.6			
160μm	0	8	1.6	0		
80μm	0	3	0	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
	no paymen	t will be mad	le for the lot	<u> </u>		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						ANLA WANAGER
Comments.						

Tested by:	<u>IH</u>	Reviewed by: GM	M



Tested by:

IH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			FOR GRAN	IULAK SUDI	OIM CHLOKIL	)E
Lot No.:	8501-9000		Lab No.:	15	Field No.:	18
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Dec. 4, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	d:	Jan. 18, 2024	l
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION		T	•		•	
10000µm						
5000μm	100	100	100	0		
2500µm	98	100	99.7	0		
1250μm	85	100	92.0			
630µm	35	100	48.9			
315µm	0	50	13.2			
160µm	0	8	1.6	0		
80µm	0	3	0.2	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	t	
000156.70	no paymen	t will be mad	le for the lot			
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		-	ARFA MANAGEI
Comments:	APPROVED	FOR PAYME	NT 		//	AREA MANAGE

		Sh



Comments:


• •			FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	9001-9500		Lab No.:	16	Field No.:	19
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Dec. 4, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 19, 2024	ļ
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	•				•	•
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	96.0			
630µm	35	100	67.3			
315µm	0	50	31.1			
160μm	0	8	6.5	0		
80μm	0	3	0.5	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i t will be mad	ssed against s s 100% or m	the lot.	t	
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

			_		
Tested by:	IH	Reviewed by: GM	A		



			FOR GRAN	ULAR SODI	UM CHLORIL	DE
Lot No.:	9501-10000	)	Lab No.:	17	Field No.:	20
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 6, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	l:	Jan. 19, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION					ı	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	93.4			
630µm	35	100	53.1			
315µm	0	50	16.7			
160µm	0	8	2.3	0		
80μm	0	3	0.3	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:			•	=	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	<u>IH</u>	Reviewed by: GM	A



	- 1 -		FOR GRAN	IULAR SODI	UM CHLORIE	DE
Lot No.:	10001-1050	00	Lab No.:	18	Field No.:	21
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 8, 202	3	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 19, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX	_	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.3			
630µm	35	100	53.7			
315µm	0	50	16.7			
160µm	0	8	2.5	0		
80µm	0	3	0.1	0		
NOTE:		0 adjustment i will be asses			i.	
		adjustment i t will be mad				
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

_	_		

Reviewed by: GM

Tested by: IH



•••	- 1 -	,	FOR GRAN	ULAR SODI	IUM CHLORIE	ΣE
Lot No.:	10501-1100	00	Lab No.:	19	Field No.:	22
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	Fine
Date Sampled:	Dec. 10, 20	23	Production I	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 19, 2024	1
TEST CHEM COMP	SPECIFICAT	TION LIMITS	- TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHLIVI COIVIF	IVIIIV	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	92.5			
630µm	35	100	51.6			
315µm	0	50	15.2			
160µm	0	8	2.1	0		
80μm	0	3	0	0		<u> </u>
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
	· · ·		de for the lot.			
COPIES TO:			•	•	kari@gov.ab.c minerals.com)	•
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER

Comments:			
Tested by:	IH	Reviewed by: GM	A



### **TEST REPORT & PAY ADJUSTMENT**

• • •	יוי		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	11001-1150	10	Lab No.:	20	Field No.:	23
Manufacturer:	NSC Minera		Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 11, 202		Production	Location:	Vanscoy - Sa	
Date Received:	Jan. 8, 2024		Date Tested		Jan. 19, 2024	
TEST		ION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.00			
SODIUM CHLORIDE	95		98.70			
INSOLUBLE MATTER		1	0.94			
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.03			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	92.8			
630µm	35	100	50.2			
315μm	0	50	13.7			
160μm	0	8	1.7	0		
80μm	0	3	0.1	0		
NOTE:	adjustment  If payment a	will be asses adjustment i	s 5% or less, ssed against t s 100% or male for the lot.	the lot. ore		
COPIES TO:	Rishi Adhika	ıri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:	
	0

Tested by: Reviewed by: GM





#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE FOR GRANULAR SODIUM CHLORIDE

	_					
Lot No.:	11501-1200	00	Lab No.:	21	Field No.:	24
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 11, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	l:	Jan. 19, 2024	ļ
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	94.1			
630µm	35	100	57.3			
315µm	0	50	19.2			
160µm	0	8	2.9	0		
80μm	0	3	0.3	0		
NOTE:	NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.					
	no paymen	adjustment i t will be mad	le for the lot	•		
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						ANLA WIANAGER

Comments:			
Tested by:	IH	Reviewed by: GM	A



				0 L 00 D .	OWI CHLOKIL	<b>,</b> L
ot No.:	12001-125	00	Lab No.:	22	Field No.:	25
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 12, 20	)23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 19, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION	1	Ī			T	1
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	92.8			
630μm	35 0	100 50	50.6 15.2			
315μm	0	1	2.3	0		
160μm 80μm	0	8	0.2	0		
NOTE:	If payment adjustmen	0 adjustment i t will be asses	s 5% or less, ssed against	no payment		
	no paymer	adjustment in twill be mad	le for the lot			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGE

Tested by:	<u>IH</u>	Reviewed by: GM	A



•••	- 1 -	,	FOR GRAN	ULAR SODI	IUM CHLORIE	ΣE
Lot No.:	12501-1300	00	Lab No.:	23	Field No.:	26
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	Fine
Date Sampled:	Dec. 12, 20	23	Production I	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 19, 2024	Į.
TEST CHEM COMP	SPECIFICAT	TION LIMITS	- TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEIVI COIVIF	IVIIIV	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	91.8			<u> </u>
630µm	35	100	50.0			
315µm	0	50	14.8			
160μm	0	8	2.0	0		<u> </u>
80μm	0	3	0.1	0		<u> </u>
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
	· · ·	it will be mad				
COPIES TO:			•	-	kari@gov.ab.c minerals.com)	•
	APPROVED	FOR PAYMEI	NT			AREA MANAGER

Comments:			/AREA MANAGER
Tested by:	<u>IH</u>	Reviewed by: GM	A



		•	FOR GRAN	IULAR SODI	UM CHLORIE	DE
Lot No.:	13001-1350	00	Lab No.:	24	Field No.:	27
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	Dec. 12, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	d:	Jan. 19, 2024	l
TEST	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	IACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION	•	!	•	_	•	•
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	91.6			
630µm	35	100	47.5			
315µm	0	50	12.5			
160µm	0	8	1.6	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	0 adjustment i will be asses	ssed against	the lot.	t	
		adjustment i t will be mad				
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	ra)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Tested by:	<u>IH</u>	Reviewed by: GM	A



Comments:

Tested by: IH

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDF

	- 1 -		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	13501-1400	00	Lab No.:	25	Field No.:	28
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Dec. 13, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 19, 2024	l .
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEIVI COIVIP	IVIIIN	IVIAA		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	93.3			
630µm	35	100	51.6			
315μm	0	50	15.4			
160μm	0	8	2.2	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:					kari@gov.ab.c	 :a)
			•	-	ninerals.com)	,
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER

		~!



	111		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	14001-1450	00	Lab No.:	26	Field No.:	29
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Dec. 13, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 19, 2024	1
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION	-	•	•			
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.0			
630µm	35	100	52.6			
315μm	0	50	14.8			
160μm	0	8	1.7	0		
80μm	0	3	0.2	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	ra)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	IH	Reviewed hv: GM	A



			FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	14501-1500	00	Lab No.:	27	Field No.:	30
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 14, 20	23	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 19, 2024	,
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	92.5			
630µm	35	100	47.4			
315µm	0	50	17.3			
160μm	0	8	1.6	0		
80μm	0	3	0.1	0		
NOTE:	• •	0 adjustment i will be asses	•		t	
	If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:					/ /	

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



			FOR GRAN	ULAR SODI	UM CHLORIL	)E
Lot No.:	15001-1550	00	Lab No.:	28	Field No.:	31
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	Fine
Date Sampled:	Dec. 14, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 19, 2024	ı
TEST	SPECIFICAT	TION LIMITS	- TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC		ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	91.5			
630µm	35	100	47.3			
315µm	0	50	12.7			ļ
160μm	0	8	1.7	0		<u> </u>
80μm	0	3	0	0		<u> </u>
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:					kari@gov.ab.c	
COLIES 10.			•	•	minerals.com)	-
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER

			/AREA MANAGER
Comments:			
Tested by:	<u>IH</u>	Reviewed by: GM	A



Comments:

Tested by:

IH

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

	- 1 -		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	15501-1600	00	Lab No.:	29	Field No.:	32
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Dec. 18, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	:	Jan. 19, 2024	1
TEST	SPECIFICAT	ION LIMITS		NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION				•	•	•
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	92.7			
630µm	35	100	51.2			
315µm	0	50	16.0			
160μm	0	8	2.6	0		
80μm	0	3	0.3	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

		_



• • •	יוי		FOR GRAN	ULAR SODI	UM CHLORII	DE
Lot No.:	16001-1650	0	Lab No.:	30	Field No.:	33
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans. I	ine
Date Sampled:	Dec. 19, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024		Date Tested	:	Jan. 19, 2024	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		98.90			
SODIUM CHLORIDE	95		98.40			
INSOLUBLE MATTER		1	0.99			
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	93.4			
630µm	35	100	53.4			
315µm	0	50	16.7			
160μm	0	8	2.5	0		
80µm	0	3	0.1	0		
NOTE:	adjustment with the second sec	will be asses	is 5% or less, ssed against t is 100% or male for the lot.	the lot. ore		
COPIES TO:	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	A DDDOVED F					

APPROVED FOR PAYMENT

/AREA MANAGER

Comments:		

Tested by: IH Reviewed by: GM





#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORID FOR GRANULAR SODIUM CHLORIDE

			FOR GRAN	ULAR SODI	UM CHLORIL	DE
Lot No.:	16501-1700	00	Lab No.:	30	Field No.:	33
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 19, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	<b> :</b>	Jan. 19, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						•
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.1			
630µm	35	100	53.5			
315µm	0	50	17.3			
160μm	0	8	2.8	0		
80μm	0	3	0.3	0		
NOTE:	adjustment  If payment	0 adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	t	
COPIES TO:			•	=	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	IH	Reviewed by: GM	A



			TON GNAN	OLAN SODI	OW CHLOKIL	<b>/</b> L
Lot No.:	17001-175	00	Lab No.:	32	Field No.:	35
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 20, 20	24	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 22, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION		1			_	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	93.3			
630µm	35	100	53.1			
315μm	0	50	16.5			
160μm	0	8	2.5	0		
80μm	0	3	0.1	0		
NOTE:	adjustment	adjustment i	ssed against	the lot.	t	
	no paymen	adjustment i t will be mad	le for the lot	•		
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:						



Comments:

Tested by: IH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			FOR GRAIN	ULAK SUDI	OWI CHLOKIL	)E
Lot No.:	17501-1800	00	Lab No.:	33	Field No.:	36
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Dec. 21, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 22, 2024	Į.
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION	•				•	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	94.2			
630µm	35	100	55.8			
315μm	0	50	18.2			
160μm	0	8	2.6	0		
80μm	0	3	0.2	0		
NOTE:	If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO:			•		kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

	_	A



			FUK GRAN	IULAK SUDI	UM CHLOKIL	JE
Lot No.:	18001-18	500	Lab No.:	34	Field No.:	37
Manufacturer:	<b>NSC Mine</b>	rals	Salt Type		Alta. Trans. I	ine
Date Sampled:	Dec. 21, 2	.023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 20	24	Date Tested	d:	Jan. 22, 2024	l .
TEST	SPECIFICA	ATION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.5			
630µm	35	100	56.9			
315μm	0	50	19.3			
160μm	0	8	3.0	0		
80μm	0	3	0.1	0		
NOTE:	adjustme	0 It adjustment int will be asse	ssed against	the lot.	t	
000175.75	no payme	nt adjustment i	le for the lot	•		
COPIES TO:		kari, Alberta T hutz, NSC Min				ca)
	APPROVE	D FOR PAYME	NT			AREA MANAGER
Comments:					,	

	- Sh	
Tested by: IH Reviewe	ved by: GM	



	- 1 -		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	18501-1900	00	Lab No.:	35	Field No.:	38
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 21, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 22, 2024	l .
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION	•					
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	96.1			
630µm	35	100	59.3			
315μm	0	50	16.3			
160μm	0	8	0.6	0		
80μm	0	3	0.1	0		
NOTE:	adjustment  If payment	0 adjustment i will be asses adjustment i t will be mad	ssed against	the lot.	:	
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	<u>IH</u>	Reviewed by: GM	A



Comments:

Tested by:

IH

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

FOR GRANULAR SODIUM CHLORIDE						
Lot No.:	19001-1950	00	Lab No.:	36	Field No.:	39
Manufacturer:	NSC Minera		Salt Type		Alta. Trans. F	ine
Date Sampled:	Dec. 27, 20	23	Production I	ocation:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	:	Jan. 22, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	93.9			
630μm	35	100	56.0			
315μm	0	50	18.7			
160μm	0	8	3.4	0		
80μm	0	3	0.8	0		
NOTE:	If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO:		-	•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

	1



Tested by: IH

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			FUR GRAIN	ULAK SUDI	OWI CHLOKIL	JE
Lot No.:	19501-200	00	Lab No.:	37	Field No.:	40
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	Fine
Date Sampled:	Dec. 28, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 22, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	94.0			
630µm	35	100	53.3			
315µm	0	50	16.0			
160μm	0	8	2.3	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	adjustment i	ssed against	the lot.	t	
222/55	no paymen	adjustment i	le for the lot			
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:						WEA MANAGEN

	1

Reviewed by: GM



Tested by:

IH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			TON GIVAN	OLAN SODI	UM CHLORIE	<b>/</b> E
Lot No.:	74001-7450	00	Lab No.:	38	Field No.:	149
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	3-May-23		Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	l:	Jan. 22, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7	0		
1250μm	85	100	95.9			
630µm	35	100	59.2			
315µm	0	50	20.1			
160µm	0	8	3.2	0		
80µm	0	3	0.2	0		
NOTE:	adjustment  If payment	0 adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	t	
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGE

		_
		~

Reviewed by: GM



			TON GIVAN	IOLAN SODI	UM CHLORIE	)L
Lot No.:	74501-7500	00	Lab No.:	39	Field No.:	150
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	4-May-23		Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	d:	Jan. 22, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	•		•		•	•
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	96.1			
630µm	35	100	59.8			
315µm	0	50	21.3			
160µm	0	8	3.6	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i t will be mad	ssed against	iore	t	
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGE

Tested by:	IH	 Reviewed by: GM	<b>A</b>



Manufacturer: N: Date Sampled: 8- Date Received: Ja	<b>MIN</b> 98	ls	Lab No.: Salt Type Production Date Tested	NUMBER OF UNITS OUT OF	Field No.: Alta. Trans. F Vanscoy - Sas Jan. 22, 2024 MULTIPLY FACTOR	skatchewan NUMBER OF
Date Sampled: 8- Date Received: Ja  TEST SI  CHEM COMP  SOLUBLE CHLORIDE SODIUM	-May-23 an. 8, 2024 PECIFICAT MIN	ION LIMITS	Production Date Tested	NUMBER OF UNITS OUT OF	Vanscoy - Sas Jan. 22, 2024 MULTIPLY	skatchewan NUMBER OF
TEST SI CHEM COMP  SOLUBLE CHLORIDE SODIUM	PECIFICATI MIN 98	ION LIMITS	Date Tested	NUMBER OF UNITS OUT OF	Jan. 22, 2024 MULTIPLY	NUMBER OF
TEST SI CHEM COMP  SOLUBLE CHLORIDE SODIUM	PECIFICATION MIN 98	ION LIMITS		NUMBER OF UNITS OUT OF	MULTIPLY	NUMBER OF
SOLUBLE CHLORIDE SODIUM	<b>MIN</b> 98		TEST	OF UNITS OUT OF		
SOLUBLE CHLORIDE SODIUM	98	MAX			FACTOR	<b> </b>
CHLORIDE SODIUM				SPEC		ADJUSTMEN <sup>®</sup> POINTS
	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.8	0		
1250μm	85	100	95.5			
630µm	35	100	59.3			
315μm	0	50	20.3			
160μm	0	8	3.3	0		
80μm	0	3	0.3	0		
ac If	djustment payment a	will be asses	s 5% or less, ssed against s 100% or m le for the lot	the lot.	:	
			•		kari@gov.ab.c ninerals.com)	a)
AI	PPROVED I	FOR PAYMEI	NT		/A	AREA MANAGI

T		Do in order CM	A
Tested by:	IH	Reviewed by: GM	/ 01



Manufacturer: N Date Sampled: 24 Date Received: Ja	'5501-7600					
Date Sampled: 24 Date Received: Ja  TEST S  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE		0	Lab No.:	41	Field No.:	152
TEST S CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE	ISC Mineral	s	Salt Type		Alta. Trans. F	ine
TEST S CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE	24-May-23		Production I	ocation:	Vanscoy - Sas	skatchewan
CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE	an. 8, 2024		Date Tested	:	Jan. 22, 2024	
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHLORIDE SODIUM CHLORIDE INSOLUBLE	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SODIUM CHLORIDE INSOLUBLE	98					
CHLORIDE INSOLUBLE						
	95					
MATTER		1				
1417 (1 1 = 1 (		1				
MOISTURE		1	0.00			
CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	93.4			
630μm	35	100	47.9			
315μm	0	50	12.7			
160μm	0	8	1.9	0		
80μm	0	3	0.3	0		
ad	idjustment v	will be asses	s 5% or less, ssed against t s 100% or m	the lot.		
		-	le for the lot.			
COPIES TO: Ri	Rishi Adhika	ri, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
A Comments:	APPROVED F	OR PAYME	NT		/4	AREA MANAGER

			- /
Tested by:	<u>IH</u>	 Reviewed by: GM	A



Manufacturer: NS Date Sampled: 26 Date Received: Ja	6001-76500 ISC Minerals 6-May-23		Lab No.:	42	e: 115:	
Date Sampled: 26 Date Received: Ja  TEST SI  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER				42	Field No.:	153
TEST SI  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER	6-May-23		Salt Type		Alta. Trans. F	ine
TEST SECTION OF THE S	J IVIUY-23		Production I	ocation:	Vanscoy - Sas	skatchewan
CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER	an. 8, 2024		Date Tested	:	Jan. 22, 2024	
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER	SPECIFICATIO	N LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SODIUM CHLORIDE INSOLUBLE MATTER	98					
CHLORIDE INSOLUBLE MATTER	98					
INSOLUBLE MATTER	0.5					
MATTER	95					
		1				
MOISTURE		1				
		1	0.10			
CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	93.8			
630µm	35	100	50.3			
315μm	0	50	14.3			
160μm	0	8	2.0	0		
80μm	0	3	0.3	0		
ad	payment adj djustment wi payment adj	ll be asses	ssed against	the lot.	;	
nc	o payment w	ill be mad	e for the lot.			
COPIES TO: Ris	ishi Adhikari,	Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	a)
Ne	Ielson Schutz	, NSC Min	erals Ltd. (ns	chutz@nscn	ninerals.com)	
AF	PPROVED FO	R PAYMEI	NT		/4	AREA MANAGER
Comments:					, ·	

			_
Tested by:	IH	Reviewed by: GM	A



					OWI CHLOKIL	,_
Lot No.:	76501-7700	00	Lab No.:	43	Field No.:	154
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	31-May-23		Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 22, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION					_	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	96.3			
630µm	35	100	62.6			
315µm	0	50	22.7			
160μm	0	8	3.5	0		
80μm	0	3 0	0.3	0		
NOTE:		adjustment i will be asses			t	
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAG

Tested by:	IH	Reviewed by: GM	A



		•			E: 114:	4
Lot No.:	77001-7750		Lab No.:	44	Field No.:	155
Manufacturer:	NSC Minera	ls	Salt Type		Alta. Trans. I	
Date Sampled:	7-Jun-23		Production		Vanscoy - Sa	
Date Received:	Jan. 8, 2024		Date Tested	<u>l:</u>	Jan. 22, 2024	
TEST	SPECIFICATI	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1631	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.40			
SODIUM CHLORIDE	95		991			
INSOLUBLE MATTER		1	0.55			
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.00			
GRADATION				_		
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	93.8			
630µm	35	100	50.0			
315µm	0	50	13.9			
160µm	0	8	1.9	0		
80µm	0	3	0.1	0		
NOTE:	If payment a adjustment of the second	will be asses adjustment i will be mad	ssed against s 100% or m le for the lot	the lot. ore		
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED F	OR PAYME	NT			

Comments:

/AREA MANAGER

Tested by: IH Reviewed by: GM





			FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	77501-7800	00	Lab No.:	45	Field No.:	156
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	19-Jun-23		Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	l:	Jan. 22, 2024	,
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE						
SODIUM CHLORIDE	95					
INSOLUBLE		1				
MATTER		1				
MOISTURE		1	0.00			
CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	94.0			
630µm	35	100	52.2			
315μm	0	50	16.4			
160μm	0	8	3.0	0		
80μm	0	3	0.1	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	:	
		•				
COPIES TO:		no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)				
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:					7.	

Tested by:	<u>IH</u>	 Reviewed by: GM	A



#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE FOR GRANULAR SODIUM CHLORIDE


			FOR GRAIN	OLAK SODI	UM CHLORIE	)C
Lot No.:	78001-785	00	Lab No.:	46	Field No.:	157
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	22-Jun-23		Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 22, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000µm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250µm	85	100	93.0			
630µm	35	100	48.5			
315µm	0	50	13.7			
160μm	0	8	2.4	0		
80µm	0	3	0.3	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGEI
Comments:					7.	1 :: :: : : : : :

			A
Tested by:	IH	Reviewed by: GM	1



				OLAN SODI	OWI CHLOKIL	<b>,</b> L
Lot No.:	78501-790	00	Lab No.:	47	Field No.:	158
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	12-Jul-23		Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 22, 2024	1
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION					Ţ	T
10000µm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	90.1			
630µm	35	100	40.7			
315µm	0	50	8.6			
160μm	0	8	0.8	0		
80μm NOTE:	If payment	0 adjustment i t will be asses	s 5% or less,	no payment	l	
	no paymer	adjustment i nt will be mad	le for the lot			
COPIES TO:					kari@gov.ab.c ninerals.com)	:a)
	APPROVED	FOR PAYME	NT			AREA MANAG

Tested by:	<u>IH</u>	Reviewed by: GM	A



	111	,	FOR GRAN	IULAR SODI	UM CHLORII	DE
Lot No.:	79001-7950	00	Lab No.:	48	Field No.:	159
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Aug. 1, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024		Date Teste	d:	Jan. 23, 2024	ı
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.0			
630µm	35	100	55.2			
315µm	0	50	17.3			
160μm	0	8	2.6	0		
80μm	0	3	0.3	0		
NOTE:	adjustment	will be asses	ssed against		t	
	no paymen	adjustment i t will be mad	le for the lo	t.		
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

comments.			
			_
Tested by:	<u>IH</u>	 Reviewed by: GM	A



• •	111		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	79501-8000	00	Lab No.:	49	Field No.:	160
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 3, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 23, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000µm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.4			
630µm	35	100	53.4			
315µm	0	50	16.0			
160µm	0	8	2.3	0		
80μm	0	3	0.2	0		
NOTE:	adjustment  If payment	0 adjustment i will be asses adjustment i	ssed against s 100% or m	the lot.	t	
		t will be mad				
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGE
Comments:						ANCA IVIAINAGE

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



Tested by: IH

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

	- 1 -		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	80001-8050	00	Lab No.:	50	Field No.:	161
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 8, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 23, 2024	,
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	94.0			
630µm	35	100	56.2			
315µm	0	50	13.5			
160µm	0	8	3.1	0		
80μm	0	3	0.3	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

_

Reviewed by: GM



CHEM COMP         MIN         MAX         OUT OF SPEC         FACTOR PAYMENT         ADJUSTMEN POINTS           SOLUBLE CHLORIDE         98         98         98         98         98         98         98         98         99 <th>• •</th> <th>-11</th> <th>,</th> <th>FOR GRAN</th> <th>ULAR SODI</th> <th>UM CHLORIE</th> <th>DE</th>	• •	-11	,	FOR GRAN	ULAR SODI	UM CHLORIE	DE
Manufacturer:       NSC Minerals       Salt Type       Alta. Trans. Fine         Date Sampled:       Aug. 11, 2023       Production Location:       Vanscoy - Saskatchewan         Date Received:       Jan. 8, 2024       Date Tested:       Jan. 2024         CHEM COMP       MIN       MAX       TEST       NUMBER OF UNITS OF UNITS OF SPEC       NUMBER OF UNITS OF SPEC         SOLUBLE CHLORIDE       98       Image: Property of Spec OF SPEC       MULTIPLY OF ACTOR ADJUSTMEN POINTS         GENDIUM CHLORIDE       95       Image: Property of Spec OF SPEC       MULTIPLY OF ADJUSTMEN POINTS         MOISTURE CONTENT       1       0.00         GRADATION       1       0.00         10000µm       100       100         2500µm       98       100       100         2500µm       98       100       100         2500µm       98       100       100         10000µm       100       100       100         2500µm       35       100       57.7         315µm       0       50       19.1         160µm       0       8       3.4       0         80µm       0       3       0.4       0         <	Lot No.:	80501-8100	00	Lab No.:	51	Field No.:	162
Date Sampled: Date Received:         Jan. 8, 2024         Date Tested:         Jan. 2024           TEST         SPECIFICATION LIMITS         TEST         NUMBER OF UNITS OUT OF FACTOR ADJUSTMEN POINTS           CHEM COMP         MIN         MAX         TEST         NUMBER OF UNITS OUT OF FACTOR ADJUSTMEN POINTS           SOLUBLE CHLORIDE         98         MULTIPLY FACTOR ADJUSTMEN POINTS           SODIUM CHLORIDE         1         MOISTURE CONTENT         MOISTURE CONTENT         1         MOISTURE CONTENT         MOISTURE CONTENT         1         MOISTURE CONTENT         MOISTURE CONTENT         MOISTURE CONTENT         1         MOISTURE CONTENT	Manufacturer:			Salt Type		Alta. Trans. I	Fine
Date Received: Jan. 8, 2024  TEST SPECIFICATION LIMITS CHEM COMP MIN MAX  SOLUBLE CHLORIDE 98 SODIUM CHLORIDE INSOLUBLE MATTER CONTENT GRADATION  GRADATION  10000µm 98 100 100 100 100 1250µm 98 100 100 1250µm 85 100 95.6 630µm 35 100 57.7 315µm 0 50 19.1 160µm 0 8 3.4 0 100 100 100 100 100 100 100 100 100	Date Sampled:	Aug. 11, 20	23		Location:	Vanscoy - Sa	skatchewan
TEST   SPECIFICATION LIMITS   TEST   OF UNITS OUT OF SPEC   SP	•			Date Tested	l:		
SOLUBLE CHLORIDE	TEST	SPECIFICAT	TION LIMITS	TEST	OF UNITS		NUMBER OF
CHLORIDE   98	СНЕМ СОМР	MIN	MAX			FACTOR	ADJUSTMENT POINTS
CHLORIDE         95         1         INSOLUBLE MATTER         1         0.00         1         0.00         0 <t< td=""><td></td><td>98</td><td></td><td></td><td></td><td></td><td></td></t<>		98					
MATTER  MOISTURE CONTENT  GRADATION  10000μm  5000μm 100 100 100 12500μm 98 100 100 95.6 630μm 35 100 57.7 315μm 0 500μm 0 88 3.4 80μm 0 3 0  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)		95					
CONTENT  GRADATION  10000μm  5000μm  100  100  100  100  2500μm  98  100  100  1250μm  85  100  95.6  630μm  35  100  57.7  315μm  0  50  19.1  160μm  0  8  3.4  80μm  0  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	MATTER		1				
10000μm			1	0.00			
5000μm   100   100   100   0	GRADATION						
2500μm 98 100 100 0  1250μm 85 100 95.6 630μm 35 100 57.7 315μm 0 50 19.1 160μm 0 8 3.4 0 80μm 0 3 0.4 0  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	10000µm						
1250μm 85 100 95.6 630μm 35 100 57.7 315μm 0 50 19.1 160μm 0 8 3.4 80μm 0 3 0.4  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	5000μm	100	•		0		
630μm 35 100 57.7  315μm 0 50 19.1  160μm 0 8 3.4  80μm 0 3 0.4  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)	•	+	-		0		
315μm 0 50 19.1  160μm 0 8 3.4  80μm 0 3 0.4  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG	· · · · · · · · · · · · · · · · · · ·						
160μm 0 8 3.4 0  80μm 0 3 0.4 0  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT /AREA MANAG	•	<del>-</del>					
80μm  0  NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG	•	<del>1</del>					
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.  COPIES TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG					0		
Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)  APPROVED FOR PAYMENT  /AREA MANAG		NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more					
/AREA MANAG	COPIES TO:	Nelson Sch	utz, NSC Min	erals Ltd. (ns	•	_	ra)
Comments:	Comments	AFFNUVED	I ON FATIVIE	IN 1		//	AREA MANAGER

			_
Tested by:	IH	Reviewed by: GM	A



			FUK GKAN	ULAK SUDI	OWI CHLOKIL	JE
Lot No.:	81001-815	00	Lab No.:	52	Field No.:	163
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Aug. 11, 20	)23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	<b> :</b>	Jan. 23, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM						
CHLORIDE	95					
INSOLUBLE		1				
MATTER		1				
MOISTURE		1	0.00			
CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.5	0		
1250μm	85	100	92.7			
630µm	35	100	50.8			
315µm	0	50	14.3			
160μm	0	8	1.5	0		
80μm	0	3	0.2	0		
NOTE:	NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more					
		t will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Tested by:	IH	Reviewed by: GM	1



	FOR GRANDLAR SODIOW CHLORIDE					
Lot No.:	81501-820	00	Lab No.:	53	Field No.:	164
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 14, 20	23	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	•	Jan. 23, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	. 20.	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION		Г			ī	ı
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.3			
630µm	35	100	51.0			
315µm	0	50	15.1	-		
160μm	0	8	2.3	0		
80μm	0	3	0.4	0		
NOTE:	adjustment	0 adjustment i will be asses	ssed against	the lot.	:	
		t will be mad				
COPIES TO:			-		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments					/ /	ANEA WANAGER
Comments:						

Tested by: IH Reviewed by: GM	A



### TEST REPORT & PAY ADJUSTMENT

• • •	יור		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	82001-825	00	Lab No.:	54	Field No.:	165
Manufacturer:	NSC Miner		Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 15, 20	)23	Production I	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 23, 2024	
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98		99.50			
SODIUM CHLORIDE	95		99.10			
INSOLUBLE MATTER		1	0.50			
CN WATER SOLUBLE			<0.03			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.10			
GRADATION	•	1	1		_	
10000μm			100			
5000μm	100	100	99.5	-0.5		
2500μm	98	100	99.3	0		
1250μm	85	100	93.1			
630µm	35	100	51.6			
315μm 160μm	0	50 8	14.8 1.7	0		
100μm	0	3	0	0		
NOTE:	If payment	0 adjustment i	s 5% or less, ssed against t			
COPIES TO:	no paymen	t will be mad	s 100% or mole for the lot.		kari@gov.ab.c	a)
		utz, NSC Min		chutz@nscn	ninerals.com)	

Comments:

/AREA MANAGER

Tested by:	IH	Reviewed by: GM



Tested by:

			FUR GRAN	IULAK SUDI	OWI CHLOKII	)E
Lot No.:	82501-830	00	Lab No.:	55	Field No.:	166
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	Aug. 17, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	d:	Jan. 23, 2024	l
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION	•	1			_	
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.8	0		
1250μm	85	100	93.5			
630µm	35	100	51.2			
315µm	0	50	15.4			
160μm	0	8	2.8	0		
80μm	0	3	0.5	0		
NOTE:	adjustment	adjustment i	ssed against	the lot.	t	
	no paymen	adjustment i t will be mad	le for the lot	••		
COPIES TO:					kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		,	
Comments:					//	AREA MANAGI

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



	-   -		FOR GRAN	IULAK SODI	UM CHLORIE	)E
Lot No.:	83001-8350	00	Lab No.:	56	Field No.:	167
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 17, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	d:	Jan. 23, 2024	,
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	_			_		
10000µm						
5000μm	100	100	100	0		
2500μm	98	100	99.2	0		
1250μm	85	100	91.1			
630µm	35	100	46.2			
315µm	0	50	12.1			
160µm	0	8	1.4	0		
80µm	0	3	0.1	0		
NOTE:	adjustment	0 adjustment i will be asses	ssed against	the lot.	i.	
		adjustment i t will be mad				
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						WELL MINIMOLI

comments:			
Tested by:	<u>IH</u>	Reviewed by: GM	A



Tested by:

ΙH

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			I ON GRAIN	OLAN JODI	OW CHLOKIL	<b>/</b> L
Lot No.:	83501-840	00	Lab No.:	57	Field No.:	168
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Aug. 21, 20	)23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	<b> </b> :	Jan. 23, 2024	1
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	93.8			
630µm	35	100	50.3			
315µm	0	50	12.9			
160μm	0	8	1.4	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.						
	no paymen	adjustment i t will be mad	le for the lot	•		
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					·	

		A

Reviewed by: GM



	_					
Lot No.:	84001-8450	00	Lab No.:	58	Field No.:	169
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. I	ine
Date Sampled:	Aug. 23, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024		Date Tested	d:	Jan. 23, 2024	1
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION	1					
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250μm	85	100	92.6			
630µm	35	100	46.9			
315µm	0	50	10.8			
160μm	0	8	1.1	0		
80μm NOTE:	adjustment	3 0 adjustment i will be asses adjustment i	ssed against		t	
COPIES TO:	no payment	t will be mad	le for the lot		kari@gov.ab.c	·a)
			-		ninerals.com)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF

Tested by:	<u>IH</u>	Reviewed by: GM	A



Manufacturer: I Date Sampled: I	84501-8500 NSC Minera		Lab No.:	F0		
Date Sampled:				59	Field No.:	170
· ·	4 . 22 20	ıls	Salt Type		Alta. Trans. F	ine
Data Basaiyad:	Aug. 23, 20	23	Production	Location:	Vanscoy - Sas	skatchewan
Date Received.	Jan. 8, 2024		Date Tested	:	Jan. 23, 2024	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	30					
SODIUM	95					
CHLORIDE	33					
INSOLUBLE		1				
MATTER		•				
MOISTURE		1	0.20			
CONTENT		-	0.20			
GRADATION				_		
10000μm			100			
5000μm	100	100	99.4	-0.6		
2500μm	98	100	99.1	0		
1250μm	85	100	93.1			
630µm	35	100	50.8			
315μm	0	50	15.7			
160μm	0	8	1.8	0		
80μm	0	3	0	0		
		0				
		•	s 5% or less, ssed against			
	If payment adjustment is 100% or more no payment will be made for the lot.					
					kari@gov.ab.c	a)
			•		ninerals.com)	
,	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

			_
Tested by:	IH	Reviewed by: GM	M



			FOR GRAN	IULAR SODI	UM CHLORIE	DE
Lot No.:	85001-8550	00	Lab No.:	60	Field No.:	171
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 24, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 23, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.3	0		
1250μm	85	100	91.5			
630µm	35	100	44.3			
315µm	0	50	10.0			
160µm	0	8	1.1	0		
80µm	0	3	0.1	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against		i.	
	• •	t will be mad				
COPIES TO:					kari@gov.ab.c	a)
3323.73.			•		ninerals.com)	-,
	APPROVED	FOR PAYME	NT		//	AREA MANAGE

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



Lot No.:	85501-8600	00	Lab No.:	61	Field No.:	172
Manufacturer:	<b>NSC Minera</b>	als	Salt Type	Salt Type		ine
Date Sampled:	Aug. 24, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	<u>l:</u>	Jan. 23, 2024	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER O
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm			100			
5000μm	100	100	99.6	-0.4		
2500μm	98	100	99.2	0		
1250μm	85	100	93.1			
630µm	35	100	49.5			
315µm	0	50	13.3	_		
160µm	0	8	1.7	0		
80μm	0	3	0	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i t will be mad	ssed against s 100% or m	the lot.	t	
COPIES TO:	Rishi Adhika Nelson Sch	ari, Alberta T utz, NSC Min	ransportatic erals Ltd. (ns	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAG

			-
Tested hv	IH	Reviewed by: GM	A



Tested by:

IH

### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			FOR GRAIN	OLAR SODI	OW CHLOKIL	)L
Lot No.:	86001-865	00	Lab No.:	62	Field No.:	173
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Aug. 25, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 23, 2024	1
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION		ı			T	1
10000μm			100			
5000μm	100	100	99.9	-0.1		
2500μm	98	100	99.7	0		
1250μm	85	100	95.5			
630µm	35	100	60.8		ļ	
315μm	0	50	22.5			
160μm	0	8	4.0	0		
80μm NOTE:		3 0 adjustment i will be asses	-		t	
		adjustment i t will be mad				
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						WENT WINNINGEN

		A

Reviewed by: GM



Tested by:

			I ON GRAIN	OLAN SODI	OW CHLOKIL	<b>/</b> L
Lot No.:	86501-870	00	Lab No.:	63	Field No.:	174
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 29, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	<b> :</b>	Jan. 23, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION		1			1	1
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	95.2			
630μm	35	100	59.1			
315µm	0	50	21.6			
160μm	0	8	3.9	0		
80μm	0	3	0.3	0		
NOTE:	adjustment	0 adjustment i will be asses	ssed against	the lot.	i	
	no paymen	adjustment i t will be mad	le for the lot	•		
COPIES TO:			-		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:						SILA WAWAUEN

comments.			
Tested by:	IH	Reviewed by: GM	A



#### **TEST REPORT & PAY ADJUSTMENT**

Lot No.:	87001-8750	0	Lab No.:	64	Field No.:	175
Manufacturer:	NSC Mineral		Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 30, 202	3	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024		Date Tested	d:	Jan. 24, 2024	
TEST	SPECIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.30			
SODIUM CHLORIDE	95		98.90			
INSOLUBLE MATTER		1	0.66			
CN WATER SOLUBLE			<0.03			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250µm	85	100	95.4			
630µm	35	100	60.6			
315µm	0	50	22.9			
160μm	0	8	4.4	0		<u> </u>
80μm	0	3	0.4	0		
NOTE:	If payment a adjustment with the same of t	will be asses djustment i	ssed against	the lot.	: kari@gov.ab.c	

Tested by: Reviewed by: GM ΙH

Comments:



/AREA MANAGER



			FOR GRAN	IULAK SUDI	UM CHLORIE	)E
Lot No.:	87501-8800	00	Lab No.:	65	Field No.:	176
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 30, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 24, 2024	,
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.9			
630µm	35	100	56.2			
315μm	0	50	18.8			
160μm	0	8	3.2	0		
80µm	0	3	0.4	0		
NOTE:	adjustment	will be asses	ssed against		t	
	no paymen	adjustment i t will be mad	le for the lot	••		
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGEI

			_
Tested by:	IH	Reviewed by: GM	A



			TON GRAIN	OLAN SODI	OW CHEOME	<b>, L</b>
Lot No.:	88001-885	00	Lab No.:	66	Field No.:	177
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 30, 20	23	Production I	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 24, 2024	ļ
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.9	0		
1250µm	85	100	94.0			
630µm	35	100	54.5			
315µm	0	50	17.0			
160μm	0	8	2.7	0		
80μm	0	3	0.3	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	t	
		t will be mad				
COPIES TO:					kari@gov.ab.c	 :a)
201120101			-		ninerals.com)	~,
	APPROVED	FOR PAYME	NT			ARFA MANAGFF
Comments:	APPROVED	FOR PAYME	NT		//	AREA MANAGI

Tested by:	<u>IH</u>	Reviewed by: GM	M



•••	-1-	,	FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	88501-8900	00	Lab No.:	67	Field No.:	178
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Aug. 31, 20	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	l:	Jan. 24, 2024	l
TEST	SPECIFICAT	FION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.3	0		
1250μm	85	100	93.3			
630µm	35	100	50.5			
315µm	0	50	15.0			
160μm	0	8	2.7	0		
80μm	0	3	0.3	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	t	
		t will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
Comments:	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments.						

Tested by:	_IH	Reviewed by: GM	A



	-   -		FOR GRAN	IULAR SODI	UM CHLORIE	)E
Lot No.:	89001-8950	00	Lab No.:	68	Field No.:	179
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 1, 202	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	d:	Jan. 24, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	93.6			
630µm	35	100	52.2			
315μm	0	50	15.7			
160μm	0	8	2.4	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	0 adjustment i will be asses	ssed against	the lot.	t	
	no paymen	adjustment i t will be mad	le for the lot			
COPIES TO:		•	•	•	kari@gov.ab.c ninerals.com)	ra)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:						

			_
Tested by:	IH	Reviewed by: GM	A



#### TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE FOR GRANULAR SODIUM CHLORIDE

Lot No.:	89501-9000	0	Lab No.:	69	Field No.:	180
Manufacturer:	<b>NSC Minera</b>	ls	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 1, 202	3	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024		Date Tested	l:	Jan. 24, 2024	
TEST	SPECIFICATI	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.4			
630µm	35	100	52.8			
315µm	0	50	16.1			
160μm	0	8	2.6	0		
80μm	0	3	0.3	0		
NOTE:	If payment a adjustment a lf payment a no payment	will be asses	ssed against s 100% or m	the lot.	: 	
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED I	OR PAYME	NT		//	AREA MANAGI

			≪h
Tested by:	IH	Reviewed by: GM	1



			FOR GRAIN	ULAK SUDI	UM CHLORIE	)E
Lot No.:	90001-9050	0	Lab No.:	70	Field No.:	181
Manufacturer:	<b>NSC Minera</b>	ıls	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 5, 202	.3	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024		Date Tested	:	Jan. 24, 2024	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	PACIOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	94.3			
630µm	35	100	54.8			
315µm	0	50	17.1			
160μm	0	8	2.8	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	will be asses	s 5% or less, ssed against s 100% or m	the lot.	:	
COPIES TO:	Rishi Adhika	ıri, Alberta T	•	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGEI

Comments.			
Tested by:	IH	Reviewed by: GM	A



	- 1 -	,	FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	90501-9100	00	Lab No.:	71	Field No.:	182
Manufacturer:	NSC Minera		Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 5, 202		Production	Location:	Vanscoy - Sas	
Date Received:	Jan. 8, 2024		Date Tested		Jan. 24, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE	00					
CHLORIDE	98					
SODIUM	O.E					
CHLORIDE	95					
INSOLUBLE		1				
MATTER		1				
MOISTURE		1	0.20			
CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.3			
630µm	35	100	59.4			
315µm	0	50	18.8			
160μm	0	8	2.4	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Comments.			
			_
Tested by:	IH	Reviewed by: GM	A



Manufacturer: NSC Date Sampled: Sept Date Received: Jan.  TEST SPEC CHEM COMP N  SOLUBLE CHLORIDE SODIUM	Minerals 5, 2023 8, 2024  CIFICATIO //IIN 98	ON LIMITS MAX	Lab No.: Salt Type Production I Date Tested TEST		Field No.: Alta. Trans. F Vanscoy - Sas Jan. 24, 2024 MULTIPLY FACTOR	skatchewan NUMBER OF
Date Sampled: Sept Date Received: Jan.  TEST SPEC CHEM COMP N  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	E. 5, 2023 8, 2024 CIFICATIO MIN		Production I Date Tested	NUMBER OF UNITS OUT OF	Vanscoy - Sas Jan. 24, 2024 MULTIPLY	NUMBER OF ADJUSTMENT
TEST SPECE CHEM COMP NOT SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	<b>8, 2024</b> CIFICATIO  //IN  98		Date Tested	NUMBER OF UNITS OUT OF	Jan. 24, 2024 MULTIPLY	NUMBER OF ADJUSTMENT
TEST SPECE CHEM COMP NO SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	CIFICATIO //IN			NUMBER OF UNITS OUT OF	MULTIPLY	NUMBER OF ADJUSTMENT
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	<b>/IIN</b> 98		TEST	OF UNITS OUT OF		ADJUSTMENT
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	98	MAX			FACTOR	ADJUSTMENT POINTS
CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE						
CHLORIDE INSOLUBLE MATTER MOISTURE	95			]		
MATTER MOISTURE						
		1				
CONTLINE		1	0.40			
GRADATION	•			•		
10000μm						
5000μm 1	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	94.9			
630µm	35	100	57.2			
315μm	0	50	19.6			
160μm	0	8	3.1	0		
80μm	0	3	0.1	0		
adju If pa	NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO: Rish	i Adhikari,	, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.canimerals.com)	a)
APP	ROVED FC	OR PAYMEI	NT		/4	AREA MANAGEI

Tested by:	<u>IH</u>	Reviewed by: GM	A



	-   -		FOR GRAN	ULAR SODI	UM CHLORIE	)E	
Lot No.:	91501-9200	00	Lab No.:	73	Field No.:	184	
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine	
Date Sampled:	Sept. 6, 202	23	Production	Location:	Vanscoy - Sas	skatchewan	
Date Received:	Jan. 8, 2024	4	Date Tested	<b> :</b>	Jan. 24, 2024		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.30				
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.9	0			
1250μm	85	100	95.5				
630µm	35	100	55.8				
315µm	0	50	17.8				
160µm	0	8	2.6	0			
80μm	0	3	0.2	0			
NOTE:	NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.						
		adjustment i t will be mad					
COPIES TO:	Rishi Adhik	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:					,		

comments:			
			_
Tested by:	IH	Reviewed by: GM	A



### TEST REPORT & PAY ADJUSTMENT

• • • • • • • • • • • • • • • • • • • •	יור				UM CHLORII	
Lot No.:	92001-9250	00	Lab No.:	74	Field No.:	185
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Sept. 6, 202	23	Production I	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	:	Jan. 24, 2024	1
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	17ACTON	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.20			
SODIUM CHLORIDE	95		98.80			
INSOLUBLE MATTER		1	0.74			
CN WATER SOLUBLE			<0.02			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.10			
GRADATION	_					
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.0			
630µm	35	100	55.9			
315µm	0	50	18.0			
160μm	0	8	2.6	0		
80μm NOTE:			s 5% or less,			
COPIES TO:	If payment no paymen Rishi Adhika	adjustment i t will be mad ari, Alberta T	is 100% or model le for the lot. Transportation	ore n (rishi.adhik	kari@gov.ab.c ninerals.com)	a)
		FOR PAYME				

Comments:

Tested by: Reviewed by: GM ΙH



/AREA MANAGER



Manufacturer: No Date Sampled: So Date Received: Ja	2501-9300 ISC Minera ept. 7, 202 an. 8, 2024	ls 3	Lab No.: Salt Type Production Date Tested	75	Field No.:	186
Date Sampled: Son Date Received: James Sampled: Date Received: James Sampled: Date Sampled: Sampled: Sampled: Sampled: Sampled: Date Sampled:	ept. 7, 202 an. 8, 2024	3	Production		Alta, Trans, F	•
Date Received: Ja	an. 8, 2024		Production			·ine
			Data Tostos	Location:	Vanscoy - Sas	skatchewan
TEST S	PECIFICAT		Date restet	:	Jan. 24, 2024	
		ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.7			
630µm	35	100	59.4			
315µm	0	50	20.3			
160μm	0	8	3.3	0		
80μm	0	3	0.2	0		
a	djustment	will be asses	s 5% or less, ssed against s 100% or m	the lot.	:	
		•	le for the lot			
					kari@gov.ab.c	a)
			•		ninerals.com)	-,
А	PPROVED	FOR PAYMEI	NT		//	AREA MANAGE

Tested by:	IH	 Reviewed by: GM	A



						/L
Lot No.:	93001-9350	00	Lab No.:	76	Field No.:	187
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 7, 202	23	Production I	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	:	Jan. 24, 2024	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	100	0		
1250μm	85	100	96.9			
630µm	35	100	61.1			
315µm	0	50	22.6			
160µm	0	8	3.8	0		
80µm	0	3	0.3	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.						
	no paymen	t will be mad	s 100% or m le for the lot.	1		
COPIES TO:			-		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			
Comments:						AREA MANAGEF

Tested by:	_IH	Reviewed by: GM	A



Tested by:

ΙH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

					OWI CHLOKIL	_
Lot No.:	93501-9400	00	Lab No.:	77	Field No.:	188
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Sept. 8, 202	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	l:	Jan. 24, 2024	1
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMEN <sup>*</sup> POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION					_	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.1	0		
1250μm	85	100	93.8			
630µm	35	100	56.1			
315µm	0	50	19.0			
160μm	0	8	3.2	0		
80μm	0	3 0	0.2	0		
NOTE:		adjustment i will be asses			t	
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGI

confinents.	
	A

Reviewed by: GM




			FOR GRAIN	ULAK SUDI	OIVI CHLOKIL	JE
Lot No.:	94001-945	00	Lab No.:	78	Field No.:	189
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Sept. 8, 202	23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 24, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	94.6			
630µm	35	100	57.3			
315µm	0	50	20.1			
160μm	0	8	3.3	0		
80μm	0	3	0.3	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	t	
222122	no paymen	t will be mad	le for the lot			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

Comments.			
			_
Tested by:	IH	Reviewed by: GM	A




	-   -		FOR GRAN	ULAK SODI	UM CHLORIE	)E	
Lot No.:	94501-950	00	Lab No.:	79	Field No.:	190	
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. F	ine	
Date Sampled:	Sept. 8. 20	23	Production	Location:	Vanscoy - Sas	skatchewan	
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 24, 2024	}	
TEST	SPECIFICA <sup>-</sup>	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE	98						
CHLORIDE	36						
SODIUM	95						
CHLORIDE	33						
INSOLUBLE		1					
MATTER							
MOISTURE		1	0.00				
CONTENT			0.00				
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.4	0			
1250μm	85	100	95.5				
630µm	35	100	58.7				
315μm	0	50	20.7				
160μm	0	8	3.7	0			
80μm	0	3	0.4	0			
NOTE:	0						
	no paymen	adjustment i t will be mad	le for the lot	•			
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:					·		

Tested by:	<u>IH</u>	 Reviewed by: GM	A



	-   -		FOR GRAN	ULAK SODI	UM CHLORIE	)E	
Lot No.:	95001-9550	00	Lab No.:	80	Field No.:	191	
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine	
Date Sampled:	Sept. 11, 20	023	Production	Location:	Vanscoy - Sas	skatchewan	
Date Received:	Jan. 8, 2024	4	Date Tested	:	Jan. 24, 2024		
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.10				
GRADATION	•		•	•	•	•	
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.7	0			
1250μm	85	100	93.8				
630µm	35	100	52.4				
315µm	0	50	15.9				
160μm	0	8	2.2	0			
80μm	0	3	0.2	0			
NOTE:	NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.						
		adjustment i					
COPIES TO:	no payment will be made for the lot.  TO: Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)						
	APPROVED	FOR PAYME	NT		14	AREA MANAGER	
Comments:					7		

comments:			
Tested by:	IH	Reviewed by: GM	A



Comments:

	FOR GRANULAR SODIUM CHLORIDE					
Lot No.:	95501-9600	00	Lab No.:	81	Field No.:	192
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Sept. 11, 20	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 24, 2024	ļ
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION					•	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.5			
630µm	35	100	54.3			
315µm	0	50	18.4			
160μm	0	8	3.2	0		
80μm	0	3	0.3	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:		Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)				
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER


Tested by:	IH	 Reviewed by: GM	/0(



Comments:

	FOR GRANOLAR SODIOM CHLORIDE					
Lot No.:	96001-9650	00	Lab No.:	82	Field No.:	193
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Sept. 12, 20	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 24, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION	•					
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.8			
630µm	35	100	53.6			
315µm	0	50	16.5			
160μm	0	8	2.3	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:		Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)				
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER

Tested by:	IH	 Reviewed by: GM	/0(



	FOR GRANULAR SODIUM CHLORIDE					
Lot No.:	96501-9700	00	Lab No.:	83	Field No.:	194
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 12, 20	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	<b> </b> :	Jan. 24, 2024	ļ
TEST		TION LIMITS	TEST	NUMBER OF UNITS OUT OF	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT
CHEM COMP	MIN	MAX		SPEC		POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.7			
630µm	35	100	51.5			
315µm	0	50	14.3			
160μm	0	8	1.8	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:					kari@gov.ab.c	a)
		-	•	•	ninerals.com)	
APPROVED FOR PAYMENT /AREA MANAGER						

Comments:			
Tested by:	IH	Reviewed by: GM	A



	FOR GRANULAR SODIUM CHLORIDE					DE
Lot No.:	97001-9750	00	Lab No.:	84	Field No.:	195
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Sept. 13, 20	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 25, 2024	ı
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX	TEST	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98		99.10			
SODIUM CHLORIDE	95		98.60			
INSOLUBLE MATTER		1	0.86			
CN WATER SOLUBLE			<0.03			
CN STRONG ACID DRY WEIGHT			<0.02			
CN WEAK ACID DRY WEIGHT			<0.05			
MOISTURE CONTENT		1	0.20			
GRADATION	•	T	1		_	,
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.1	0		
1250μm	85	100	94.3			
630μm	35	100	54.8			
315μm	0	50	17.9	0		
160μm	0	8	3.1	0		
80μm  NOTE:  COPIES TO:	If payment adjustment If payment no paymen Rishi Adhiki	0 adjustment i will be asses adjustment i t will be mad ari, Alberta T	ssed against s 100% or m le for the lot ransportatio	nore : on (rishi.adhil	kari@gov.ab.c	a)
	APPROVED	FOR PAYMEI	NT			

Comments:

Tested by:

/AREA MANAGER


		_	

Reviewed by: GM



			FOR GRANULAR SODIUM CHLORIDE			
Lot No.:	97501-9800	00	Lab No.:	85	Field No.:	196
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 13, 20	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 25, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION					ı	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	94.6			
630µm	35	100	55.6			
315µm	0	50	18.3			
160µm	0	8	3.1	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	0 adjustment i will be asses adjustment i	ssed against	the lot.	i	
		t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	<u>IH</u>	Reviewed by: GM	A




Tested by: IH

#### TEST REPORT & PAY ADJUSTMENT FOR GRANLILAR SODILIM CHLORIDE

	- 1 -		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	98001-9850	00	Lab No.:	86	Field No.:	197
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 14, 20	)23	Production I	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	:	Jan. 25, 2024	,
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACION	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION				1	•	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.0			
630µm	35	100	58.5			
315µm	0	50	20.3			
160μm	0	8	3.1	0		
80μm	0	3	0.2	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
	no paymen	t will be mad	le for the lot.	ı		
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:					ŢF	


_

Reviewed by: GM



		FOR GRANULAR SODIUM CHLORIDE				
Lot No.:	98501-9900	00	Lab No.:	87	Field No.:	198
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 15, 20	023	Production I	_ocation:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 25, 2024	ļ
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	95.5			
630μm	35	100	58.0			
315μm	0	50	19.8			
160μm	0	8	3.1	0		
80μm	0	3	0.2	0		
NOTE:	NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO:			•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	<u>IH</u>	Reviewed by: GM	A



	- 1 -		FOR GRAN	ULAR SODI	UM CHLORIL	)E
Lot No.:	99001-9950	00	Lab No.:	88	Field No.:	199
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 15, 20	)23	Production I	_ocation:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 25, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	PACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.40			
GRADATION				l	ı	
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	95.7			
630µm	35	100	59.3			
315µm	0	50	20.2			
160μm	0	8	3.0	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYME	NT		//	AREA MANAGER

Comments:			
Tested by:	IH	Reviewed by: GM	A



Tested by:

ΙH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

			TON GIVAN	OLAN SODI	OW CHLOKIL	<b>)</b> L
Lot No.:	99501-100	000	Lab No.:	89	Field No.:	200
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine
Date Sampled:	Sept. 17, 2	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 25, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.6	0		
1250μm	85	100	93.7			
630µm	35	100	50.0			
315µm	0	50	13.6			
160µm	0	8	1.9	0		
80µm	0	3	0.1	0		
NOTE:		0 adjustment i will be asses			t	
		adjustment i t will be mad				
COPIES TO:			-		kari@gov.ab.c ninerals.com)	ra)
	APPROVED	FOR PAYME	NT			NDEA MANIACEI
Comments:					//	AREA MANAGEF

		<u> </u>
		- San

Reviewed by: GM



Manufacturer: NSC Date Sampled: Sep Date Received: Jan  TEST SPE  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000μm 5000μm 2500μm 1250μm 630μm	001-1005 Mineral		Lab No.:	22		
Date Sampled: Sep Date Received: Jan.  TEST SPE  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000μm 5000μm 2500μm 1250μm 630μm				90	Field No.:	201
TEST SPE  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm		S	Salt Type		Alta. Trans. F	ine
TEST SPE  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm	t. 18, 202	23	Production I	ocation:	Vanscoy - Sas	skatchewan
CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm	8, 2024		Date Tested	:	Jan. 25, 2024	
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm	CIFICATI	ON LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHLORIDE  SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm	MIN	MAX	1231	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
CHLORIDE INSOLUBLE MATTER MOISTURE CONTENT GRADATION 10000µm 5000µm 2500µm 1250µm 630µm	98					
MATTER MOISTURE CONTENT GRADATION 10000μm 5000μm 2500μm 1250μm 630μm	95					
CONTENT GRADATION 10000μm 5000μm 2500μm 1250μm 630μm		1				
10000μm 5000μm 2500μm 1250μm 630μm		1	0.00			
5000μm 2500μm 1250μm 630μm						
2500μm 1250μm 630μm						
1250μm 630μm	100	100	100	0		
630µm	98	100	99.8	0		
·	85	100	93.7			
215,000	35	100	50.7			
315μm	0	50	13.8			
160μm	0	8	1.7	0		
80μm	0	3	0.2	0		
adjı If pa	ustment v	will be asses djustment i	s 5% or less, ssed against t s 100% or m	the lot.	:	
			e for the lot.			
			•	=	kari@gov.ab.c ninerals.com)	a)
APF	ROVED F	OR PAYMEI	NT		//	AREA MANAGER
Comments:						

Tested by:	<u>IH</u>	Reviewed by: GM	A



			FOR GRAIN	ULAK SUDI	UM CHLORIE	)E
Lot No.:	100501-10	1000	Lab No.:	91	Field No.:	202
Manufacturer:	NSC Miner	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 18, 2	023	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	<b>!</b>	Jan. 25, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE						
SODIUM CHLORIDE	95					
INSOLUBLE		4				
MATTER		1				
MOISTURE		4	0.00			
CONTENT		1	0.00			
GRADATION	•	•	•			
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.8			
630µm	35	100	53.4			
315µm	0	50	16.6			
160μm	0	8	2.6	0		
80μm	0	3	0.2	0		
NOTE:	If payment	0 adjustment i	s 5% or less,	no payment	i.	
	adjustment	t will be asses	ssed against	the lot.		
		adjustment i t will be mad				
COPIES TO:					kari@gov.ab.c	a)
23. 123 13.			•	-	ninerals.com)	~1
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					//	WEY MYNAOLI

			_
Tested by:	_IH	Reviewed by: GM	A



				<u> </u>		DE
Lot No.:	101001-10	1500	Lab No.:	92	Field No.:	203
Manufacturer:	NSC Minera	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 19, 20	023	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	<b>!</b>	Jan. 25, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE	30					
SODIUM	95					
CHLORIDE	33					
INSOLUBLE		1				
MATTER		-				
MOISTURE		1	0.10			
CONTENT		-	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.3			
630µm	35	100	53.0			
315µm	0	50	16.4			
160μm	0	8	2.5	0		
80μm	0	3	0.4	0		
		0				
NOTE:		adjustment i : will be asses	-		i.	
		adjustment i t will be mad				
COPIES TO:	Rishi Adhik	ari, Alberta T	ransportatio	n (rishi.adhil	kari@gov.ab.c	a)
	Nelson Sch	utz, NSC Min	erals Ltd. (ns	schutz@nscn	ninerals.com)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGEF
Comments:					//	WENT WINNING CITY

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A




			FOR GRANOLAR SODIOW CHLORIDE			
Lot No.:	101501-10	2000	Lab No.:	93	Field No.:	204
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 19, 2	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	l:	Jan. 25, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX	1201	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.2			
630µm	35	100	50.3			
315µm	0	50	13.7			
160µm	0	8	1.8	0		
80μm	0	3	0.1	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
COPIES TO:	Rishi Adhik		ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:					,	

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A




					UM CHLORIE	)L
Lot No.:	102001-102	2500	Lab No.:	94	Field No.:	205
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 19, 20	)23	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	d:	Jan. 25, 2024	1
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE	98					
CHLORIDE						
SODIUM CHLORIDE	95					
INSOLUBLE		1				
MATTER		1				
MOISTURE		1	0.20			
CONTENT		1	0.20			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	93.4			
630µm	35	100	48.6			
315µm	0	50	12.8			
160µm	0	8	1.4	0		
80μm	0	3	0.2	0		
NOTE:	adjustment	will be asses	ssed against		t	
		adjustment i t will be mad				
COPIES TO:	Rishi Adhika	ari, Alberta T	ransportatio	n (rishi.adhi	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGE

Tested by:	<u>IH</u>	 Reviewed by: GM	A



	-   -		FOR GRAN	ULAR SODI	UM CHLORIE	)E
Lot No.:	102501-103	3000	Lab No.:	95	Field No.:	206
Manufacturer:	NSC Minera	NSC Minerals		Salt Type		ine
Date Sampled:	Sept. 20, 20	023	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	ł:	Jan. 25, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	TACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.5			
630µm	35	100	50.2			
315µm	0	50	14.3			
160μm	0	8	2.2	0		
80μm	0	3	0.1	0		
NOTE:		0 adjustment i will be asses	-	• •	t	
	no paymen	adjustment i t will be mad	le for the lot			
COPIES TO:		•	•	•	kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT			AREA MANAGER
Comments:						

Tested by:	<u>IH</u>	Reviewed by: GM	A



	-   -		FOR GRAN	IULAR SODI	UM CHLORII	)E	
Lot No.:	103001-10	3500	Lab No.:	96	Field No.:	207	
Manufacturer:	<b>NSC Miner</b>	als	Salt Type		Alta. Trans. I	ine	
Date Sampled:	Sept. 20, 2	023	Production	Location:	Vanscoy - Sa	skatchewan	
Date Received:	Jan. 8, 202	4	Date Tested	d:	Jan. 26, 2024		
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF	
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS	
SOLUBLE CHLORIDE	98						
SODIUM CHLORIDE	95						
INSOLUBLE MATTER		1					
MOISTURE CONTENT		1	0.00				
GRADATION							
10000μm							
5000μm	100	100	100	0			
2500μm	98	100	99.8	0			
1250μm	85	100	94.0				
630µm	35	100	51.4				
315µm	0	50	14.3				
160µm	0	8	2.0	0			
80μm	0	3	0.2	0			
NOTE:	0						
600173.73	no paymer	nt will be mad	le for the lot	••			
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	a)	
	APPROVED	FOR PAYME	NT		//	AREA MANAGER	
Comments:							

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



Tested by:

ΙH

## TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

				- · · · · · · · · · · · · · · · · · · ·		_
Lot No.:	103501-10	4000	Lab No.:	97	Field No.:	208
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 20, 20	023	Production I	ocation:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 202	4	Date Tested	:	Jan. 25, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.10			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.1			
630µm	35	100	51.2			
315µm	0	50	14.8			
160μm	0	8	2.1	0		
80μm	0	3	0.2	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
	no paymen	t will be mad	le for the lot.			
COPIES TO:					kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYMEI	NT		//	AREA MANAGER
Comments:					7,	


		A

Reviewed by: GM



Manufacturer: N: Date Sampled: Se Date Received: Ja  TEST SI  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	04001-104 ISC Minera ept. 21, 20 an. 8, 2024  SPECIFICAT MIN  98  95	ls 23	Lab No.: Salt Type Production Date Tested TEST		Field No.: Alta. Trans. F Vanscoy - Sas Jan. 26, 2024 MULTIPLY FACTOR	skatchewan
TEST SI  CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	ept. 21, 20 an. 8, 2024 SPECIFICAT MIN	ION LIMITS	Production  Date Tested	NUMBER OF UNITS OUT OF	Vanscoy - Sas Jan. 26, 2024 MULTIPLY	NUMBER OF
TEST SI CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	SPECIFICAT MIN 98	ION LIMITS	Date Tested	NUMBER OF UNITS OUT OF	Jan. 26, 2024 MULTIPLY	NUMBER OI ADJUSTMEN
TEST SI CHEM COMP  SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	MIN 98	ION LIMITS		NUMBER OF UNITS OUT OF	MULTIPLY	NUMBER OI ADJUSTMEN
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	<b>MIN</b> 98		TEST	OF UNITS OUT OF		ADJUSTMEN
SOLUBLE CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE	98	MAX			FACTOR	
CHLORIDE SODIUM CHLORIDE INSOLUBLE MATTER MOISTURE						
CHLORIDE INSOLUBLE MATTER MOISTURE	95					
MATTER MOISTURE						
		1				
CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.6	0		
1250μm	85	100	93.9			
630µm	35	100	52.7			
315μm	0	50	15.3			
160μm	0	8	2.2	0		
80μm	0	3	0.3	0		
ac	djustment	will be asses	s 5% or less, ssed against s 100% or m	the lot.	:	
		-	e for the lot.			
					kari@gov.ab.c	a)
			•		ninerals.com)	,
Al	PPROVED I	FOR PAYMEI	NT		//	AREA MANAG

			_
Tested by:	<u>IH</u>	 Reviewed by: GM	A



			FOR GRAN	ULAR SODI	UM CHLORIE	)E
Lot No.:	104501-10	5000	Lab No.:	99	Field No.:	210
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 21, 20	023	Production	Location:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested	:	Jan. 26, 2024	
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.30			
GRADATION	_					
10000µm						
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	94.1			
630μm	35	100	54.8			
315μm	0	50	18.3			
160μm 80μm	0	8	3.1 0.2	0		
NOTE:	If payment adjustment	0 adjustment i will be asses adjustment i t will be mad	s 5% or less, ssed against s 100% or m	the lot.	-	
COPIES TO:	Nelson Sch		erals Ltd. (ns	-	kari@gov.ab.c ninerals.com)	a)
Comments:					//	AREA MANAGER

			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



Lot No.:	105001-105		Lab No.:	100	Field No.:	211
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 22, 20		Production l	ocation:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	1	Date Tested		Jan. 26, 2024	
TEST CHEM COMP	SPECIFICAT MIN	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98			51.20		
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	1				ı	1
10000μm				-		
5000μm	100	100	100	0		
2500μm	98	100	99.7	0		
1250μm	85	100	93.4			
630µm	35	100	52.9			
315μm	0	50	16.4			
160μm	0	8	2.5 0.3	0		
80μm NOTE:	If payment adjustment If payment	0 adjustment i will be asses adjustment i	s 5% or less, ssed against t s 100% or mo	no payment the lot.	:	
COPIES TO:	Rishi Adhika Nelson Sch	ari, Alberta T	ransportation erals Ltd. (ns	n (rishi.adhil	kari@gov.ab.c ninerals.com)	a) AREA MANAGE

Tested by:	<u>IH</u>	Reviewed by: GM	A



Lot No.:						
	105501-106	5000	Lab No.:	101	Field No.:	212
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 22, 20	)23	Production L	ocation:	Vanscoy - Sas	skatchewan
Date Received:	Jan. 8, 2024	ļ	Date Tested	•	Jan. 26, 2024	
TEST CHEM COMP	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS OUT OF SPEC	MULTIPLY FACTOR	NUMBER OF ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.7	0		
1250μm	85	100	93.4			
630µm	35	100	52.9			
315μm	0	50	16.4			
160µm	0	8	2.5	0		
80µm	0	3	0.3	0		
NOTE:	adjustment  If payment	will be asses adjustment i	s 5% or less, ssed against t s 100% or mo le for the lot.	the lot.	:	
COPIES TO:	Nelson Sch	utz, NSC Min	erals Ltd. (ns		kari@gov.ab.c ninerals.com)	a)
Comments:	APPKUVED	FOR PAYMEI	NI		//	AREA MANAGER

Comments.			
			_
Tested by:	<u>IH</u>	Reviewed by: GM	A



•	111	,	FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	106001-100	6500	Lab No.:	102	Field No.:	213
Manufacturer:	<b>NSC Minera</b>	als	Salt Type		Alta. Trans. I	Fine
Date Sampled:	Sept. 25. 20	023	Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024	4	Date Tested	<b> :</b>	Jan. 26, 2024	l
TEST	SPECIFICAT	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm						
5000μm	100	100	100	0		
2500μm	98	100	99.8	0		
1250μm	85	100	94.0			
630µm	35	100	51.6			
315µm	0	50	15.2			
160μm	0	8	2.2	0		
80μm	0	3	0.2	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.						
COPIES TO:			•	-	kari@gov.ab.c ninerals.com)	ca)
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:						

		_	
Tested by:	<u>IH</u>	Reviewed by: GM	A

#### **TEST REPORT & PAY ADJUSTMENT** FOR GRANULAR SODIUM CHLORIDE Lot No.: 1106501-107000 103 Field No.: 214 Lab No.: Manufacturer: **NSC Minerals** Alta. Trans. Fine Salt Type Date Sampled: Sept. 25, 2023 **Production Location:** Vanscoy - Saskatchewan Jan. 26, 2024 Date Received: Jan. 8, 2024 Date Tested: NUMBER **TEST SPECIFICATION LIMITS MULTIPLY OF UNITS NUMBER OF TEST FACTOR OUT OF ADJUSTMENT CHEM COMP** MIN MAX SPEC **POINTS SOLUBLE** 98 CHLORIDE **SODIUM** 95 **CHLORIDE INSOLUBLE** 1 MATTER **MOISTURE** 1 0.00 **CONTENT GRADATION** 10000µm 5000µm 100 100 100 2500µm 98 100 99.9 1250µm 85 100 94.5 630µm 35 100 52.5 0 $315 \mu m$ 50 15.6 160µm 0 8 2.2 0 3 0.3 80µm 0 NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.

If payment adjustment is 100% or more

no payment will be made for the lot.

Rishi Adhikari Alberta Transportation (rishi adhikari@gov ab ca)

COPIES TO.	Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)				
	APPROVED FOR PAYMENT		/AREA MANAGEF		
Comments:					
Tested by:	<u>IH</u>	Reviewed by: GM			



Tested by: IH

# TEST REPORT & PAY ADJUSTMENT FOR GRANULAR SODIUM CHLORIDE

	-   -		FOR GRAN	IULAR SODI	UM CHLORIE	)E
Lot No.:	107001-10	7500	Lab No.:	104	Field No.:	215
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	ine
Date Sampled:	Sept. 28, 2023		Production	Location:	Vanscoy - Saskatchewan	
Date Received:	Jan. 8, 202	4	Date Tested	d:	Jan. 26, 2024	
TEST	SPECIFICA	TION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
СНЕМ СОМР	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION						
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.6	0		
1250μm	85	100	92.9			
630µm	35	100	52.2			
315µm	0	50	16.3			
160μm	0	8	2.5	0		
80μm	0	3	0.2	0		
NOTE: If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more						
		•				
COPIES TO:	no payment will be made for the lot.  Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca)  Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
	APPROVED	FOR PAYME	NT		//	AREA MANAGER
Comments:					·	

	_	A

Reviewed by: GM



ot No.:	107501-108	3000	Lab No.:	105	Field No.:	216
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. Fine	
Date Sampled:	Sept. 29, 2023		Production	Location:	Vanscoy - Sa	skatchewan
Date Received:	Jan. 8, 2024				Jan. 26, 2024	
TEST	SPECIFICATION LIMITS		TEST	NUMBER	MULTIPLY	NUMBER OF
CHEM COMP	MIN	MAX	125.	OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION	•					
10000μm						
5000μm	100	100	100	0		
2500µm	98	100	99.8	0		
1250μm	85	100	94.0			
630µm	35	100	52.0			
315µm	0	50	15.0			
160μm	0	8	2.1	0		
80μm	0	3	0.2	0		
NOTE:	If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO:			•		kari@gov.ab.c ninerals.com)	a)
	APPROVED	FOR PAYME	NT		//	AREA MANAGE

Comments.		
Tested by:	 Reviewed by: GM	A



• •	~ I ~		FOR GRAN	ULAR SODI	UM CHLORIE	DE
Lot No.:	45501-4600	00	Lab No.:	87	Field No.:	92
Manufacturer:	NSC Minerals		Salt Type		Alta. Trans. F	Fine
Date Sampled:	May. 1, 202	24	Production Location:		Vanscoy, Saskatchewan	
Date Received:	2-Jul-24		Date Tested:		12-Jul-24	
TEST	SPECIFICAT	ION LIMITS	TEST	NUMBER OF UNITS	MULTIPLY FACTOR	NUMBER OF
CHEM COMP	MIN	MAX		OUT OF SPEC	FACTOR	ADJUSTMENT POINTS
SOLUBLE CHLORIDE	98					
SODIUM CHLORIDE	95					
INSOLUBLE MATTER		1				
MOISTURE CONTENT		1	0.00			
GRADATION					_	
10000μm			100			
5000μm	100	100	99.7	-0.3		
2500μm	98	100	99.4	0		
1250μm	85	100	96.0			
630µm	35	100	58.3			
315μm	0	50	17.9			
160μm	0	8	2.2	0		
80μm	0	3	0.3	0		
NOTE:	If payment adjustment is 5% or less, no payment adjustment will be assessed against the lot.  If payment adjustment is 100% or more no payment will be made for the lot.					
COPIES TO:	Rishi Adhikari, Alberta Transportation (rishi.adhikari@gov.ab.ca) Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)					
Comments	APPRUVED	FOR PAYME	IN I		//	AREA MANAGER
Comments:						

Comments:			
Tested by:	IH	Reviewed by: GM	A

#### **TEST REPORT & PAY ADJUSTMENT** FOR GRANULAR SODIUM CHLORIDE Lot No.: 46001-46500 88 Field No.: 93 Lab No.: Manufacturer: **NSC Minerals** Alta. Trans. Fine Salt Type Date Sampled: 29-May-24 **Production Location:** Vanscoy, Saskatchewan 12-Jul-24 Date Received: 2-Jul-24 Date Tested: **NUMBER** TEST **SPECIFICATION LIMITS MULTIPLY OF UNITS NUMBER OF TEST FACTOR OUT OF ADJUSTMENT CHEM COMP** MIN MAX SPEC **POINTS SOLUBLE** 98 CHLORIDE **SODIUM** 95 CHLORIDE **INSOLUBLE** 1 MATTER **MOISTURE** 1 0.00 CONTENT **GRADATION** 10000µm 100 5000µm 100 100 100 2500µm 98 100 99.9 1250µm 85 100 94.7 630µm 35 100 52.0 0 50 15.6 315µm 160µm 0 8 2.3 0 3 0.3 80µm 0 If payment adjustment is 5% or less, no payment NOTE: adjustment will be assessed against the lot.

If payment adjustment is 100% or more no payment will be made for the lot.

COPIES 10:	Nelson Schutz, NSC Minerals Ltd. (nschutz@nscminerals.com)				
	APPROVED FOR PAYMENT		/AREA MANAGER		
Comments:					
Tested by:	<u>IH</u>	Reviewed by: <u>GM</u>	A		